

EASTERN CAPE PROVINCE DEPARTMENT OF EDUCATION REQUEST FOR BID

FOR

NEW ECD CENTRE AT BOLANI ECD

3GB

EMIS NO:

DISTRICT:

BID NO: 2022/07/714

Consisting of	f:
---------------	----

Single Volume: The Request f	or Bid ((Returnable)	-]	This (document
------------------------------	----------	--------------	-----	--------	----------

BIDDER:	
CRS NO:	

Compiled for:

SUPPLY CHAIN MANAGEMENT

Eastern Cape Department of Education Steve Tshwete Complex, Zone 6 **ZWELITSHA**

ZVVELIIS

5608

Website: www.edu.ecprov.gov.za

Compiled by:

OCTOBER 2023 PNO:

REQUEST FOR BID

Index

REQUEST FOR BID

Dart	4.	Rid	Dra	cedure

- Request for Bid Notice and Invitation to Bid (SBD1) T1.1
- T1.2 Request for Bid Data
- ➤ T1.3 Bid Evaluation Criteria

Part 2: Agreement and Contract Data

- Form of Offer and Acceptance ➤ C1.1 Final Summary of Bills of Quantities ➤ C1.1a ➤ C1.1b Standard Conditions of Tender ➤ C1.2 **Contract Data**
- ➤ C1.3 Form of Guarantee

Part 3: Returnable Schedules/Documents

- 1. T2.1 List of Returnable Documents
- 2. T2.2 Returnable Documents:
 - o SBD 4 Declaration of Interest
 - SBD 6.1 Preference Points Claim Form in terms of the Preferential Procurement Regulations
 - SBD 6.2 Local Production and Content

 - T2.2.1 Certificate of Authority for Signatory
 T2.2.2 Certificate of Authority for Joint Ventures
 T2.2.5 Record of Addenda to Request for Bid Documents
 T2.2.6 Capacity of Bidder
 T2.2.7 Relevant Project Experience Completed Projects
 T2.2.8 Relevant Project Experience Current Projects
 T2.2.9 Schedule of Plant & Equipment

 - o T2.2.10 Compulsory Enterprise Questionnaire
 - o T2.2.11 CIDB Grading Certificate
 - o T2.2.12 Other Certificates
 - T2.2.13 Completed Project Reference Forms

THE CONTRACT

Part 4: Scope of Work

- > C3.1 Scope of work
- > C3.2 Health and Safety Specification
- > C3.4 Contractors Reports

Part 5: Pricing data

- ➤ C2.1 Pricing instructions
- C2.2 Preliminaries/Bill of Quantities/Final Summary

Part 6: Site information

- Site information C4
- C5 **Drawings**

Part 1: BID PROCEDURE

T1.1: Request for Bid Notice and Invitation to Bid (SBD1)



REQUEST FOR BID NOTICE

DEPARTMENT OF EDUCATION EASTERN CAPE PROVINCE

Bidders are hereby invited by **DoE** for the following contract, relating to the Provision of Generators to EcDoE facilities.

NEW ECD CENTRE AT BOLANI ECD

BID NO: 2022/07/714

[CIDB Grade: 3GB Category or Higher]

Principal Agent

Mr Q Msiwa

Tel: (040) 608 4707

Project Leader (DoE)

Mr Q Msiwa

Tel: (040) 608 4707

<u>Availability of Document</u> – Bid document with the necessary terms of reference could be downloaded from the Eastern Cape Department of Education website: <u>www.ecdoe.gov.za</u> as from **Monday**, **16 October 2023** to the closing date **Tuesday**, **24 October 2023**.

Completed Request for Bid documents in a sealed envelope endorsed with the project name, request for Bid number and description post to **Bids & Contracts Office**, **Private Bag X0032**, **Bhisho**, **5605**, or may be deposited in the tender box situated at the Reception area of the **Department of Education**, **Steve Vukile Tshwete Education Complex**, **Zone 6**, **Zwelitsha**, not later than **11h00** on **24 October 2023**.

<u>BRIEFING SESSION</u> – Mandatory Briefing Session will be held at Bolani ECD on **Thursday**, **19 October 2023** at **11H00**

Bidders shall take note of the following Bid conditions -

- □ Single Volume to be submitted
- □ Priced BoQ to be submitted
- □ Bidders are required to have a CIDB contractor grading designation **3GB** or higher
- □ JV Agreements with installers and CIDB graded contractors would be acceptable.
- An approved surety will be required
- Penalties for late completion will be enforced
- □ Late request for Bids will not be accepted
- □ Letter of Good Standing from the Compensation Fund or FEMA to be submitted with request for Bid
- □ Failure to complete <u>all</u> supplementary information and the RETURNABLE SCHEDULES could result in the request for Bid being eliminated
- □ CIPRO/CIPC Certificate to be submitted with tender
- Adjudication criteria are as follows:

- □ 80 Points for Price
- □ 20 Points for Specific Goals

Bids with a threshold value up to R50 000 000,00 shall be evaluated on 80/20 principle. Preference points shall be allocated as per below table:

Preferential	goals	Hi	storically	Allocation of Points
Disadvantage	d individuals	5		
Historically disa	advantaged ii	ndivid	uals	4
Persons with d	isabilities			2
Promotion of Y	outh			3
Woman Partici	pation			3
Enterprises Cape Province	located in	the	Eastern	6
Promotion of	Military Veter	ans		2

1. CLAIMING OF PREFERENCE POINTS

- 1.1. Preference points allocated Historically Disadvantaged individuals may be claimed by Persons who had no franchise in national elections prior to 1983 and 1993.
- 1.2. Preference points allocated for women may be claimed if there is sufficient evidence that such woman has ownership of 51% or more of the enterprise shareholding.
- 1.3. Preference points allocated for persons with disabilities may only be claimed ifthere is sufficient evidence that such person has ownership of 51% or more ofthe enterprise shareholding.
- 1.4. Preference points allocated for promotion of youth may only be claimed if thereis sufficient evidence that such youth has ownership of 51% or more of the enterprise shareholding.
- 1.5. Preference points for Locality may be allocated for promotion of enterprises located within the Eastern Cape Province may be claimed by submission of proof that the enterprise is located within the borders of Eastern Cape Province. This includes an enterprise whose head office may be situated in another province but has a fully-fledged branch within Eastern Cape Province. Enterprises located outside the borders

of the Eastern Cape Province and who only appoints agents and or commission warehouses in this municipal area are expressly excluded from claiming points for this goal.

- 1.6. Preference points may be allocated to other RDP goals as follows:
 - (a) Promotion of south African owned enterprises
 - (b) Promotion of export-oriented production to create jobs
 - (c) Creation of new jobs or intensification of labour absorption
 - (d) Promotion of enterprises located in the rural areas
 - (e) Promotion of enterprises located in specific municipal area for work to be doneor service to be rendered in that municipal area.
 - □ Tender validity period is 120 (one hundred and twenty) calendar days.
 - □ Tender Forms (Form C1.1: Form of offer and acceptance) that are incomplete or incorrectly completed will result in elimination of that tender
 - □ An original valid SARS Tax Clearance Certificate/Pin must be submitted with the tender, in order to be considered. Failure for submission of Tax Clearance Certificate will result in elimination of tender. In the case of a JV, each partner must present an original SARS Tax Clearance Certificate.
 - □ Form T2.2r (Compulsory Enterprise Questionnaire) must be completed by all or the tender will be eliminated.
 - □ In case of a joint venture a two compulsory enterprise questionnaire must be submitted.

Telegraphic, telexed or faxed tenders will not be considered. The ECDoE does not bind itself to accepting the lowest tenderer. Tender price offered should not pose a commercial risk to the completion of the project.

The BEE may or may not interview the bidder should it deem it necessary.

Procurement Contact Official

Mr P Nxozana

Tel:

Pakamile.Nxozana@ecdoe.gov.za

Infrastructure Contact Official

Mr Q Msiwa

Tel: 040 608 4707

Qiqile.Msiwa@ecdoe.gov.za

PART A INVITATION TO BID

	ITED TO BID FOR REQUIR						
-	11h00			11h00			
	ECD CENTRE AT BOLANI ECD						
BID RESPONSE DOCU	MENTS MAY BE DEPOSITE	D IN THE BID	BOX	SITUATED AT (STR	EET ADD	RESS)	
RECEPTION AREA OF	THE DEPARTMENT OF ED	UCATION,					
STEVE VUKILE TSHWE	TE EDUCATION COMPLEX	K, ZONE 6,					
ZWELITSHA							
BIDDING PROCEDURE	ENQUIRIES MAY BE DIRE	CTED TO	TECH	INICAL ENQUIRIES	MAY BE	DIRECTED TO:	
CONTACT PERSON	Mr P Nxozana		CONT	TACT PERSON		Mr Q Msiwa	
TELEPHONE NUMBER			TELE	PHONE NUMBER		040 608 4707	
FACSIMILE NUMBER			FACS	SIMILE NUMBER			
E-MAIL ADDRESS	Pakamile.Nxozana@ecdo	e.gov.za	E-MA	IL ADDRESS		qiqile.msiwa@	edu.ecprov.gov.za
SUPPLIER INFORMATI	ON						
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS		ı					
TELEPHONE NUMBER	CODE			NUMBER			
CELLPHONE	OODL			NONDER			
NUMBER							
FACSIMILE NUMBER	CODE			NUMBER			
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER							
SUPPLIER	TAX COMPLIANCE			CENTRAL			
COMPLIANCE STATUS	SYSTEM PIN:		OR	SUPPLIER DATABASE No:	MAA	Α	
B-BBEE STATUS	TICK APPLICABLE	BOX]	B-BB	EE STATUS LEVEL	1100	[TICK APPLI	CABLE BOX]
LEVEL		•	SWO	RN AFFIDAVIT		-	•
VERIFICATION		NO.					N
CERTIFICATE	Yes	⊠ NO				∐ Yes	⊠ No
	LEVEL VERIFICATION C				OR EME	S & QSEs) MUST E	BE SUBMITTED IN
ARE YOU THE		mor on z					
ACCREDITED			ARE \	YOU A FOREIGN BA	ASED		
REPRESENTATIVE IN				LIER FOR THE GO	ODS	□Yes	□No
SOUTH AFRICA FOR	☐Yes ☐N	NO		VICES /WORKS		TIE VEO ANOMED T	115
THE GOODS /SERVICES/WORKS	OFFERED? [IF YES, ANSWER THE QUESTIONNAIRE BELOV						
OFFERED?	[IF YES ENCLOSE PROOF					QUESTIONNAIRE B	
QUESTIONNAIRE TO E	BIDDING FOREIGN SUPPLIE	ERS					

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED—(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE A	BOVE PARTICULARS MAY RENDER THE BID INVALID.
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

T1.2 Request for Bid Data

T1.2: REQUEST FOR BID DATA

Project title:	NEW ECD CENTRE AT BOLANI ECD		
Bid No:	2022/07/714		
Advertising date:	16 October 2023	Closing date:	24 October 2023
Closing time:	11h00	Validity period	120 Days

Clause number			
	contained in	ons of Request for Bid applicable to this contract are the Stan Annexure C of the CIDB Standard for Uniformity in Constr Iblished in Government Gazette No. 42622, Department of I	uction Procurement (August
	The Standard Conditions of Bid make several references to the Bid Data for details that apply specifically to this Bid. The Bid Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of Bid.		
	Each item o	of data given below is cross-referenced to the clause in the solution in the solution of the s	Standard Conditions of Bid to
C.1.2	The employ	er is the Eastern Cape Province Department of Education	1
C.1.3.1	The Reques	st for Bid documents issued by the employer comprise:	
	T1.1 Reque T1.2 Reque Part 2: Agr C1.1 Form of C1.1a Final C1.1b Stand C1.2 Contra C1.3 Form of	ding Procedure st for Bid Notice and Invitation to Bid (SBD1) st for Bid Data reement and Contract Data of Offer and Acceptance Summary of Bills of Quantities (C2.2) dard Conditions of Tender act Data of Guarantee turnable Schedules/Documents Returnable Documents	
		able Documents:	
	SBD4 SBD6.1	Declaration of interest Preference points claim form in terms of Preferential	Mandatory Requirement Mandatory Requirement
	SBD6.1	Procurement Regulations 2022 Local production and content	Mandatory Requirement
	T2.2.1	Certificate of authority for signatory	Mandatory Requirement
	T2.2.2	Certificate of authority for joint ventures	Mandatory Requirement
	T2.2.5 T2.2.6	Record of addenda to Request for Bid documents Capacity of Bidder	Additional documents Additional documents
	T2.2.7	Relevant project experience - completed projects	Additional documents
	T2.2.8	Relevant project experience - current projects	Additional documents
	T2.2.9	Schedule of plant & equipment	Additional documents
	T2.2.10	Compulsory enterprise questionnaire	Mandatory Requirement

	T2.2.11	CIDB grading certificate	Mandatory Requirement		
	T2.2.12	Other certificates (certified copies to be inserted by Bidder), etc	Mandatory Requirement		
		 Certified copy of CIPC company registration certificate Certified copies of ID's of shareholders, members, partners or sole owner Letter of Good Standing from Bank where Bidder's primary transaction account is Letter of Good Standing from Compensation Fund or a licensed insurer as contemplated in the Compensation for Occupational Injuries and Diseases Act 1993 CSD Registration Summary Report dated not more than thirty (30) days prior to the Request for Bid closing date. Original valid SARS tax clearance certificate and pin 	Mandatory Requirement		
	T2.2.13	Completed project reference forms	Additional documents		
	12.2.13	Completed project reference forms • Priced BoQ	Mandatory Requirement		
		5 1 11000 BOQ	manaatory requirement		
	C3.4 Cont Part 5: Pric C2.1 Pric C2.2 Prel Part 6: Site C4 Site	oe of work th and Safety Specification ractors Reports			
C.1.4	The employ	er's agent is:			
	Name:	Q Msiwa (Eastern Cape Province Department of	Education)		
	Capacity:	Principal Agent			
Address:		Steve Tshwete Building			
	Tel:	(040) 608 4707			
	Fax:				
	E-mail:	qiqile.msiwa@ecdoe.gov.za			
C.2.1	_	Bidders who satisfy the following eligibility criteria should subman offer only if the Bidder satisfies the criteria stated in the F			

2. The Bidder is registered with the CIDB, in a **3GB** or higher class of construction work.

(https://secure.csd.gov.za)

responsive and the documents must remain intact.

3. The Bidder is registered on the National Treasury Central Supplier Data Base

The Bidder accepts that documents that have correction fluid on them will be deemed non-

	5. Bidders adhere to the pre-qualification criteria stated in the Request for Bid document, if any.
C.2.1	Joint ventures are eligible to submit Bids provided that: 1. Every member of the joint venture must be registered with the CIDB in the General Building (GB) class of work. 2. The combined contractor grading designation of the members calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a contractor grading designation determined in accordance with the sum bid for a 3GB or Higher class of construction work. 3. The members/parties have signed a joint venture agreement.
C.2.7	The arrangements for the compulsory clarification meeting, if any, are as stated in the Request for Bid Notice (T1.1).
	A Request for Bid will not be considered if the Bidder or their representative has not attended the compulsory briefing session.
	Bidders must sign the attendance register in the name of the bidding entity.
	Addenda will be issued to and Request for Bids will be received only from those bidding entities appearing on the attendance register.
	Request for Bid documents will not be issued at the clarification meeting.
C.2.8	Request clarification at least 3 calander days before the closing time.
C2.11	All documents must be completed and signed in black permanent ink. No correction fluid must be used in the document. Incomplete bid responses may be disqualified or evaluated solely on the information contained in the bid. The ECDoE may disregard any content in the Request for Bid that is illegible and will be under no obligation whatsoever to seek clarification from the bidder.
C.2.12	If a Bidder wishes to submit an alternative Request for Bid offer, the only criteria permitted for such alternative Request for Bid offer is that it demonstrably satisfies the employer's standards and requirements, the details of which may be obtained from the Employer's Agent.
	Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative Request for Bid offer to enable the employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.
	Acceptance of an alternative Request for Bid offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the Bidder, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the employer's standards and requirements.
	The modified Pricing Data must include an amount equal to 5% of the amount bid for the alternative offer to cover the employer's costs of confirming the acceptability of the detailed design before it is constructed.
	Alternative Bid offer permitted: Yes ☐ No ⊠
C.2.13 C.2.15	The employer's address for delivery of Request for Bid offers and identification details to be shown on each Request for Bid offer package are as per Request for Bid Notice (T1.1) and Invitation to Bid (SBD 1)

_				
C.2.13.5	Request for Bid offers shall be submitted as originals only.			
C.2.13.6	A two-envelope system is not required.			
C.2.13.9	Telephonic, telegraphic, telex, facsimile, emailed, electronic copy or late offers will not be accepted.			
C.2.15	The closing time for submission of Request for Bid offers is as per the Request for Bid Notice (T1.1) and the Invitation to Bid (SBD 1).			
C.2.16	The Request for Bid offer validity period is as per the Request for Bid Notice (T1.1) and the Invitation to Bid (SBD 1).			
C.2.17	Provide clarification of the Request for Bid offer in response to do so from the employer during the evaluation of Request for Bid offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of Bidders or substance of the Request for Bid offer is sought, offered, or permitted.			
C.2.22	Not a requirement			
C.2.23	Refer to Parts 1, 2 & 3 for certificates and other documents to be submitted with the Request for Bid.			
C.3.4	The time and location for opening of the Request for Bid offers are as per the Request for Bid Notice (T1.1).			
C.3.11	Financial Offer and Preference will be evaluated as follows: The 80/20 preference point system will be applicable with 80 points allocated to Price and 20 points towards Specific Goals status level of contribution. The score for price is calculated using the following formula: $Ps = 80 \left(1 - \frac{Pt - P \min}{P \min} \right)$ Where: $Ps = Points scored for price of bid under consideration; Pt = Price of bid under consideration and Pmin = Price of lowest acceptable bid. A trust, consortium or joint venture will qualify for points for their Specific Goals.$			
C.3.13	 Request for Bid offers will only be accepted if: The Bidder or any of its directors/shareholders is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector; The Bidder has not: a. Abused the Employer's Supply Chain Management System; or 			

	b. Failed to perform on any previous contract and has been given a written notice to this effect;	
	 The Bidder has completed the compulsory declarations and there are no conflicts of interest, which may impact on the Bidder's ability to perform the contract in the best interests of the employer or potentially compromise the Request for Bid process; 	
	4. The Bidder has registered on the Centralized Supplier Database (CSD) prior to submitting Requ for Bids (open Request for Bids). Any prospective Bidder found to have tax matters not in order w SARS during the evaluation process will be eliminated and not be considered further;	
	 The Bidder is registered with the Construction Industry Development Board in an appropriate contractor grading designation; The Bidder is in good standing with the Compensation Fund. 	
	The Blader to the good standing with the Compensation Faird.	
C.3.17	The number of paper copies of the signed contract to be provided by the employer is 1 (one) copy of the signed contract to the successful Bidder.	

T1.3 BID EVALUATION CRITERIA

T1.3: BID EVALUATION CRITERIA

Project title:	NEW ECD CENTRE AT BOLANI ECD 2022/07/714		
Bid No:			
Advertising date:	16 October 2023	Closing date:	24 October 2023
Closing time:	11h00	Validity period	120 Days

	BID EVALUATION CRITERIA	
This Bid will compliance.	be evaluated in two stages that is admin compliance and price	and preference
Failure to su of the bid do	abmit the following completed and signed compulsory documen ocuments.	ts will result in elimination
SBD4	Declaration of interest	Mandatory Requirement
SBD6.1	Preference points claim form in terms of Preferential Procurement Regulations 2022	Mandatory Requirement
SBD6.2	Local production and content	Mandatory Requirement
T2.2.1	Certificate of authority for signatory	Mandatory Requirement
T2.2.2	Certificate of authority for joint ventures	Mandatory Requirement
T2.2.10	Compulsory enterprise questionnaire	Mandatory Requirement
T2.2.11	CIDB grading certificate	Mandatory Requirement
T2.2.12	Other certificates (certified copies to be inserted by Bidder), etc	Mandatory Requirement
	 Certified copy of CIPC company registration certificate Certified copies of ID's of shareholders, members, partners or sole owner Letter of Good Standing from Bank where Bidder's primary transaction account is Letter of Good Standing from Compensation Fund or a licensed insurer as contemplated in the Compensation for Occupational Injuries and Diseases Act 1993 CSD Registration Summary Report dated not more than thirty (30) days prior to the Request for Bid closing date. Original valid SARS tax clearance certificate and pin 	Mandatory Requirement
	Priced BoQ	Mandatory Requirement

Part 2: AGREEMENT AND CONTRACT DATA

C1.1 Form of Offer and Acceptance

C1.1: FORM OF OFFER AND ACCEPTANCE

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714

OFFER

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract for the procurement of:

NEW ECD CENTRE AT BOLANI ECD

The Bidder, identified in the offer signature block, has examined the documents listed in the Request for Bid data and addenda thereto as listed in the returnable schedules, and by submitting this offer has accepted the conditions of Request for Bid.

By the representative of the Bidder, deemed to be duly authorized, signing this part of this form of offer and acceptance, the Bidder offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERE	ED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS
R	(in figures)
and returning for Bid data,	y be accepted by the employer by signing the acceptance part of this form of offer and acceptance one copy of this document to the Bidder before the end of the period of validity stated in the Request whereupon the Bidder becomes the party named as the contractor in the conditions of contract e contract data.
Signature(s)	
Name(s)	
Capacity	
for the Bidder	
	(Name and address of organization)
Name and signature of witness	Date

ACCEPTANCE

By signing this part of this form of offer and acceptance, the employer identified below accepts the Bidder's offer. In consideration thereof, the employer shall pay the contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the Bidder's offer shall form an agreement between the employer and the Bidder upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1 Agreements and contract data, (which includes this agreement)

Part C2 Pricing data

Part C3 Scope of work.

Part C4 Site information and drawings and documents or parts thereof, which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Request for Bid data and any addenda thereto as listed in the returnable schedules as well as any changes to the terms of the offer agreed by the Bidder and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this form of offer and acceptance. No amendments to or deviations from said documents are valid unless contained in this schedule.

The Bidder shall within 2 (two) weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the Bidder receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the Bidder (now contractor) within 5 (five) working days of the date of such receipt notifies the employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

Signature(s)		
Name(s)		
Capacity		
for the Employer		
	(Name and address of organization)	
Name and signature of witness		Date

Schedule of Deviations

Notes:

- 1. The extent of deviations from the Request for Bid documents issued by the employer before the Request for Bid closing date is limited to those permitted in terms of the conditions of Request for Bid.
- 2. A Bidder's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of agreements reached during the process of offer and acceptance, the outcome of such agreement shall be recorded here.
- 3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the Request for Bid documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here.
- 4. Any change or addition to the Request for Bid documents arising from the above agreements and recorded here, shall also be incorporated into the final draft of the Contract.

1.	Subject	
	•	
	Details	
2.	Subject	
	•	
	Details	
3.	Subject	
	•	
	Details	
4.	Subject	
	•	
	Details	

By the duly authorised representatives signing this agreement, the employer and the Bidder agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the Request for Bid data and addenda thereto as listed in the Request for Bid schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Bidder and the employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Request for Bid/ Bid documents and the receipt by the Bidder of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

C1.1a Final Summary of Bills of Quantities

CONSTRUCTION OF BOLANI PRE SCHOOL	
TRADES	FINAL SUMMARY
PRELIMINARIES	
MAIN: CLASSROOM	
DEMOLITIONS	
EARTHWORKS (PROVISIONAL)	
CONCRETE FORMWORK AND REINFORCEMENT	
MASONARY	
WATERPROOFING	
ROOF COVERING, ETC	
CARPENTRY AND JOINERY	
CEILINGS, PARTITIONS AND ACCESS FLOORING	
IRONMONGERY	
METALWORK	
PLASTERING	
TILING	
PLUMBING AND DRAINAGE (PROVISIONAL)	
GLAZING	
MAIN BUILDING: TRADES TOTAL	
ABLUTIONS FACILITIES	
EARTHWORKS (PROVISIONAL)	
CONCRETE FORMWORK AND REINFORCEMENT	
MASONARY	
WATERPROOFING	
ROOF COVERING	
CARPENTRY AND JOINERY	
FLOOR COVERING, WALL LININGS, ETC	
IRONMONGERY	
METALWORK	
PLASTERING	
TILING	
PLUMBING AND DRAINAGE (PROVISIONAL)	
GLAZING	
PAINTWORK	
EXTERNAL WORK	
OCCUPATIONAL HEALTH AND SAFETY	
ABLUTION FACILITIES: TRADES TOTAL	
PROVISIONAL SUMS	
Sub-total	
SMMEs	
Sub-total	
CONTINGENCIES	
GROSS AMOUNT	
Add: VAT (15%)	
TOTAL (INCL VAT)	

C1.1b Standard Conditions of Tender

CIDB Standard Conditions of Tender (August 2019 Edition)

(As contained in Annexure C of the CIDB Standard for Uniformity in Engineering and Construction Works Contracts in Board Notice 423 of 2019 in Government Gazette No 42622 of 8 August 2019)

C.1 General

C.1.1 Actions

- **C.1.1.1** The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in C.2 and C.3, timeously and with integrity, and behave equitably, honestly and transparently, comply with all legal obligations and not engage in anticompetitive practices.
- C.1.1.2 The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Bidders shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.
- Note: 1) A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of that person to act properly in his or her position even if no improper acts result.
- 2) Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any personal bias, inclination, obligation, allegiance or loyalty which would in any way affect any decisions taken.
 - **C.1.1.3** The employer shall not seek and a tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

C.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

C.1.3 Interpretation

- **C.1.3.1** The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.
- **C.1.3.2** These conditions of tender, the tender data and tender schedules which are required for tender evaluation purposes, shall form part of any contract arising from the invitation to tender.
- **C.1.3.3** For the purposes of these conditions of tender, the following definitions apply:
 - a) conflict of interest means any situation in which:
 - i) someone in a position of trust has competing professional or personal interests which make it difficult to fulfill his or her duties impartially:
 - ii) an individual or tenderer is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit; or
 - iii) incompatibility or contradictory interests exist between an employee and the tenderer who employs that employee.
 - b) **comparative offer** means the price after the factors of a non-firm price and all unconditional discounts it can be utilised to have been taken into consideration;
 - c) **corrupt practice** means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process;
 - d) **fraudulent practice** means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels;

C.1.4 Communication and employer's agent

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be readily read, copied and recorded. Communications shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

C.1.5 Cancellation and Re-Invitation of Tenders

- **C.1.5.1** An employer may, prior to the award of the tender, cancel a tender if:
 - a) due to changed circumstances, there is no longer a need for the engineering and construction works specified in the invitation:
 - b) funds are no longer available to cover the total envisaged expenditure; or
 - c) no acceptable tenders are received.
 - d) there is a material irregularity in the tender process.
- **C.1.5.2** The decision to cancel a tender invitation must be published in the same manner in which the original tender invitation was advertised
- **C.1.5.3** An employer may only with the prior approval of the relevant treasury cancel a tender invitation for the second time.

C.1.6 Procurement procedures

C.1.6.1 General

Unless otherwise stated in the tender data, a contract will, subject to C.3.13, be concluded with the tenderer who in terms of C.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time fortenders.

C.1.6.2 Competitive negotiation procedure

- C.1.6.2.1 Where the tender data require that the competitive negotiation procedure is to be followed, Bidders shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of C.3.4, the employer shall announce only the names of the Bidders who make a submission. The requirements of C.8 relating to the material deviations or qualifications which affect the competitive position of Bidders shall not apply.
- C.1.6.2.2 All responsive Bidders or at least a minimum of not less than three responsive Bidders that are highest ranked in terms of the evaluation criteria stated in the tender data shall be invited to enter into competitive negotiations based on the principle of equal treatment, keeping confidential the proposed solutions and associated information. Notwithstanding the provisions of C.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.
- C.1.6.2.3 At the conclusion of each round of negotiations, Bidders shall be invited by the employer to revise their tender offer based on the same evaluation criteria, with or without adjusted weightings. Bidders shall be advised when they are to submit their best and final offer.
- C.1.6.2.4 The contract shall be awarded in accordance with the provisions of C.3.11 and C.3.13 after Bidders have been requested to submit their best and final offer.

C.1.6.3 Proposal procedure using the two stage-system

C.1.6.3.1 Option 1

Bidders shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The employer shall evaluate each responsive submission in terms of the method of evaluation stated in the tender data, and in the second stage negotiate a contract with the tenderer scoring the highest number of evaluation points and award the contract in terms of these

conditions of tender.

C.1.6.3.2 Option 2

- C.1.6.3.2.1 Bidders shall submit in the first stage only technical proposals. The employer shall invite all responsive Bidders to submit tender offers in the second stage, following the issuing of procurement documents.
- C.1.6.3.2.2 The employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data, and award the contract in terms of these conditions of tender.

C.2 Tenderer's obligations

C.2.1 Eligibility

- C.2.1.1 Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.
- C.2.1.2 Notify the employer of any proposed material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used by the employer as the basis in a prior process to invite the tenderer to submit a tender offer and obtain the employer's written approval to do so prior to the closing time for tenders.

C.2.2 Cost of tendering

- C.2.2.1 Accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.
- C.2.2.2 The cost of the tender documents charged by the employer shall be limited to the actual cost incurred by the employer for printing the documents. Employers must attempt to make available the tender documents on its website so as not to incur any costs pertaining to the printing of the tender documents.

C.2.3 Check documents

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

C.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.

C.2.5 Reference documents

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

C.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

C.2.7 Clarification meeting

Attend, where required, a clarification meeting at which Bidders may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the tender data.

C.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the employer at least five (5) working days before the closing time stated in the tender data.

C.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

C.2.10 Pricing the tender offer

- C.2.10.1 Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable fourteen (14) days before the closing time stated in the tenderdata.
- C.2.10.2 Show VAT payable by the employer separately as an addition to the tendered total of the prices.
- C.2.10.3 Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- C.2.10.4 State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

C.2.11 Alterations to documents

Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.

C.2.12 Alternative tender offers

- C.2.12.1 Unless otherwise stated in the tender data, submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted as well as a schedule that compares the requirements of the tender documents with the alternative requirements that are proposed.
- C.2.12.2 Accept that an alternative tender offer must be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.
- C.2.12.3 An alternative tender offer must only be considered if the main tender offer is the winning tender.

C.2.13 Submitting a tender offer

- C.2.13.1 Submit one tender offer only, either as a single tendering entity or as a member in a joint venture to provide the whole of the works identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.
- C.2.13.2 Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.
- C.2.13.3 Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- C.2.13.4 Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for Bidders proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.

- C.2.13.5 Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- C.2.13.6 Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- C.2.13.7 Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.
- C.2.13.8 Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
- C.2.13.9 Accept that tender offers submitted by facsimile or e-mail will be rejected by the employer, unless stated otherwise in the tender data.

C.2.14 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

C.2.15 Closing time

- C.2.15.1 Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Accept that proof of posting shall not be accepted as proof of delivery.
- C.2.15.2 Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

C.2.16 Tender offer validity

- C.2.16.1 Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.
- C.2.16.2 If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period with or without any conditions attached to such extension.
- C.2.16.3 Accept that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).
- C.2.16.4 Where a tender submission is to be substituted, a tenderer must submit a substitute tender in accordance with the requirements of C.2.13 with the packages clearly marked as "SUBSTITUTE".

C.2.17 Clarification of tender offer after submission

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of Bidders or substance of the tender offer is sought, offered, or permitted.

Note: Sub-clause C.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.

C.2.18 Provide other material

- C.2.18.1 Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.
- C.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

C.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

C.2.20 Submit securities, bonds and policies

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

C.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

C.2.22 Return of other tender documents

If so instructed by the employer, return all retained tender documents within twenty-eight (28) days after the expiry of the validity period stated in the tender data.

C.2.23 Certificates

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

C.3 The employer's undertakings

C.3.1 Respond to requests from the tenderer

- C.3.1.1 Unless otherwise stated in the tender Data, respond to a request for clarification received up to five (5) working days before the tender closing time stated in the Tender Data and notify all Bidders who collected tender documents.
- C.3.1.2 Consider any request to make a material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used to prequalify a tenderer to submit a tender offer in terms of a previous procurement process and deny any such request if as a consequence:
 - a) an individual firm, or a joint venture as a whole, or any individual member of the joint venture fails to meet any of the collective or individual qualifying requirements;
 - b) the new partners to a joint venture were not prequalified in the first instance, either as individual firms or as another joint venture; or
 - c) in the opinion of the Employer, acceptance of the material change would compromise the outcome of the prequalification process.

C.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date that tender documents are available until three (3) working days before the

tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, shall then notify all Bidders who collected tender documents.

C.3.3 Return late tender offers

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

C.3.4 Opening of tender submissions

- C.3.4.1 Unless the two-envelope system is to be followed, open valid tender submissions in the presence of Bidders' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.
- C.3.4.2 Announce at the meeting held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened and, where applicable, the total of his prices, number of points claimed for its Specific Goals status level and time for completion for the main tender offer only.
- C.3.4.3 Make available the record outlined in C.3.4.2 to all interested persons upon request.

C.3.5 Two-envelope system

- C.3.5.1 Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of Bidders' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.
- C.3.5.2 Evaluate functionality of the technical proposals offered by Bidders, then advise Bidders who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of Bidders, who score in the functionality evaluation more than the minimum number of points for functionality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any points claimed on Specific Goals status level. Return unopened financial proposals to Bidders whose technical proposals failed to achieve the minimum number of points for functionality.

C.3.6 Non-disclosure

Not disclose to Bidders, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

C.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

C.3.8 Test for responsiveness

- C.3.8.1 Determine, after opening and before detailed evaluation, whether each tender offer properly received:
 - a) complies with the requirements of these Conditions of Tender,
 - b) has been properly and fully completed and signed, and
 - c) is responsive to the other requirements of the tender documents.
- C.3.8.2 A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:
 - a) detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,

- b) significantly change the Employer's or the tenderer's risks and responsibilities under the contract, or
- c) affect the competitive position of other Bidders presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

C.3.9 Arithmetical errors, omissions and discrepancies

- C.3.9.1 Check responsive tenders for discrepancies between amounts in words and amounts in figures. Where there is a discrepancy between the amounts in figures and the amount in words, the amount in words shall govern.
- C.3.9.2 Check the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with C.3.11 for:
 - a) the gross misplacement of the decimal point in any unit rate;
 - b) omissions made in completing the pricing schedule or bills of quantities; or
 - c) arithmetic errors in:
 - (i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or
 - (ii) the summation of the prices.
- C.3.9.3 Notify the tenderer of all errors or omissions that are identified in the tender offer and either confirm the tender offer as tendered or accept the corrected total of prices.
- C.3.9.4 Where the tenderer elects to confirm the tender offer as tendered, correct the errors as follows:
 - a) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
 - b) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.

C.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

C.3.11 Evaluation of tender offers

The Standard Conditions of Tender standardize the procurement processes, methods and procedures from the time that tenders are invited to the time that a contract is awarded. They are generic in nature and are made project specific through choices that are made in developing the Tender Data associated with a specific project.

Conditions of tender are by definition the document that establishes a tenderer's obligations in submitting a tender and the employer's undertakings in soliciting and evaluating tender offers. Such conditions establish the rules from the time a tender is advertised to the time that a contract is awarded and require employers to conduct the process of offer and acceptance in terms of a set of standard procedures.

The CIDB Standard Conditions of Tender are based on a procurement system that satisfies the following system requirements:		
Requirement	Qualitative interpretation of goal	
Fair	The process of offer and acceptance is conducted impartially without bias, providing simultaneous and timely access to participating parties to the same information.	
Equitable	Terms and conditions for performing the work do not unfairly prejudice the interests of the parties.	
Transparent	The only grounds for not awarding a contract to a tenderer who satisfies all requirements are restrictions from doing business with the employer, lack of capability or capacity, legal impediments and conflicts of interest.	
Competitive	The system provides for appropriate levels of competition to ensure cost effective and best value	

outcomes.
The processes, procedures and methods are standardized with sufficient flexibility to attain best value outcomes in respect of quality, timing and price, and least resources to effectively manage and control procurement processes.

The activities associated with evaluating tender offers are as follows:

- a) Open and record tender offers received
- b) Determine whether or not tender offers are complete
- c) Determine whether or not tender offers are responsive
- d) Evaluate tender offers
- e) Determine if there are any grounds for disqualification
- f) Determine acceptability of preferred tenderer
- g) Prepare a tender evaluation report
- h) Confirm the recommendation contained in the tender evaluation report

C.3.11.1 General

The employer must appoint an evaluation panel of not less than three persons conversant with the proposed scope of works to evaluate each responsive tender offer using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the tender data.

C.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

C.3.13 Acceptance of tender offer

Accept the tender offer; if in the opinion of the employer, it does not present any risk and only if the tenderer:
a) is not under restrictions, or has principals who are under restrictions, preventing participating in the employer's

 a) is not under restrictions, or has principals who are under restrictions, preventing participating in the employer's procurement;

- b) can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel, to perform the contract;
- c) has the legal capacity to enter into the contract;
- d) is not; insolvent, in receivership, under Business Rescue as provided for in chapter 6 of the Companies Act No. 2008, bankrupt or being wound up, has his/her affairs administered by a court or a judicial officer, has suspended his/her business activities or is subject to legal proceedings in respect of any of the foregoing;
- e) complies with the legal requirements, if any, stated in the tender data; and
- f) is able, in the opinion of the employer, to perform the contract free of conflicts of interest.

C.3.14 Prepare contract documents

- C.3.14.1 If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the tender documents to take account of:
 - a) addenda issued during the tender period,
 - b) inclusion of some of the returnable documents and
 - c) other revisions agreed between the employer and the successful tenderer.
- C.3.14.2 Complete the schedule of deviations attached to the form of offer and acceptance, if any.

C.3.15 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

C.3.16 Registration of the award

An employer must, within twenty-one (21) working days from the date on which a contractor's offer to perform a construction works contract is accepted in writing by the employer, register and publish the award on the cidb Register of Projects.

C.3.17 Provide copies of the contracts

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

C.3.18 Provide written reasons for actions taken

Provide upon request written reasons to Bidders for any action that is taken in applying these conditions of tender but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of Bidders or might prejudice fair competition between Bidders.

---00000---

C1.2 Contract Data

C1.2 : CONTRACT DATA : JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	NEW ECD CENTRE AT BOLANI ECD	
Bid No:	2022/07/714	

The Conditions of Contract are clauses 1 to 42 of the **JBCC** series 2000 **Principal Building Agreement** (Edition 4.1 of March 2005) prepared by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained from the Association of South African Quantity Surveyors, Master Builders Association, South African Association of Consulting Engineers, South African Institute of Architects, Association of Construction Project Managers, Building Industries Federation South Africa, South African Property Owners Association or Specialist Engineering Contractors Committee.

CONTRACT VARIABLES

THE SCHEDULE

The **schedule** contains all the variables referred to in this document and is divided into part 1: contract data completed by the **employer** and part 2: contract data completed by the **contractor**. Part 1 must be completed in full and included in the Bidder documents. Both part 1 and part 2 form part of this **agreement**.

Spaces requiring information must be filled in, shown as "**not applicable**" or deleted but not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross referenced to the applicable clause of the **schedule**. Key cross reference clauses are italicised in [] brackets.

42.0 PART 1: CONTRACT DATA PROVIDED BY THE EMPLOYER

42.1	CONTRACTING AND OTHER PARTIES
42.1.1	Employer: Eastern Cape Province Department of Education Postal address: Private Bag X0032 BHISHO 5605
[1.2]	Tel: 040 608 4335 Fax: 040 – 602 7272 Physical address: Steve Tshwete Building Zone 6 Zwelitsha

40.4.0	Deinsing Asset TDC			
42.1.2 [1.1, 5.1]	Principal Agent: TBC			
[, 0]	Tel: Fax:			
42.1.3	Agent (1) - TBC			
[1.1, 5.2]	Agent (1) - 1BC			
	Agent's service:			
	Postal address:			
42.1.4	Tel: Fax: Agent (2) - TBC			
[1.1, 5.2]	Agent (2) - TBC			
	Agent's service:			
	Postal address:			
42.1.5	Tel: Fax: Agent (3) - TBC			
[1.1, 5.2]	Agent (3) - TBC			
	Agent's service:			
	Postal address:			
42.1.6	Tel: Fax: Agent (4) - TBC			
[1.1, 5.2]				
	Agent's service:			
	Postal address:			
	Tel: Fax:			
42.2	CONTRACT DETAILS			
42.2.1 [1.1]	Works description: Refer to document C3.1 – Scope of Work.			
42.2.2	Site description: Refer to document C4 – Site Information.			
[1.1] 42.2.4	Specific options that are applicable to a State organ only			
[41.0]	Where so:			
[31.1 #] [31.11.2 #]	Interest rate legislation: (a) in respect of interest owed by the employer , the interest rate as determined by the			
[31.11.2#]	Minister of Justice and Constitutional Development from time to time, in terms of			
	section 1(2) of the Prescribed Rate of Interest Act, 1975 (Act No. 55 of 1975), will apply;			
	and			
	(b) in respect of interest owed to the employer , the interest rate as determined by the			
	Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply			
	Management Act, 1000 (Act No. 1 of 1000), will apply			
[11.2.#]				

504.4.0.43	2) Lateral support insurance to be effected by the contractor : Yes \(\subseteq \text{No } \subseteq \)
[31.4.2 #]	3) Payment will be made for materials and goods on site: Yes ⊠ No □
	Under no circumstance will deposits due by the contractor to any supplier or subcontractor for materials or equipment
	be paid prior to the delivery to site thereof, after which it will be regarded as materials and goods on site.
[40.2.2.#]	
[26.1.2 #]	4) Dispute resolution by adjudication: Yes No
	5) Extended defects liability period is applicable to the following elements:
	- all civil works such as roads, parking areas, stormwater & soil
	drainage - all work done under electrical subcontracts
	- all work done under mechanical subcontracts
42.2.6 [15.3]	Period for the commencement of the works after the contractor takes possession of the site : Five (5) working days.
42.2.7 [24.3.1]	For the works as a whole: The date for practical completion shall be FIVE (5) Months (including statutory
[30.1]	holidays, but excluding the annual builders' shutdown period) from the date that possession of
	the site is given to the contractor and the penalty per calendar day shall be 6.25c per R100 of the contract value .
40.00	
42.2.9 [1.2]	The law applicable to this agreement shall be that of the: Republic of South Africa
42.3	INSURANCES
42.3.1 [10.1 #,	Contract works insurance to be effected by the contractor
10.2 #, 12.1 #]	☑ To the minimum value of the contract sum plus 20%
,	With a deductible not exceeding 5% of each and every claim
42.3.2 [10.1#,	Supplementary insurance is required: Yes
10.2 #, 12.1 #]	To the minimum value of the contract sum plus 20 %
42.3.3	Public liability insurance to be effected by the contractor
[11.1#,	
12.1 #]	
12.1 #]	
42.3.4	
-	✓ For the sum of R 5 millionWith a deductible not exceeding 5% of each and every claim
42.3.4 [11.2 #,	 ✓ For the sum of R 5 million With a deductible not exceeding 5% of each and every claim Support insurance to be effected by the contractor:
42.3.4 [11.2 #, 12.1 #]	 ✓ For the sum of R 5 million With a deductible not exceeding 5% of each and every claim Support insurance to be effected by the contractor: Not Applicable
42.3.4 [11.2 #, 12.1 #] 42.4	
42.3.4 [11.2 #, 12.1 #] 42.4 42.4.2 [3.7]	 ✓ For the sum of R 5 million With a deductible not exceeding 5% of each and every claim Support insurance to be effected by the contractor: Not Applicable DOCUMENTS Three (3) copies of the construction documents will be supplied to the contractor free of charge

42.4.5 [3.4]	JBCC Engineering General Conditions are to be included in the contract documents: No				
42.4.6 [31.5.3]	The contract value is to be adjusted using CPAP indices: Yes □ No □				
[32.13]	Where CPAP is applicable, the contract sum will be adjusted in accordance with the JBCC Contract Price Adjustment Provisions (CPAP) as set out in the CPAP Indices Application Manual as prepared by the JBCC Series 2000, code 2118, dated May 2005 and any amendments thereto:				
	1) Glass etc. measured in specialist section Metalwork, will be adjusted in terms of the index for that work group unless specifically stated otherwise in the bills of quantities				
	2) All electrical installations in buildings and power distribution systems shall be adjusted in terms of the index for Work Group 160 Electrical Installation. In case of uninterruptible power supplies, elevators, escalators and hoists, generating sets, motor-alternator sets and intercommunication systems shall be in accordance with Work Group 170				
	3) With reference to Work Group 190 a proportion of the value related preliminaries pro rata to the amount of work excluded from adjustment, shall be excluded from Contract Price Adjustment Provisions, if Option A has been selected for the adjustment of preliminaries				
	4) Further to clause 3.4.4 of the CPAP Indices Application Manual, the listing of additional items for exclusion by Bidders, will not be permitted				
	5) Where V results in a negative amount after application of the formula in clause 8.3 of the CPAP Indices Application Manual the factor of 0,55 shall be substituted by 1,45				
	Alternative Indices: Not Applicable				
42.4.7	Details of changes made to the provisions of JBCC standard documentation				
[3.10]	Clause 1.1				
	COMMENCEMENT DATE – means the date that the agreement, made in terms of the Offer and Acceptance, comes into effect.				
	CONSTRUCTION GUARANTEE – means a guarantee at call obtained by the contractor from				
	institution approved by the employer in terms of the employer's construction guarantee form as selected in the schedule .				
	CONSTRUCTION PERIOD – means the period commencing on the date that possession of the site is given to the contractor and ending on the date of practical completion.				
	CORRUPT PRACTICE – means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.				
	FRAUDULENT PRACTICE – means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any Bidder, and includes collusive practice among Bidders (prior to and after the Bidder submission) designed to establish Bidder prices at artificial non-competitive levels and to deprive the Bidder of the benefits of free and open competition.				
	 INTEREST – the interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be in terms of the legislation of the Republic of South Africa, and in particular: (a) in respect of interest owed by the employer, the interest rate as determined by the 				
	Minister of Justice and Constitutional Development from time to time, in terms of section 1(2) of the Prescribed Rate of Interest Act, 1975 (Act No. 55 of 1975), will apply; and				

(b) in respect of interest owed to the **employer**, the interest rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply

SECURITY – means the form of **security** provided by the **employer** or **contractor**, as stated in the **schedule**, from which the **contractor** or **employer** may recover expenses or loss.

- 1.6 Any notice given may be delivered by hand, sent by prepaid registered post or telefax. Notice shall be presumed to have been given when:
- 1.6.4 No clause
- 3.2.1 A **construction guarantee** in terms of 14.0, where so elected in his Bid.
- 3.7 Add at the end thereof:

The contractor shall supply and keep a copy of the JBCC Series 2000 Principal

Building Agreement and Preliminaries applicable to this contract on the **site**, to which the **employer**, **principal agent** and **agents** shall have access to at all times.

- 3.10 Replace the second reference to "principal agent" with the word "employer"
- 4.3 No clause
- 5.1.2 under clause 41- Include reference to 32.6.3; 34.3 and 34.4 in terms of which the employer has retained its authority and has not given a mandate to the **principal agent** and in terms of which the employer shall sign all documents
- 10.5 Add the following as 10.5

Damage to the works

- a) Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary
- b) The **contractor** shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the **works** and to rebuild, restore, replace and/or repair the **works**
- c) The **employer** shall carry the risk of damage to or destruction of the **works** and materials paid for by the **employer** that is the result of the excepted risks as set out in 10.6
- d) Where the **employer** bears the risk in terms of this contract, the **contractor** shall, if requested to do so, reinstate any damage or destroyed portions of the **works** and the costs of such reinstatement shall be measured and valued in terms of 32.0 hereof
- 10.6 Add the following as 10.6

Injury to Persons or loss of or damage to Properties

a) The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the works unless due to any act or neglect of any person for whose actions the employer is legally liable

- b) The **contractor** shall be liable for and hereby indemnifies the **employer** against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable, or immovable or personal property or property contiguous to the **site**, whether belonging to or under the control of the **employer** or any other body or person, arising out of or in the course of or by reason of the execution of the **works** unless due to any act or neglect of any person for whose actions the **employer** is legally liable
- c) The contractor shall upon receiving a contract instruction from the principal agent cause the same to be made good in a perfect and workmanlike manner at his own cost and in default thereof the employer shall be entitled to cause it to be made good and to recover the cost thereof from the contractor or to deduct the same from amounts due to the contractor.
- d) The contractor shall be responsible for the protection and safety of such portions of the premises placed under his control by the employer for the purpose of executing the works until the issue of the certificate of practical completion.
- e) Where the execution of the works involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the contractor, shall and will remain adequately insured or insured against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the works has been completed
- f) The **contractor** shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the **works**
- 10.7 Add the following as 10.7

HIGH RISK INSURANCE

In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject to highly unstable subsurface conditions that might result in catastrophic ground movement evident by sinkhole or doline formation the following will apply:

10.7.1 Damage to the works

The **contractor** shall, from the **commencement date** of the **works** until the date of the **certificate of practical completion**, bear the full risk of and hereby indemnifies

and holds harmless the **employer** against any damage to and/or destruction of the **works** consequent upon a catastrophic ground movement as mentioned above.

The **contractor s**hall take such precautions and **security** measures and other steps for the protection of the **works** as he may deem necessary

When so instructed to do so by the **principal agent**, the **contractor** shall proceed immediately to remove and/or dispose of any debris arising from damage to or destruction of the **works** and to rebuild, restore, replace and/or repair the **works**, at

the contractor's own costs

10.7.2 Injury to persons or loss of or damage to property

The **contractor** shall be liable for and hereby indemnifies and holds harmless the **employer** against any liability, loss, claim or proceeding arising at any time during

the

period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of or caused by a catastrophic ground movement as mentioned above

The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable, or immovable or personal property or property contiguous to the site, whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract 10.7.3 It is the responsibility of the **contractor** to ensure that he has adequate insurance to cover his risk and liability as mentioned in 10.7.1 and 10.7.2. Without limiting contractor's obligations in terms of the contract, the contractor shall, within the twenty one (21) calendar days of the commencement date but before commencement of the works, submit to the employer proof of such insurance policy, if requested to do so 10.7.4 The employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be recovered from the contractor or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered one indivisible whole 14.0 Replace the entire clause 14.0 with the following: 14.0 **SECURITY** 14.1 In respect of contracts with a contract sum up to R1 million, the security to be submitted by the contractor to the employer will be as a payment reduction of five percent (5%) of the value certified in the **payment certificate** (excluding VAT)

- 14.1.1 The payment reduction of the value certified in a **payment certificate** shall be mutatis mutandi in terms of 31.8(A)
- 14.1.2 The **employer** shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the **employer** complies with the provisions of 33.4 in which event the **employer's** entitlement shall take precedence over his obligations to refund the payment reduction **security** or portions thereof to the **contractor**
- 14.2 In respect of contracts with a **contract sum** above R1 million, the **contractor** shall have the right to select the **security** to be provided in terms of 14.3, 14.4, 14.5, 14.6.
- or 14.7 as stated in the schedule. Such **security** shall be provided to the **employer** within fourteen (14) calendar days from **commencement date**. Should the **contractor**

fail to select the **security** to be provided or should the **contractor** fail to provide the **employer** with the selected **security** within fourteen (14) calendar days from **commencement date**, the **security** in terms of 14.7 shall be deemed to have been selected.

- 14.3 Where the **security** as a cash deposit of ten percent (10%) of the **contract sum** (excluding VAT) has been selected:
- 14.3.1 The **contractor** shall furnish the **employer** with a cash deposit equal in value to ten percent (10%) of the **contract sum** (excluding VAT) within fourteen (14) calendar

days from commencement date

14.3.2	Within fourteen (14) calendar days of the date of practical completion of the
	works the employer shall reduce the cash deposit to an amount equal to three percent (3%) of the contract value (excluding VAT), and refund the balance to the contractor
14.3.3	Within fourteen (14) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one percent (1%) of the contract value (excluding VAT) and refund the balance to the contractor
14.3.4	On the date of payment of the amount in the final payment certificate , the employer shall refund the remainder of the cash deposit to the contractor
14.3.5	The employer shall be entitled to recover expense and loss from the cash deposit in
	terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to
	refund the cash deposit security or portions thereof to the contractor
14.3.6	The parties expressly agree that neither the employer nor the contractor shall be entitled to cede the rights to the deposit to any third party
14.4	Where security as a variable construction guarantee of ten percent (10%) of the contract sum (excluding VAT) has been selected: NOT APPLICABLE
14.4.1	The contractor shall furnish the employer with an acceptable variable construction
VAT)	guarantee equal in value to ten percent (10%) of the contract sum (excluding within fourteen (14) calendar days from commencement date
14.4.2	The variable construction guarantee shall reduce and expire in terms of the Variable Construction guarantee form included in the invitation to Bidder
14.4.3	The employer shall return the variable construction guarantee to the contractor within fourteen (14) calendar days of it expiring
14.4.4	Where the employer has a right of recovery against the contractor in terms of 33.0,
	the employer shall issue a written demand in terms of the variable construction guarantee
14.5	Where security as a fixed construction guarantee of five percent (5%) of the contract sum (excluding VAT) and a five percent (5%) payment reduction of the value certified in the payment certificate (excluding VAT) has been selected:
14.5.1	The contractor shall furnish a fixed construction guarantee to the employer equal in value to five percent (5%) of the contract sum (excluding VAT) within fourteen (14) calendar days from commencement date
14.5.2	The fixed construction guarantee shall come into force on the date of issue and shall expire on the date of the last certificate of practical completion
14.5.3	The employer shall return the fixed construction guarantee to the contractor within
	fourteen (14) calendar days of it expiring
14.5.4	The payment reduction of the value certified in a payment certificate shall be in terms of 31.8(A) and 34.8
14.5.5	Where the employer has a right of recovery against the contractor in terms of 33.0, the employer shall be entitled to issue a written demand in terms of the fixed construction guarantee or may recover from the payment reduction or may do both
14.6	Where security as a cash deposit of five percent (5%) of the contract sum (excluding VAT) and a payment reduction of five percent (5%) of the value certified

in the payment certificate (excluding VAT) has been selected:

14.6.1 The **contractor** shall furnish the **employer** with a cash deposit equal in value to five percent (5%) of the **contract sum** (excluding VAT) within fourteen (14) calendar days

from commencement date

- 14.6.2 Within twenty-one (21) calendar days of the date of **practical completion** of the **works** the **employer** shall refund the cash deposit in total to the **contractor**
- 14.6.3 The payment reduction of the value certified in a **payment certificate** shall be mutatis mutandi in terms of 31.8(A)
- 14.6.4 Where the **employer** has a right of recovery against the **contractor** in terms of 33.0,
 - the **employer** may issue a written notice in terms of 33.4 or may recover from the payment reduction or may do both
- 14.7 Where **security** as a payment reduction of ten percent (10%) of the value certified in the **payment certificate** (excluding VAT) has been selected:
- 14.7.1 The payment reduction of the value certified in a **payment certificate** shall be mutatis mutandi in terms of 31.8(B)
- 14.7.2 The **employer** shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the **employer** complies with the provisions of 33.4 in which event the **employer's** entitlement shall take precedence over his obligations to refund the payment reduction or portions thereof to the **contractor**
- 14.8 Payments made by the guarantor to the **employer** in terms of the fixed or variable **construction guarantee** shall not prejudice the rights of the **employer** or **contractor** in terms of this agreement
- 14.9 Should the **contractor** fail to furnish the **security** in terms of 14.2 the **employer**, in his sole discretion, and without notification to the **contractor**, is entitled to change the **contractor's** selected form of **security** to that of a ten percent (10%) payment reduction of the value certified in the **payment certificate** (excluding VAT),

whereafter 14.7 shall be applicable

15.1.1 No clause

the

15.1.4 Add 15.1.4 as follows:

An acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), within fourteen (14) calendar days of

commencement date.

The abovementioned plan shall also address all additional requirements with regard to

Coronavirus pandemic in terms of all Covid-19 legislation, regulations and guidelines as an additional safe work procedure on site.

15.2.1 Under 41: Amend to read as follows:

"Give the **contractor** possession of the site within five (5) working days of the **contractor** complying with the terms of 15.1.2 and 15.1.4

- 17.1.11 Delete the words "and the appointment of **nominated** and **selected subcontractors**"
- 20.1.3 No clause
- 21.0 No clause

29.2.5 N	lo clause
31.5.2 S	ecurity adjustments in terms of 14.0 and 31.8
31.1.4 A	dd 15.1.4 as follows:
	ne value of materials and goods in terms of 31.4.2 shall be included in the value
certified o	nly where, to the satisfaction of the principal agent, the materials and goods are:
31.6.5 A	dd 31.6.5 as follows: Covered by an advance payment guarantee or such other security as may be accepted by the employer where stored off the site. Standard JBCC Guarantee wording would be applicable.
31.8 A	mend as follows:
31.8(A)	Where a security is selected in terms of 14.1; 14.5 or 14.6, the value of the works in terms of 31.4.1 and of the materials and goods in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage adjustments:
31.8(A).1	Ninety-five percent (95%) of such value in interim payment certificates issued up to the date of practical completion
31.8.(A).2	Ninety-seven percent (97%) of such value in interim payment certificates issued on the date of practical completion and up to but excluding the date of final completion
31.8(A).3	Ninety-nine percent (99%) of such value in interim payment certificates issued on the date of final completion and up to but excluding the final payment certificate in terms of 34.6
31.8(A).4 employer adjustmenthe final p	
31.8(B)	Where security is a payment reduction in term of 14.7 has been selected the
31.4.2 following adjustmen	value of the works in terms of 31.4.1 and materials and goods in terms of shall be certified in full. The value certified shall be subject to the percentage ats:
31.8(B).1	Ninety percent (90%) of such value in interim payment certificates issued up to the date of practical completion
31.8(B).2	Ninety-seven percent (97%) of such value in interim payment certificates issued on the date of practical completion and up to but excluding the date final completion
31.8(B).3	Ninety-nine percent (99%) of such value in interim payment certificates issued on the date of final completion and up to but excluding the final payment certificate in terms of 34.6
31.8(B).4 employer adjustmen the final p	
31.9 R	eplace "twenty-one (21) calendar days" with "thirty (30) calendar days". Should the

	Contractor's tax clearance certificate expire during the contract period, the Employer shall be entitled to withhold payment without incurring any liability for interest, until a valid tax clearance certificate is submitted to the Employer, at which point, upon that date, the thirty (30) day period for due date of payment of the invoice shall commence.
31.12	Delete the following: "Payment shall be subject to the employer giving the contractor a tax invoice for the amount due."
32.5.1 32.5.4 and 32.5.7	Add the following to the end of each of these clauses: "due to no fault of the contractor "
32.12	Replace "contractor" with "employer"
33.2	Add the following clauses 33.2.9 to 33.2.13:
33.2.9	the contractor's failure or neglect to commence with the works on the dates prescribed in the contract
33.2.10	the contractor's failure or neglect to proceed with the works in terms of the contract
33.2.11	the contractor's failure or neglect for any reason to complete the works in accordance with the contract
33.2.12	the contractor's refusal or neglect to comply strictly with any of the conditions of contract or any contract instructions and/or orders in writing given in terms of the contract
33.2.13	the contractor's estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa
34.13	Replace "seven (7) calendar days" with "thirty (30) calendar days" and delete the words: "subject to the employer giving the contractor a tax invoice for the amount due" as per PPPFA
36.3	Remove reference to "No clause", and replace "principal agent" with "employer"
36.7 37.5 and 38.7	Add the following: "Notwithstanding any clause to the contrary, on cancellation of this this agreement either by the employer or the contractor ; or for any reason whatsoever whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever"
37.3.5 and 38.5.4	Replace "ninety (90)" with "one hundred and twenty (120)
39.3.5	Add the following words at the end thereof: :"within one hundred and twenty (120) working days of completion of such report"
40.2.2	under clause 41 – Replace "one (1) year" with "three (3) years"
40.6	under clause 41 – Remove reference to no clause
40.7.1	Change "(10)" to "(15)"
	Add the following to the end thereof:
	Whether or not mediation resolves the dispute, the parties shall bear their own costs concerning the mediation and equally share the costs of the mediator and related costs.

42.0	PART 2: CONTRACT DATA PROVIDED BY THE CONTRACTOR		
42.0.1	The successful contractor must have a built environment professional on his staff or he must employ one for the duration of the contract.		
42.0.2	All bids shall remain valid for a period of one hundred and twenty (120) calendar days after the Request for Bid closing date.		
42.0.3	The successful bidder will be required to submit an Approved Health and Safety File within fourteen (14) calendar days upon receipt of the letter of award.		
42.0.4	The successful bidder will be required to submit a letter of good standing from the compensation commission or FEMA within fourteen (14) calendar days upon receipt of the letter of award.		
42.0.5	The successful Bidder will be required to submit a construction program and contractor's cash flow within twenty one (21) calendar days upon receipt of the letter of award.		
42.0.6	At least thirty percent (30%) of the total labour force employed during the execution of the works , shall be from the local community.		
42.0.7	Labour rates to be in line with National Minimum Wage Act.		
	POST-BID INFORMATION		
42.5	CONTRACT DETAILS		
42.5.1	Contractor:		
	Postal address:		
	Tel:		
	TAX / VAT Registration No:		
	Physical address:		
42.5.2	The accepted contract sum inclusive of tax is		
	R		
	Amount in words:		
42.5.3	The latest day of the month for the issue of an interim payment certificate :		
[31.3]			
42.5.4	The preliminaries amounts shall be paid in terms of: Alternative A 🖂 Alternative B 🗆		
44.0.4	LI THE DIENHINAHES AMOUNIS SHAN DE DAIG IN TERMS OF AREMATIVE A IXI AREMANYE B □		

[32.12]					
42.5.5 [32.12]	The preliminaries amounts	The preliminaries amounts shall be adjusted in terms of: Alternative A 🖂 Alternative B 🗌			
42.5.7 The security to be prov		ed by the contractor:			
[ייי]	(a) in respect of contracts	up to R1 million, the	contractor will provide sec	urity in terms of 14.1	
	(b) in respect of contracts following:	above R1 million, the	e contractor will provide, as	security, one of the	
	(1) cash deposit of 10%	(1) cash deposit of 10% of the contract sum (excluding VAT) Yes No			
	(2) payment reduction of certificate (excluding		rtified in the payment	Yes No	
		of 5% of the value cer	excluding VAT) and a tified in the payment	Yes No	
	(4) fixed construction (excluding VAT) and a payment payment certificate	t reduction of 5% of t	he contract sum	Yes No	
	in terms of the Short-Ter registered in terms of the	NB: Guarantees submitted must be issued by either an insurance company duly registered in terms of the Short-Term Insurance Act, 1998 (Act 35 of 1998) or by a bank duly registered in terms of the Banks Act, 1990 (Act 94 of 1990) on the pro-forma referred to above. No alterations or amendments of the wording of the pro-forma will be accepted.			
42.5.8 [29.7.2]			ction period:		
42.6	DOCUMENTS				
42.6.1	Contract documents marked ar	nd annexed hereto:			
	Priced bills of quantities:	Yes □ No □	Document marked as		
	Lump sum document:	Yes 🗌 No 🗌	Document marked as		
	Guarantees:	Yes No No	Document marked as		
	Contract drawings:	Yes 🗌 No 🗌	Document marked as		
	Other documents	Yes No No	(attach additional pages if more	space is required	

42.8	SIGNATURES OF THE CONTRACTIN	IG PARTIES
	Thus done and signed at	on
	Name of signatory	for and behalf of the Employer who by signature hereof warrants authorization hereto
	Capacity of signatory	as Witness
	Thus done and signed at	on
	Name of signatory	for and behalf of the Contractor who by signature hereof warrants authorization
	Capacity of signatory	as Witness

C1.3 Form of Guarantee

C 1.3.1: FIXED CONSTRUCTION GUARANTEE - JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714
With reference	to the contract between
	(hereinafter referred to as the castern Cape Department of Education (hereinafter referred to as the "employer"). 22/07/714 for the NEW ECD CENTRE AT BOLANI ECD (hereinafter referred to as the
in the amount o	of R, (
(hereinafter ref	erred to as the contract sum excluding VAT.) (amount in words
I/We,	
in my/our capa	city as and hereb
representing	(hereinafter
referred to as th	ne guarantor") advise that the guarantor hold at the employer's disposal the sum of
R	
(amount in wor	ds) being 5% of the contract sum (excluding VAT), for the due fulfilment of the contract.

- 2. The **guarantor** hereby renounces the benefits of the exceptions non numeratae pecunia, non causa debiti; excussionis et divisionis; and all other exceptions which could be pleaded against the enforcement of this guarantee, with the meaning and effect whereof i/we declare myself/ourselves to be conversant, and undertake to pay the **employer** the amount guaranteed, during the period when the claim is received by the **guarantor**, on receipt of a written demand from the **employer** to do so, and which demand the **employer** may make if the **employer** has a right of recovery against the **contractor** in terms of 33.0 of the contract.
- 3. Subject to the above, but without in any way detracting from the **employer's** rights to adopt any of the procedures provided for in the contract, the said demand can be made by the **employer**, at any stage prior to the expiry of this guarantee.
- 4. The amount paid by the **guarantor** in terms of this guarantee may be retained by the **employer** on condition that upon the issue of the last final **payment certificate**, the **employer** shall account to the **guarantor** showing how this amount has been expended and refund any balance due to the **guarantor**.
- 5. The **employer** shall have the absolute right to arrange his affairs with the **contractor** in any manner which the **employer** deems fit and the **guarantor** shall not have the right to claim his release on account of any conduct alleged to be prejudicial to the **guarantor**. Without derogating from the aforegoing, any compromise, extension of the **construction period**, indulgence, release or variation of the **contractor's** obligation shall not affect the validity of this guarantee.
- 6. This undertaking is neither negotiable nor transferable, and
 - a) must be surrendered to the **guarantor** at the time when the **employer** accounts to the **guarantor** in terms of clause 4 above, or
 - b) shall lapse on the date of the last certificate of practical completion; and
 - c) shall not be interpreted as extending the **guarantor's** liability to anything more than payment of the amount guaranteed.

SIGNED	AT	ON THIS	DAY OF	20
AS WITN	IESS			
1				
2				
By and o	on behalf of			
/incort th	as name and physical	address of the guaranto	<u></u>	
(insert ti	ie name and pnysical a	address of the guaranto	r)	
NAME: _				
CAPACI (duly aut	TY:	ution attached marked An	nexure A)	
DATE: _				
A.	No alterations and/or	additions of the wording	of this form will be accept	ted.
B.		s of the guarantor must be executandi, for all purpos		be regarded as the guarantor's antee.
C.	This GUARANTEE n	nust be returned to:		

Part 3: Returnable Schedules/Documents

T2.1 List of Returnable Documents

2.1: LIST OF RETURNABLE DOCUMENTS

Project title:	NEW ECD CENTRE AT BOLANI ECD		
Principal Agent:	Eastern Cape Province Department of Education	Bid No:	2022/07/714

RETURNABLE DOCUMENTS REQUIRED FOR TENDEER EVALUATION PURPOSES (Insert a tick in the "Returnable document" column to indicate which documents must be returned with the Bid)

Bid Document Name	Number of pages issued	Returnable Document
Declaration of Interest (SBD4)	3 Pages	⊠ Yes □ No
Preference points claim form in terms of Preferential Procurement Regulations 2022 (SBD 6.1)	6 Pages	⊠ Yes □ No
Local Production and Content (SBD 6.2)	7 Pages	⊠ Yes □ No
Certificate of Authority for Signatory (T2.2.1)	1 Page	⊠ Yes □ No
Certificate of Authority for Joint Ventures (T2.2.2)	1 Page	⊠ Yes □ No
Schedule of Proposed Subcontractors (T2.2.3)	1 Page	☐ Yes ⊠ No
Final Summary Page of Bills of Quantities (C1.1a)	1 Page	⊠Yes □ No
Completed Project Reference Forms (T2.2.13)	6 Pages	⊠Yes □ No

2. OTHER DOCUMENTS REQUIRED FOR REQUEST FOR BID EVALUATION PURPOSES

Bid Document Name	Number of pages issued	Returnable Document
Site Inspection Certificate (T2.2.4)	1 Page	☐ Yes 🏻 No
Capacity of the Bidder (T2.2.6)	1 Page	⊠ Yes □ No
Relevant Project Experience - Completed Projects (T2.2.7)	1 Page	⊠ Yes □ No
Relevant Project Experience - Current Projects (T2.2.8)	1 Page	⊠ Yes □ No
CIDB Grading Certificate (T2.2.11)	1 Page	⊠ Yes □ No
CIPC Company Registration Certificate (T2.2.12)	1 Page	⊠ Yes □ No
ID's of shareholders, members, partners or sole proprietor (T2.2.12)	1 Page	⊠ Yes □ No
Letter of Good Standing from Bank (T2.2.12)	1 Page	⊠ Yes □ No
Letter of Good Standing from Compensation Fund (T2.2.12)	1 Page	⊠ Yes □ No
CSD Registration Summary Report (T2.2.12)	1 Page	⊠ Yes □ No
SARS Tax Clearance Certificate and Pin (T2.2.12)	1 Page	⊠ Yes □ No
Proof of Locality of Head Office (T2.2.12)	1 Page	⊠ Yes □ No

3. RETURNABLE DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

Bid Document Name	Number of pages issued	Returnable Document
Record of Addenda to Request for Bid Documents (T2.2.5)	1 Page	⊠ Yes □ No
Schedule of Plant and Equipment (T2.2.9)	1 Page	⊠ Yes □ No
Compulsory Enterprise Questionnaire (T2.2.10)	1 Page	⊠ Yes □ No

4. OTHER DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

Bid Document Name	Number of pages issued	Returnable Document
Form of Offer and Acceptance (C1.1)	3 Pages	⊠ Yes □ No
Contract Data (C1.2)	14 Pages	⊠ Yes □ No
Applicable form of Guarantee (C1.3)	4 Pages	☐ Yes ⊠ No
Priced Bills of Quantities including Preliminaries (C2.2)	90 Pages	⊠Yes □ No

T2.2 Returnable schedules

SBD 4: BIDDER'S DISCLOSURE

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bid	der	's d	lec	larat	tion
--------	-----	------	-----	-------	------

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

	-
2.2 2.2.1	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO If so, furnish particulars:
2.3	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO
2.3.1	If so, furnish particulars:

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

3 DECLARATION

3.1 3.2

3.3

3.4

3.4

3.5

3.6

Position	Name of bidder
Signature	Date
DECLARATION PROVE TO BE F	FALSE.
COMBATING ABUSE IN THE SU	PPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS
OF PARAGRAPH 6 OF PFMA SC	CM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND
CORRECT.	TION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS AY REJECT THE BID OR ACT AGAINST ME IN TERMS
restrictive practices related to bide the Competition Commission fo penalties in terms of section 59 of to the National Prosecuting Autho from conducting business with the	ithout prejudice to any other remedy provided to combat any is and contracts, bids that are suspicious will be reported to r investigation and possible imposition of administrative the Competition Act No 89 of 1998 and or may be reported rity (NPA) for criminal investigation and or may be restricted e public sector for a period not exceeding ten (10) years in abating of Corrupt Activities Act No 12 of 2004 or any other
the bidder with any official of the prior to and during the bidding p	s, communications, agreements or arrangements made by procuring institution in relation to this procurement process rocess except to provide clarification on the bid submitted ion; and the bidder was not involved in the drafting of the se for this bid.
true and complete in every respect. The bidder has arrived at the accommunication, agreement or arbetween partners in a joint venture. In addition, there have been no convith any competitor regarding the factors or formulas used to calcustion submit or not to submit the bid, bid delivery particulars of the products. The terms of the accompanying by	ng bid will be disqualified if this disclosure is found not to be
I, the undersigned, (name)	do hereby make the following statements that I certify to be et:
ECLARATION	

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

SBD 6.1: Preference Points Claim Form

SBD 6.1

PREFERENCE POINTS CLAIM FORM

In order to claim preference points, Bidders are to note the following:

- The SBD 6.1 form must be completed and duly signed.
- EME's with an annual total revenue of R3 million or less, are required to submit a sworn affidavit (Construction Charter) confirming their level of black ownership, etc to claim points.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the **90/10** preference point system.
- b) The applicable preference point system for this tender is the **80/20** preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

 $Ps = 80\left(1-rac{Pt-P\,min}{P\,min}
ight)$ or $Ps = 90\left(1-rac{Pt-P\,min}{P\,min}
ight)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1+rac{Pt-P\,max}{P\,max}
ight)$$
 or $Ps = 90\left(1+rac{Pt-P\,max}{P\,max}
ight)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Historically Disadvantaged individuals	2	4		
Ownership with Disabilities	1	2		
Youth Ownership	2	3		
Woman Ownership	2	3		
Enterprises located in the Eastern Cape Province	3	6		
Ownership by Military Veterans	1	2		

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm		
4.4.	Company registration number:		
4.5.	TYPE OF COMPANY/ FIRM		
	 □ Partnership/Joint Venture / Consortium □ One-person business/sole propriety □ Close corporation □ Public Company □ Personal Liability Company □ (Pty) Limited □ Non-Profit Company □ State Owned Company [TICK APPLICABLE BOX] 		

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the

organ of state that the claims are correct;

- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME: DATE:	
ADDRESS:	

SBD 6.2: Local Production and Content

SBD 6.2

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2022, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2022 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two-stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and Spesific Goals
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) on the date of advertisement of the bid as indicated in paragraph 3.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

- 1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;
- 2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

Description of services, works or goods	Stipulated minimum threshold	
Reinforcement Roof coverings Steel windows, doors and frames Sundry metalwork and structural steelwork Gutters and down pipes	100% 100% 100% 100% 100%	

uPVC and HDPE pipes	100%
Electrical cables	100%
Fencing	100%

3. Does any portion of the goods or services offered have any imported content?

(Tick applicable box)
YES NO

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.resbank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

PA	PARTNERSHIP OR INDIVIDUAL)					
IN I	RESPECT OF BID NO. 2022/07/714					
ISS	GUED BY : (Procurement Authority / Name of Institution):					
 NB 1	The obligation to complete, duly sign and submit this declaration cannot external authorized representative, auditor or any other third party acti bidder.					
2	Guidance on the Calculation of Local Content together with Local C Templates (Annex C, D and E) is http://www.thedti.gov.za/industrial_development/ip.jsp . Bidders should first on D. After completing Declaration D, bidders should complete Declaration E at the information on Declaration C. Declaration C should be submedocumentation at the closing date and time of the bid in order together together the declaration made in paragraph (c) below. Declarations D and E should be submedocumentation at the closing date and time of the bid in order together together together the declaration of the bid in order together together the declaration of the bid in order together the declaration of the continuously update Declarations C, D and E with the actual value of the contract.	accessible or omplete Declaration and then consolidate itted with the big o substantiate the buld be kept by the successful bidder is				
l, th	ne undersigned,(fu	ıll names),				
do	hereby declare, in my capacity as					
of .	(name	of bidder entity), the				
foll	owing:					
(a)	The facts contained herein are within my own personal knowledge.					
(b)	I have satisfied myself that:					
	 the goods/services/works to be delivered in terms of the above-spect the minimum local content requirements as specified in the bid, a terms of SATS 1286:2011; and 					
(c)	The local content percentage (%) indicated below has been calculated usi in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragethe information contained in Declaration D and E which has been consoli C:	raph 3.1 above and				
В	id price, excluding VAT (y)	R				
Ir	mported content (x), as calculated in terms of SATS 1286:2011	R				
S	tipulated minimum threshold for local content (paragraph 3 above)					
L	ocal content %, as calculated in terms of SATS 1286:2011					

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
 (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. Lalso understand that the submission of incorrect data, or data.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2022 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

Total

imported

content

(C19)

Annexure C

Local Content Declaration – Summary Schedule

(C1)	Tender No.								Note: VAT to be excluded from all calculations
(C2)	Tender Description:								
(C3)	Designated product(s)								
(C4)	Tender Authority:								
(C5)	Tender Entity Name:								
(C6)	Tender Exchange Rate:	Pula:	EU:	1	GBP:				
(C7)	Specified local content %		1	<u>'</u>					
		•				Calanta	ion of Local Content		Tender Summary

				Calculation	of Local Con	tent			Tender S	ummary
Tender item no's	List of items	Tender price – each (excl. VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value	Local value	Local contend % (per item)	Tender Qty	Total tender value	Total exempted imported content
(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)
								•		
								•		

				(C20) Tot	al tender value			
				(C21) T	otal Exempt imp	ported content		
Signature of Bidder fro	om Annex B			(C22) Total t	ender value net	of exempt impo	orted content	
						(C23)Total Imp	oorted content	
						(C24) Total	local content	
Date:					(C25) Aver	age local conter	nt % of tender	

Annexure D

			Imported	Content Doo		upporting		le to Annex C			
			imported	Someth Dec	,iai atiiUii – 3	upporting	Juleau	ie to Affilex C			
O1) Tende	er No.							Note: V	AT to be exclude	d from all cal	lculations
D2) Tende	er Description:										
	nated product(s)									
	er Authority:										
	er Entity Name:		D 1			CDD					
D6) Tende	er Exchange Ra	te:	Pula:	EU:		GBP:					
A. Exemp	oted imported	content			C	alculation	of import	ted content		Su	ımmary
Tender Item no's	Description of imported content	Local supplier	Overseas supplier	Foreign currency value as per commercial invoice	Tender Rate of Exchange	Local value of imports	Freight costs port entry	t All locally to incurred of landing costs & duties	Total landed cost excl. VAT	Tender QTY	Exempted imported value
(D7)	(D8)	(D9)	(D10)	(D11)	(D12)	(D13)	(D14	4) (D15)	(D16)	(D17)	(D18)
								(D19)	Total exempt imp	ported value This total must	correspond wit
										Annex C - C21	
B. Impor	ted directly by	Tenderer	T	<u> </u>	C	alculation	of import	ted content		Su	mmary
Tender Item no's	Description of imported content	Unit of measure	Overseas supplier	Foreign currency value as per commercial invoice	Tender Rate of Exchange	Local value of imports	Freight costs port entry	t All locally incurred landing costs & duties	Total landed cost excl. VAT	Tender QTY	Total imported value
(D20)	(D21)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27	7) (D28)	(D29)	(D30)	(D31)
								(D32) Tota	al imported value	by tenderer	
C. Imported	by a 3 rd party an	d supplied to t	he Tenderer		C	alculation	of import	ted content		Su	ımmarv
Description of imported content	Unit of Measure	Local Supplier	Overseas supplier	Foreign currency value as per commercial invoice	Tender Rate of Exchange	Local value of imports	Freight		Total landed cost excl. VAT	Tender QTY	Total imported value
(D33)	(D34)	(D35)	(D36)	(D37)	(D38)	(D39)	(D40	(D42)	(D42)	(D43)	(D44)
								(D45) Tota	al imported value	by 3 rd party	
D. Other	foreign currency	payments			Calcula	tion of fore	ign				Summary o
Type	of Local Sur	oplier making	the Overs	seas	Foreign		r Rate				Payments Local valu
payment	payment		benef		currency val paid						of payment
(D46)		(D47)		(D48)	(D49)	(L	050)				(D51)
Signature o	f tenderer fron	n Annex B						(D52) Total of foreig	n currency payments by		
							[[(D53) Total of imported	l content & foreign cur	party rency payments	<u>1</u>
Data								This total must corre	(D32), (D45)	& (D52) above	

Annexure E

Гender No.			Note: VAT to be excluded from all of	calculation
Tender Description:				
Designated product(s)				
Tender Authority:				
Tender Entity Name:				
	cal Products (Goods, rvices and Works)	Description of items purchased	Local Suppliers	Valı
		(E6)	(E7)	(E8
			\ '\	
		(F9) Total local produ	cts (Goods, Service and Works)	
		(E) Total local produ	ets (Goods, Service and Works)	
	npower costs	(Tenderer's manpower cost)		
	ctory overheads	(Rental, depreciation & amortisation,		
	ministration overheads and	(Marketing, insurance, financing, inter	rest etc.)	
mai	rk-up	•	(E13) Total local content	
			This total must correspond with annex	C – C24

Date:			

T2.2.1 Certificate of Authority for Signatory

T2.2.1: CERTIFICATE OF AUTHORITY FOR SIGNATORY

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714

NOTE: This returnable document must be on a company let	tterhead
Signatory for companies shall confirm their authority hereto by a copy of the relevant resolution of the board of directors to this for	
An example is given below:	
"By resolution of the board of directors passed at a meeting held	on
Mr/Ms, whose signature appears below	w, has been duly authorised to
sign all documents in connection with the bidder for Contract No	
and any Contract which may arise there from on behalf of (Block	Capitals)
SIGNED ON BEHALF OF THE COMPANY:	
IN HIS/HER CAPACITY AS:	
DATE:	
SIGNATURE OF SIGNATORY:	
WITNESSES:	
1 SIGNATURE:	
2 SIGNATURE:	

T2.2.2 Certificate of Authority for Joint Ventures

T2.2.2: CERTIFICATE OF AUTHORITY FOR JOINT VENTURES

Project title:	NEW ECD C	ENTRE AT BOLANI E	CD	
Bid No:	2022/07/714			
Γhis returnable schedul	e is to be com	pleted by joint ventures	S.	
_	-	of the company	Joint Venture and hereby autho	_
capacity of lead partner	, to sign all do		with the Request for Bid and a	
Name of Firm		Address	Duly Authoris	ed Signatory
Lead Partner			Signature: Name: Designation:	
			Signature: Name: Designation:	
			Signature: Name: Designation: Signature:	

Designation:_____

T2.2.4 Site Inspection Certificate

T2.2.4: SITE INSPECTION CERTIFICATE

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714

I/We have visited the site for the above-mentioned works at the date specified below.

I/We have thoroughly studied the site, plans and contract documents and I/We have brought myself/ourselves fully conversant with all aspects which could possibly influence the construction of the works.

I/We further certify that I/We am/are satisfied with the description of the works and the explanation given to me/us by the Representative/Agent at the inspection and I/We fully understand the extent of the work to be done as specified and implied for the execution of this contract.

Date of Inspection:	
Time of Inspection:	
Name of Tenderer	
Signature of Tender	
Signature of Representative/Agent	
Date	

T2.2.5 Record of Addenda to Request for Bid Documents

T2.2.5: RECORD OF ADDENDA TO BID DOCUMENTS

Project title:		NEW ECD CENTRE AT BOLANI ECD								
Bid No:		2022/07/714								
	We confirm that the follow amending the Request fo	We confirm that the following communications received from the Employer before the submission of this Request for Bid offer, amending the Request for Bid documents, have been taken into account in this Request for Bid offer:								
	Date	Title or Details								
	1.									
	2.									
	3.									
	4.									
	5.									
	6.									
	7.									
	8.									
	9.									
	10.									
	Attach additional pages if	more space is required.								
	Signed	Date								
	Name	Position								

Bidder

T2.2.6 Capacity of Bidder

T2.2.6: CAPACITY OF THE BIDDER

NEW ECD CENTRE AT BOLANI ECD

Project title:

Bid No:		2022/07/714						
pages if more	WORK CAPACITY: (The Bidder is requested to furnish the following capacity particulars and to attach additional pages if more space is required. Details of project team including CV, qualifications and proof of registration completed for each individual to be provided by Bidder. Failure to furnish the particulars may result in the Bid being disregarded.)							
Artisans and E	Artisans and Employees: (Artisans and Employees to be, or are, employed for this project)							
	I							
Quantity / Categories of Employee - Key No. of Personnel (part of Business Enterprise)		Professional Registration No.		Date of Employment				
	Site Age	nt						
	Project M	<i>l</i> lanager						
Foreman								
		Control & Safety Construction or						
Artisans								
	Unskilled	l employees						
	Others							
					enterprise, confirms that the content of this of my knowledge both true and correct.			
Signed:			Date:					
Name:		Position:						
Bidder:	3idder:							

T2.2.7	Relevant Pro	oject Exper	ience - C	ompleted F	Projects

T2.2.7: RELEVANT PROJECT EXPERIENCE - COMPLETED PROJECTS

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714

Bidders must submit a max one-page description of at least three projects successfully completed.

Attach a Completion Certificate for each of the project provided.

The description of each project must include the following information:

- 1. Essential introductory information:
 - 1.1. Name of project.
 - 1.2. Name of client.
 - 1.3. Contact details of client.
 - 1.4. Contact details (including telephone numbers and email addresses) of currently contactable references.
 - 1.5. The period during which the project was performed, and also, if this is different, the period during which the Bidder's team members were contracted.
 - 1.6. Cost of works and/or contract value (making it clear in broad terms what this cost/value purchased, and to what extent (if any) this cost/value was part of a larger project budget or programme budget).

NO.	NAME OF PROJECT	NAME OF CLIENT	CONTACT DETAILS OF CLIENT	PROJECT VALUE	DATE COMPLETED
1					
2		Lxamp	le only	,	
3					

Attach a separate page to address this issue (the above table is just for reference purposes).

The undersigned, who warrants that she/ he is duly authorised to do so on behalf of the enterprise, confirms that the content of this schedule that presented by the Bidder are within my personal knowledge and are to the best of my knowledge both true and correct.						
Signed	Date					
Name	Position					
Bidder						

T2.2.8	Relevant Project Experience	- Current Projects

T2.2.8: RELEVANT PROJECT EXPERIENCE - CURRENT PROJECTS

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714

Bidders must submit a max one-page description of at least three projects under construction/ on hold/ just handed over/ towards completion (if they exist).

Attach an Appointment letter for each of the project provided.

The description of each project must include the following information:

- 2. Essential introductory information:
 - 2.1. Name of project.
 - 2.2. Name of client.
 - 2.3. Contact details of client.
 - 2.4. Contact details (including telephone numbers and email addresses) of currently contactable references.
 - 2.5. The period during which the project was performed, and also, if this is different, the period during which the Bidder's team members were contracted.
 - 2.6. Cost of works and/or contract value (making it clear in broad terms what this cost/value purchased, and to what extent (if any) this cost/value was part of a larger project budget or programme budget).

NO.	NAME OF PROJECT	NAME OF CLIENT	CONTACT DETAILS OF CLIENT	CONTACT DETAILS OF REFERENCES	PROJECT VALUE	STAGE OF PROJECT
1		Ex	9m := 1			
2				e onl	V	
3					y	

Attach a separate page to address this issue (the above table is just for reference purposes).

The undersigned, who warrants that she/ he is duly authorised to do so on behalf of the enterprise, confirms that the content of this schedule that presented by the Bidder are within my personal knowledge and are to the best of my knowledge both true and correct.

Signed	Date	
Name	Positi	
	on	
Bidder		

T2.2.9 Schedule of Plant & Equipment

T2.2.9: SCHEDULE OF PLANT AND EQUIPMENT

Project title:	NEW ECD CENTRE AT BOLANI ECD				
Bid No:	2022/07/714				
	of major items of relevant equipment that I/we presently own or lease and will have available acquire or hire for this contract if my/our Bid is accepted.				
a) Details of maj	or equipment that is owned by and immediately available for this contract.				
Quantity	Description, size, capacity, etc.				
\					
attach additional page	es if more space is required.				
b) Details of major	equipment that will be hired, or acquired for this contract if my/our Bid is acceptable.				
Quantity Description, size, capacity, etc.					
Attach additional page	s if more space is required.				
Attach additional page	es if more space is required.				
Signed					
Signed	Date				

T2.2.10 Compulsory Enterprise Questionnaire

T2.2.10: COMPULSORY ENTERPRISE QUESTIONNAIRE

	12.2.10. Goldin GEGORI, ERVERNI MIGE GGEGNIGHWAIRE					
Project title:	NEW ECD CENTRE AT BOLANI ECD					
Bid No:	2022/07/	2022/07/714				
	· · · · · · · · · · · · · · · · · · ·					
The following partic partner must be con			of a joint ventu	re, separate enterprise questionnaires	in respect of each	
Section 1: Name of	of enterprise:					
Section 2: VAT reg	gistration numbe	r, if any:				
Section 3: CIDB re	egistration numbe	er, if any:				
Section 4: CSD nu	ımber:					
Section 5: Particu	lars of sole propr	ietors and partners	s in partnershi	ps:		
Name*		Identity number*		Personal income tax number*		
					-	
					_	
***************************************				**************************************		
-		<u> </u>	<u> </u>	e if more than 3 partners		
Section 6: Particu	lars of companies	s and close corpor	ations			
Company registration	on number:					
Close corporation n	number:					
Tax reference num	ber:					
Section 7: SBD4 i requirement.	ssued by Nation	al Treasury must b	pe completed f	or each Bidder and be attached as	a Request for Bid	
Section 8: SBD6 i requirement.	ssued by Nation	al Treasury must b	pe completed f	or each Bidder and be attached as	a Request for Bid	
The undersigned, w	vho warrants that h	ne / she is duly autho	orised to do so	on behalf of the enterprise:		
i) authorizes the e ii) confirms that th or partly exercis						
· •	•	· ·		nolly or partly exercises, or may exerci	se control over the	
		last five years beer ciated. linked or invo		aug or corruption; ther bidding entities submitting Reques	st for Bid offers and	
,			•	ble for compiling the scope of work that		
v) confirms that th	interpreted as a conflict of interest; and v) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and					
	correct.					
Signed			Date			
Name			Position			
Enterprise name						

T2.2.11	CIDB Grading	g Certificat	e / Proof of	Registration

T2.2.11: CIDB GRADING CERTIFICATE/PROOF OF REGISTRATION

Project title:	NEW ECD CENTRE AT BOLANI ECD	
Bid No:	2022/07/714	

Bidders are required to submit with their Request for Bid:

A Certificate of Contractor Registration issued by the Construction Industry Development Board.

NOTE: PROOF OF CIDB GRADING TO BE ATTACHED TO THIS PAGE BY BIDDER
IN THE CASE OF A JOINT VENTURE, SEPARATE CERTIFICATES IN

RESPECT OF EACH PARTNER MUST BE SUBMITTED

T2.2.12 Other certificates, etc.

T2.2.12: OTHER CERTIFICATES, ETC TO BE PROVIDED BY BIDDER

Project title:	NEW ECD CENTRE AT BOLANI ECD	
Bid No:	2022/07/714	

Bidders are required to submit with their Request for Bid:

- Certified copy of CIPC company registration certificate
- Certified copies of ID's of shareholders, members, partners or sole proprietor
- Letter of Good Standing from Bank where Bidder's primary transaction account is
- Letter of Good Standing from Compensation Fund or a licensed insurer as contemplated in the Compensation for Occupational Injuries and Diseases Act 1993
- CSD Registration Summary Report dated not more than thirty (30) calendar days prior to the Request for Bid closing date
- Original valid SARS tax clearance certificate and pin
- Proof of locality of head office by way of certified copy of municipal account or lease agreement

NOTE: CERTIFICATES, ETC TO BE ATTACHED TO THE RELEVANT PAGE HEREAFTER

Insert certified copy of CIPC certificate

Insert certified copies of ID's

Insert Letter of Good Standing from Bank

Insert Letter of Good Standing from Compensation Fund

Insert CSD Registration Summary Report

Insert Original Valid SARS Tax Clearance Certificate and Pin

Insert Certified Copy of Municipal Account or Lease Agreement

T2.2.13	Insert	Completed	Project	Reference	Forms

PROJECT REFERENCE RETURNABLE 1 OF 3

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714

NOTE: This returnable document must be completed by the person who was the principal agent on a construction project of similar value and complexity that was completed successfully by the Bidder.

successium by the bluder.					
Ι,			(name a	nd surname)	of
			(compan	y name) ded	clare
that I was the principal agent on the	e following bu	ilding constru	ıction projec	t successfull	у
executed by			(na	me of Bidde	er):
Project name:					
Project location:					
Construction period:		Completion d	ate:		
Contract value:					
A. Please evaluate the performance principal agent, by inserting "Yes" in			ovementione	ed project, o	n which you w
principal agency by inserting Tes III	Very Poor	Poor	Fair	Good	Excellent
	1	2	3	4	5
Project performance / time management / programming					
2. Quality of workmanship					
3. Resources: Personnel					
4. Resources: Plant					
5. Financial management / payment of subcontractors / cash flow, etc.					

B. Would you consider / recommend this Bidder again:

YES	NO

C. Any other comments:				
D. My contact details are:				
Telephone:	Cellphone:	Fax:		
E-mail:				
Thus signed at	on this	day of	2023	
Signature of principal agent		COMPANY ST	TAMP	
NOTE:				
If reference cannot be verified due to to respond to a written request to do				rt
Name of Bidder				
Signature of Bidder		Date		

PROJECT REFERENCE RETURNABLE 2 OF 3

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714

NOTE: This returnable document must be completed by the person who was the principal agent on a construction project of similar value and complexity that was completed successfully by the Bidder.

I, ______ (name and surname) of

			(compar	ny name) ded	clare
that I was the principal agent on the	following bu	uilding constru	ıction projec	t successfull	У
executed by			(na	me of Bidde	r):
Project name:					
Project location:					
Construction period:		Completion d	ate:		
Contract value:					
A. Please evaluate the performance principal agent, by inserting "Yes" in			ovementione	ed project, o	n which you we
principal agency by inserting Tes III	Very	Poor	Fair	Good	Excellent
	Poor 1	2	3	4	5
Project performance / time management / programming					
2. Quality of workmanship					
3. Resources: Personnel					
4. Resources: Plant					
5. Financial management / payment of subcontractors /					

B. Would you consider / recommend this Bidder again:

YES	NO

cash flow, etc

C. Any other comments:			
D. My contact details are:			
Telephone: Cellph	none:	Fax:	
E-mail:	_		
Thus signed at	on this	day of	2023
Signature of principal agent		COMPANY STA	AMP
NOTE:			
If reference cannot be verified due to the to respond to a written request to do so, t			
Name of Bidder			
Signature of Bidder		Date	· · · · · · · · · · · · · · · · · · ·

PROJECT REFERENCE RETURNABLE 3 OF 3

Project title:	NEW ECD CENTRE AT BOLANI ECD
Bid No:	2022/07/714

NOTE: This returnable document must be completed by the person who was the principal agent on an construction project of similar value and complexity that was completed successfully by the Bidder.

I,			(name and surname) of			
			(compar	ny name) ded	clare	
that I was the principal agent on the	following bu	ıilding constrı	uction projec	t successfull	у	
executed by			(na	me of Bidde	er):	
Project name:						
Project location:						
Construction period:		Completion d	ate:			
Contract value:						
A. Please evaluate the performance principal agent, by inserting "Yes" in			ovementione	ed project, o	n which you v	were th
principal agency by inscreing Tes III	Very Poor	Poor	Fair	Good	Excellent	
	1	2	3	4	5	
Project performance / time management / programming						
2. Quality of workmanship						
3. Resources: Personnel						
4. Resources: Plant						
5. Financial management / payment of subcontractors / cash flow, etc						

B. Would you consider / recommend this Bidder again:

YES	NO

C. Any other comments:			
D. My contact details are:			
Telephone:	Cellphone:	Fax:	
E-mail:			
Thus signed at	on this	day of	2023
Signature of principal agent		COMPANY ST	TAMP
NOTE:			
If reference cannot be verified of to respond to a written request			
Name of Bidder			
Signature of Bidder		Date	

THE CONTRACT

Part 4: Scope of Work

C3.1 Scope of work

C3.1: SCOPE OF WORKS – JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	NEW ECD CENTRE AT BOLANI ECD
BID No:	2022/07/714

C3. Scope of Works

1. GENERAL

a) EXTENT OF THE WORKS

The work comprises of:

- Provision of 2x 4 Classroom Blocks plus HOD
- Provision Nutrition Centre
- Refurbishment of existing Admin and Ablutions
- Grade R Classroom
- External Works
- Electrical Upgrade
- Water Tanks
- Fencing

b) ORDER OF THE WORKS

Commencement of the works after handover, daily progress and completion of the works is critical to the success of the programme and will thus be closely and strictly monitored. Decisive action will be taken against any potential risks that could lead to time over run on the contract period. The bidder is to take specific notice of this, most especially to the penalty clause.

c) BUILDING OCCUPIED

Yes

d) ACCESS - Gravel Road

C3.2 Health and Safety Specification



OCCUPATIONAL HEALTH AND SAFETY SPECIFICATION

FOR

CONSTRUCTION OR REFURBISHMENT OF EC SCHOOLS (SMALL PROJECTS)

EASTERN CAPE DEPARTMENT OF EDUCATION

(THE "CLIENT")

Prepared By:	Dr. Claire Deacon CHSA010/2013
Last revision 02/12/2022 By:	Ntokozo Ngwenya



Table of Contents

CLOSE	OUT REQUIREMENTS	43
	XURE AError! Bookmark n	
24.	Public safety	
23.	Failure to Comply with Provisions	
22.	NON-CONFORMANCES	
21.	HEALTH AND SAFETY FILE	
20.	Care of Workers on Site (Welfare)	
19.	Communication and Meetings on Site	
18.	Auditing	
17.	Temporary Works (Scaffolding, support work, formwork) (if applicable)	
16.	Cranes and lifting equipment (if applicable)	
15.	Working at heights (if applicable)	
14.	Excavations (if applicable)	
13.	Management of Plant and Equipment	
12.	Induction of Employees and Visitors, General H&S Training	
11.	Occupational Health and Safety Signage	
10.	Personal Protective Equipment (PPE) and Clothing	
9.2		
9.1	- /	
	Emergency Procedures	
8.2	Noise Risks	
8.1	Site Induction and other training	
	Training	
7.	GENERAL RISK MANAGEMENT	
6.1		
6.1		
6.	HEALTH AND SAFETY PLAN FRAMEWORK	
5.1		
5.1		
	OCCUPATIONAL HEALTH & SAFETY MANAGEMENT	
4.2		
4.1		
	GENERAL REQUIREMENTS	
	Implementation of the Site Specific Occupational Health and Safety Specifications (SSHSS)	
2.2	30 Programme Description	
2.1		
2.	Purpose of the Site Specific Health and Safety Specification (SSHSS)	29
	LIST OF ABBREVIATIONS	
REFER	RENCES	28
Site	e Details:	28



Project Details	
Date of compilation:	Revision number: 00
Value of project:	Commencement date:
	Contract period:
Occupational Health and Safety Agent:	

Professional responsibilities	Company	Contact person	Telephone	Fax	email
Architects					
Civil Engineers					
Structural Engineers					
Electrical Engineers					
HVAC Engineers & Fire Consultants					
Quantity Surveyors					

Site Details:

Locality of the works:

REFERENCES,

- Occupational Health and Safety Act (OHSA) No. 85 of 1993 and Regulations (as amended);
- Compensation for Injury and Occupational Diseases Act (COIDA) No. 100 of 1993 (as amended);
- South African Council for the Project and Construction Management Professions (SACPCMP) 2013: Scope of services for the OHS Consultant, Manager and Officer;
- Any other internal standards and specifications developed by the Client as they affect the operations, and
- The amended Baseline Risk assessment
- South African Roads Traffic Safety Manual (SARTSM) Chapter 2, Volume 13 of 1999
- Road Traffic Safety Act No. 93 of 1996 (as amended)
- Construction Specifications & Standards 6.0 for Southern Africa. Hans Wegelin 6th Edition 2010
- SANS Code 10400
- SABS 1200

1. LIST OF ABBREVIATIONS

AIA Approved Inspection Authority

BoQ Bill of Quantities

CC Compensation Commissioner CR Construction Regulations

CHSO Construction Health and Safety Officer

DMR Driven Machinery Regulations

DEL Department of Employment and Labour FEMA Federated Employers Mutual Association GAR General Administration Regulations

GSR General Safety Regulations



HCSR Hazardous Chemical Substances Regulations

HIRA Hazard Identification Risk Assessment

H&S Health and Safety

ER Engineer's Representative

LI Labour Intensive

DMA Disaster Management Act
OH Occupational Health

OHSA Occupational Health and Safety Act No. 85 of 1993 (as amended)

SSHSS Site Specific Health and Safety Specification

PC Principal Contractor

PPE Personal Protective Equipment

SANS South African National Standards (Authority)

SACPCMP South African Council for Project and Construction Management Professions

SDS Safety Data Sheet

SMME Small, Micro, Medium Enterprise
SWP Safe Work ProcedurePREAMBLE

Each year fatalities, serious injuries and poor attitudes of Contractors mar the reputation of the Construction Industry. The CLIENT has a responsibility to limit its risk by ensuring a zero tolerance and better practice approach to Contractors and those affiliated to a particular project. Thus, a high premium is placed on the health and safety (H&S) of the Client and stakeholders, which include its employees, professional service providers, public and its physical assets.

The responsibilities that the Client and relevant stakeholders have toward its employees are captured in, but not limited to this document. The responsibilities stem from both moral, civil and a variety of legal obligations. The Principal Contractor is to take due cognisance of the above statement.

Where there is an appointed OHS Consultant its behalf, shall provide a site specific Health & Safety Specification (SSHSS) for the project and provide the Principal Contractor/s (PC) making a bid or appointed to perform construction work for the project, or parts thereof.

By drawing up this SSHSS, the Client has endeavoured to address the most critical aspects relating to H&S issues in order to assist the contractor in adequately providing for the health and safety of employees on site.

Should the Client not have addressed all H&S aspects pertaining to the work that is tendered for, the contractor needs to include it in the SSHSP and inform the Client of such issues when submitting the tender, or as soon as identified.

Notwithstanding the above, cognisance needs to be taken of the current Disaster Management Plan, and all the requirements of the current levels of lockdown, standards, guidelines and information published from time to time.

2. Purpose of the Site Specific Health and Safety Specification (SSHSS)

The SSHSS is a performance specification to ensure that the Client and any bodies that enter into formal agreements with the Client, Agents, Professional Designers (Engineers, Quantity Surveyors and Architects), Principal Contractors and Contractors achieve an acceptable level of OHS performance.

No advice, approval of any document required by the SSHSS, such as hazard identification and risk assessments, or any other form of communication from the Client shall be construed as acceptance by the Client of any obligation that absolves the Principal Contractor from achieving the required level of performance and compliance with legal requirements. Furthermore, there is no acceptance of liability by the Client, which may result from the Principal Contractor failing to comply with the SSHSS, i.e. the Principal Contractor remains responsible for achieving the required performance levels.

A Mandatary Agreement in terms of Section 37.2 of the OHSA will be signed between parties prior to any works commencing. If the NEC contract is used a copy of the signed contract shall form part of the H&S file submission.

The SSHSS highlights the aspects to be implemented over and above the minimum requirements of current legislation. Requirements may be changed should new risks or issues are identified that could not have been foreseen during the design phase of the project, or during the construction phase. Any new legislation or standards (legislated or determined by the Client) that are promulgated or accepted during the contract will automatically be applied.



Environmental management shall receive due attention as per the requirements of the Environmental Control Officer (ECO), but will be managed by the ECO directly if applicable to the project.

2.1 Project description/detailed scope of work as it applies to the project (Details as per the scope of work)

The Scope of work as identified by the Stakeholders is as follows:

- Preliminary and General
- Breaking
- Painting
- Carpentry
- Brickwork
- Roof Work
- Asbestos Work

The works shall be done in accordance with the applicable SANS 1200 specifications, Municipal By-laws and Regulations, variations and additions to the standardized specifications applicable to this contract and the technical specifications of the Client for work that falls outside of the standardized specifications.

2.2 Programme Description

Clarification Meeting	TBA
Time allowed for preparation of H&S plan/file after tender award	
Approval date of SSHSP	Within 1 week after submission but subject to content as per this requirement, for more than one review.
Induction dates	To be advised after Approvals of H&S Plan/file
Estimated Commencement date of work on site	Subject to approval of H&S Plan.
Estimated Project completion date or project duration	Dependant on site establishment and site hand over
Project term	

3. Implementation of the Site Specific Occupational Health and Safety Specifications (SSHSS)

The site specific H&S specification (SSHSS) forms an integral part of the Contract, and PCs are required to make it an integral part of their Contracts with Contractors and Suppliers. A SSHSS will be available for each level of Contract and Contractor and must be complied with.

This specification must be read in conjunction with the OHSA, Regulations (as amended) and any other standards relating to work being done and ensure compliance thereto. The information relative to the scope of the project, the works etc. are detailed in the tender, are to be considered when developing the SSHSP and associated documentation. The summary of risks is included in Section 2 of the SSHSS.

The OHSA S.37.2 Mandatory Agreement must be fully completed by the PC, supplied by the Client. These documents shall be deemed to form part of the returnable Contract Documents.

No work may commence without written approval of the SSHSP by the H&S Agent, or the responsible person of the Client.

Should there be design changes, or change in the scope of works, an amended SSHSS may be issued. Where amended SSHSSs are issued, the PC will be required to ensure a resubmission of an amended SSHSP for approval. Further to this, the PC must ensure that similar information must be provided as it applies to the works to all their Contractors, within 5 working days following notification thereof. Such design changes.

The OHS Consultant will visit the project at least bi-monthly to ensure compliance and limit risk. All activities on the site and all appropriate documentation will be monitored and reported on to the Client and the Designer.



Non-conformances will be issued, and penalties or work stoppage will be issued where appropriate. Communication between the OHS Consultant and the PC will be through the Designer (or Client's responsible person) as determined at the commencement of the project.

3.1 Requirements at Start Up

A site specific H&S Plan (SSHSP) in response to this SSHSS will be subject to approval by the OHS Consultant within the stipulated time period as noted in the tender. This must include all supporting documentation as required to verify the H&S system:

- A declaration to the effect that the PC has the competence and necessary resources to carry out the work safely in compliance with the Occupational Health and Safety Act and its Regulations;
- A valid Letter of Good Standing;
- Detailed technical method statements along with, and aligned with the project programme for review by the Principal Agent, Designer and appropriate risk assessments and safe work procedures for approval by the OHS Consultant or Client:
- Site establishment including:
 - A procedure must be drafted relative to protection/ prevention of injury to persons other than PC employees, during undertaking of such construction activity.
 - Exposure of services, power, telecommunication etc.;
 - o Arrangements for hoarding, traffic accommodation if applicable:
 - Excavating for services;
 - o An emergency plan indicating how and where emergencies will be handled, and
 - Working at heights (if applicable).

Further method statements are to be submitted prior to, and during the project where changes or new work is required, and the approval of the Principal Agent/Client is required before work on that aspect or activity can commence The construction CHSO (CHSO) is to be included in production planning sessions/meetings to ensure that the appropriate risk assessments, safe work procedures and communication required are available and completed timeously.

Penalties will be applied should this not be adhered to and deemed a serious offence.

4. GENERAL REQUIREMENTS

4.1 Summary of Risks identified during Design

The intention of the summary of findings from the design risk assessment is to highlight the residual risks identified during the design phase. The full design risk assessment can be found in the tender document.

The summary of risks provided is to point the contractor towards some risks he may not be aware of during tendering stage and while developing his formal risk assessments for the project.

The design risks and the management thereof should be included in the PC risk assessments. Where there are other Contractors appointed to do work, the PC is to ensure that Contractors include such information in their risk assessments.

The summary is to be developed following the completion of the Design risk assessment, and to include the residual risks as they apply to the project.

PHASES OF THE PROJECT	RESIDUAL RISKS IDENTIFIED TO BE MANAGED (as applicable)	
Site Establishment	Bringing in containers, fitting with electricity, phone and fax, toilet hire.	
	Hoarding, security and access to be managed and in place.	
Site Clearance	Traffic accommodation, movement of heavy construction vehicles, use hand	
	tools, chainsaws, use of local labour and contractors.	
Earthworks	Open excavations, use of plant and machinery, use of lifting equipment for	
	laying storm water concrete pipes, electrical hand tools plant and equipment	
	during paving. Noise monitoring.	
Ancillary Roadworks	Use of chemicals, excavation and use of hand tools.	



Housekeeping, stacking and storage	The area is adequate to ensure housekeeping and stacking and storage
	principles are followed. However, the children need to be kept well away from
	all work areas including the site camp, and notices to be clear in warning of
	dangerous construction activities. Care and increased attention to ensure all
	materials and vehicles are carefully managed and designated routes are used.
General	Use of local labour, and contractors, CLO to do regular information sessions.
	High winds and inclement weather require monitoring for all working at heights
Painting	Hand mixing may occur, 50kg paint drums are an ergonomic risk from
	handling. Potential eye, skin and respiratory irritant from paint fumes
	exposure, chromates.

4.2 Specified Hazardous Chemical Substances

The following lists of products or substances are those which have been identified as likely to be used on the project. This list is not inclusive and other products may be considered. Where the PC is likely to supply the product as the product has not been specified, safety data sheets (SDSs) need to be considered prior to all selections.

PRODUCTS/SUBSTANCES/RISKS	POTENTIAL HEALTH OR OTHER RISKS	
Cement	Hand mixing may occur, 50kg bags are an ergonomic risk from handling. Potential eye, skin and respiratory irritant from dust exposure, chromates.	
Cement/Silica dust	Caused by cutting, grinding, sanding of any concrete/granite/tiled surface/masonry.	
Wood dusts	Caused by cutting, sanding, drilling wooden products treated Viz fencing poles.	
Mineral turpentine	Applying paint and cleaning of paint brushes. Potential eye, nose, skin and respiratory irritant.	
Paint	Splashes into eyes, onto skin causing irritation.	
Cleaning materials	Use of disinfectants and sanitizers	

5. OCCUPATIONAL HEALTH & SAFETY MANAGEMENT

5.1 Structure and Organization of H&S Responsibilities

An organogram will be available to identify key appointments and responsibilities on site and be kept up to date throughout the project.

5.1.1 Notification of Commencement of Construction Work

The PC shall notify the Provincial Director of the Department of Employment and Labour (DEL) in writing, in the form of the Annexure in the CRs. This shall occur within 7 days of the award of the contract. Proof of submission and/or receipt must be provided and kept in the H&S file.

Where changes to the conditions given in the submission are required (i.e. Contractors, completion dates, increase in workers), a revised Annexure A must be submitted to the DEL. The completion date is to include the defect and liability period. A copy of the notification form and any further submissions/correspondence must be kept in the H&S file.



6. HEALTH AND SAFETY PLAN FRAMEWORK

The H&S aspects related to the project outlined in the previous sections are to be taken into account when drawing up the H&S Plan. The PC is required to demonstrate competence by providing an H&S system that will address the requirements of the project.

The current legislative requirements, SABS codes, SANS 10400 and any other standards that may guide practice are to be taken into consideration. The following aspects must be addressed in the SSHSP, as they have been identified in section 2, as playing a role in reducing the overall risk of a particular activity, or section of the project. The OHS Agent may from time to time request additions or systems as they relate to the works or legislative requirements at the time.

The PC is to prepare a site layout drawing to indicate at least the following to submit with the H&S plan:

- The positions of site offices of all Contractors, toilets, drinking water and worker rest areas;
- Indicate the positions of emergency planning and equipment and first aiders;
- Protection of plant and public, indicate parking, designated vehicular routes and access to site;
- Storage areas (materials and equipment, waste etc.), and
- Storage of materials and waste;

Such layouts are to be updated regularly throughout the project.

Cognisance is to be given to those permanent employees who are over 60 years of age, and younger workers who have underlying chronic health issues such as high blood pressure, diabetes, TB, HIV and AIDS etc. Specialised workers who are indispensable will need to be declared fit for work by an occupational health service provider.

Key appointments and succession planning is to be available to ensure those who are playing key roles are able to cover the project at all times.

The project Organogram is to be updated accordingly and signed and dated at each update.

6.1 Appointment of Competent Site Personnel

The CEO (OHSA S16.1 or 16.2) of the PC will take overall responsibility for the appointment of competent site staff for the duration of the project. Should the CEO not be personally involved in the project, the H&S responsibilities are to be delegated to the Site Agent (OHSA 16.2). Knowledge and training in H&S are required and certificates indicating H&S training as well as experience to be included in CVs.

All other legal appointments are to be made with relevance to the type of work required and kept current with the project programme. The construction team is to ensure the appointed CHSO is kept up to date with all planned activities, to ensure all H&S requirements are met.

All construction/technical method statements are to be generated by senior site personnel, and the appropriate risk assessments developed therefrom in conjunction with the CHSO.

The SSHSP shall include the following, but is not limited to the following key appointments:

6.1.1 Construction Supervision

Competent supervisors will be appointed to manage part or all of the works and have training and/or experience in the area of responsibility, regarding CR 8.1, 8.2 and 8.7. All site supervisors must show evidence of appropriate training in H&S, and an understanding or training in areas of responsibility (i.e. risk assessments, method statements etc.).

Curriculum Vitae (CVs) are to be submitted for approval by the Principal Agent, and/or Client. The Supervisor will be held responsible for the safety of working teams and subordinates, housekeeping and stacking and storage of materials.



6.1.2 Construction Health and Safety Officer

The PC shall employ at least one competent, CHSO for the duration of the contract. The CHSO's CV is to be submitted for approval by the OHS Agent or the Client, at time of tender

The PC is to ensure adequate resources are provided in order to undertake all responsibilities (i.e. mobile phone, computer and internet access, etc.).

Qualifications shall include at least Grade 12, SAMTRAC/NEBOSH/Diploma in H&S qualifications or similar, with exposure to civil engineering and similar road construction, with at least 5 years' experience, given the level of project complexity preferably in an OHS capacity. He should also have undergone training in the Act and Regulations. In the case of a contract where contractors are employed, the CHSO must have a competence to evaluate the Contractors Health and Safety plans and be registered with the SACPCMP as a CHSO.

This person may not hold any other position on the site staff. The site supervisor may not act as the CHSO. The CHSO appointed for the project will be held responsible for all H&S on the project.

- Senior site staff and supervision, Contractors are to follow systems, instructions etc. given by the CHSO at all times;
- No new workers or Contractors may commence work without approval or following the SSHSP as submitted;
- No inductions of any Contractors' staff until the H&S documentation is approved by the CHSO, and
- The CHSO may not be removed or replaced without the approval of the H&S Agent, nor may the site be left unattended for more than 1 day without adequate, competent cover.

A monthly report of all H&S activities and incidents is required by the end of the first week of each month, or at a date agreed to by the OHS Consultant /Client and the CHSO. An example of the monthly report is attached as an Annexure D

The CHSO will be responsible for collating the H&S documentation at the close out of the project in electronic format, properly labeled and filed. A list of the typical aspects that should be provided is available as Annexure B to this document. The PC is to ensure that all Contractors documentation follows the same requirements and closed out. H&S documentation must be completed and be available with the close out of the main contract, or as determined at the time.

Failure to do so will be considered a serious offence and penalties applied. Failure could also result in retentions or project certification not being issued to the PC.

6.1.3 Traffic Safety

The CHSO will be responsible for ensuring that daily traffic management is adequately managed.

No worker may be transported in, or on the rear of construction vehicles (bakkies included), or with plant and materials to, on, or from site. The number of passengers in any vehicle is limited to what is stated on the license disc. Vehicles used to transport workers to, from, or on site, shall have secure seats and be covered. No canopies may be used.

While this is difficult to control by the PC, induction training needs to include such information so workers can protect themselves. An on-site transportation policy needs to be available for how such transportation will be made safe and limit any opportunity for cross infection. Disinfection of vehicles needs to be determined where possible, and sanitizers provided prior to boarding and recommended during transit.

Each worker is to be encouraged to wear a cloth mask while travelling, and this needs to be enforced if using company transport.

Penalties will be issued for non-compliances noted.

6.1.4 Health and Safety Representatives and H&S meetings (if applicable)

H&S Representatives representing workers and Contractors are to be appointed following the start up of the project, irrespective of the number of workers on site. The appointed H&S Representatives are to be actively involved with H&S and will assist the CHSO and site management in meeting legislative duties.



All internal and external OHS Agent audits are to be discussed, as well as all H&S related issues at all internal production or progress meetings.

Failure to do so will be deemed to be a moderate offence.

6.1.5 Appointment of Competent Contractors and Suppliers, short term works (if applicable)

The PC is to ensure compliance with the Clients minimum standards and all legislative requirements. The same H&S standards required of the PC are to be applied to all Contractors. An index of all Contractors and Suppliers is to be on file and kept updated at all times. The PC is to ensure there is sufficient funding for H&S compliance by each Contractor.

The following minimum aspects are applicable to any Contractor appointed:

- The CHSO is to ensure a Contractors appointment and approval of H&S documentation at least seven (7) working days prior to commencing work;
- No Contractor may work under the PCs Compensation registration number. If required, the PC may assist SMMEs with their registration with the Compensation Commissioner (CC). However, such Contractors will not be able to commence work until proof of registration or Letter of Good Standing has been received, and
- No work may commence without Mandatary agreements between parties in place.

Suppliers or short-term works (surveying, repairs, servicing, deliveries etc.) also require H&S Management. Cognisance is to be taken of the level of risk involved and the CHSO is to ensure the level of H&S documentation is appropriate and appropriately managed.

Failure to provide written approval of H&S documentation will be considered a serious offense, and could result in aspects of, or all the activities being stopped, and penalties implemented.

7. GENERAL RISK MANAGEMENT

7.1 Health Risks and Medical Surveillance

The appropriate SDSs are to be obtained for all products and used to develop the H&S documentation as they relate to the works. Many of the processes are labour intensive and ergonomic risks are to be noted. All workers (including Contractors) are to be included in the medical surveillance programme.

Workers will be exposed to noise, dust, and physical risks from extended periods of work of a repetitive nature, materials specified and the general nature of the works.

All permanent workers (including those of Contractors) are required to be in possession of a medical certificate of fitness prior to arrival on site that must be less than 12 months old. An exit medical will be required where the project exceeds 6 months in duration. Arrangements for keeping medical records for the required time are to be noted. A procedure for managing the medical records which require safekeeping for prescribed periods are to be addressed, specifically for the asbestos exposed workers.

Given the potential health risks the following aspects are to be included in each medical surveillance intervention:

- Full medical, surgical and occupational history;
- Full physical examination of all systems, and
- Referral if required for the management of identified health issues that may affect the worker.

Specific testing for existing conditions and limitations relative to exposure could include, but are not limited to:

- Audiometry (hearing tests);
- Spirometry (lung function tests) are not to be done until deemed safe to do so, and
- Any other tests identified as relevant from chemical or specifically identified risks of exposure

Failure to do so will be considered a serious offence.



8. Training

Training of site personnel in H&S in the revised areas of work is required, mainly through induction between the Client and specific groups of employees. The CHSO is to determine training requirements and to report on needs or completed training in their reports and audits.

Records of all training, and acknowledgement of such training by attendees must be kept. Comprehensive records of all employees under the PCs control attending induction or any other training throughout the project shall be included. Amendments to statutes, the SSHSS, PSHSP, policies, procedures, method statements etc. shall require that all those affected shall undergo the relevant re-training.

8.1 Site Induction and other training

The PCs shall ensure that all employees, and contractors have undergone the induction programme for visitors or contractors, or any other that is deemed necessary.

Appropriate time must be set-aside for training (induction and other) for all employees. No person will be able to commence work or visit the site where the induction has not been done.

All employees and visitors on site from either the Client or the PC shall carry the proof of induction training in form of an induction card. Client Induction is valid for a year from the date it was conducted and thereafter refresher induction shall be re-scheduled at least one month before the induction period expires.

Both parties shall keep a database of all records pertaining to induction and will inform Contractors of pending expiry though the overall responsibility of maintaining current induction cards still lies with the principal contractor. All induction cards issued must be returned on completion of the project to the Issuer.

Toolbox talks to be conducted outdoors when possible in order for persons to maintain social distancing. Where inclement weather does not allow for this, toolbox talks to be conducted with smaller groupings of workers in a sheltered area large enough to maintain social distancing.

8.2 Noise Risks

All plant from plant hire companies (suppliers) or that of the PC is to come to site with the appropriate testing completed and be compliant with the Noise Induced Hearing Loss Regulations. Plant identified that has not been tested and marked for noise emissions will result in having to be tested or removed from site. Failure to do so within a reasonable time period will result in such plant being removed from site.

Suitable SANS approved hearing protective equipment shall be issued and worn where noise levels are identified as equal to or greater than 85 dB.

8.3 Asbestos Work

Only a registered asbestos contractor may do work which entails asbestos material. An Approved Inspection Authority must be consulted and Asbestos regulations complied to.

Failure to do so will be considered a serious offence.

9. Emergency Procedures

A simple emergency plan and procedure that is appropriate to the risks is required prior to commencement on site. It is advised that the system should be simple and easy for any worker to follow. The plan may be adapted should new information or risks are identified.

The procedure shall detail the response plan in relation to the works, and include at least (but are not limited to) the following key elements:

Appointment of a competent emergency response co-ordinator

- Fire, public injury, asbestos;
- o Falls from heights;



- o Serious injury to workers (medical or work-related), and
- Any other major risks identified during risk assessments

The emergency plan is to ensure the inclusion of local service providers. Such arrangements should be made with these persons prior to the commencement of the project. The general principals of emergency management are to be applied as it applies to the hierarchy of control and management.

9.1 Fire, First Aiders and First Aid Equipment

At least 1 first aider will be trained to level 1. First aiders shall be available and accessible on site at all times and be able to work as a team when responding to any emergency on the project. The number of First aiders will be determined by the complexity and exposed risks of the project, not numbers of workers.

Contractors are expected to ensure compliance and provide/manage their own first aiders and equipment.

Appropriately stocked first aid kits are to be available at all times and to assure continual availability and access on site.

Fire extinguishers will be appropriate for the risk and in sufficient numbers to deal with the type of fires that could occur. All mobile plant is to have fire extinguishers. Hot work permits are required for any such activities.

Failure to comply with emergency provisions will be considered a serious offence, and the operation or project may be stopped if deemed inadequate for the work at the time of assessment or site inspection.

9.2 Incident Management and Compensation Claims

All incidents and accidents are to be investigated. All serious incidents involving any form of disabling injury or fatality are to be reported to the Principal Agent/Client /OHS Agent immediately. This shall be confirmed in writing following the incident. Full details are to be included in each site meeting or when the Client visits site. A summary of incidents is to be included in the monthly report.

Failure to comply with emergency provisions will be considered a serious offence, and the operation or project may be stopped if deemed inadequate for the work at the time of assessment or site inspection.

10. Personal Protective Equipment (PPE) and Clothing

The PC is to provide a procedure as an addendum to indicate how PPE is managed within the Company. The wearing of the identified SANS approved PPE at all times is non-negotiable and is to be linked to the risk assessments. The PC shall ensure that all workers (Including Contractors) are issued with and shall wear:

- Hard hats:
- Protective footwear;
- Eye protection;
- Hearing protection;
- Reflective jackets (no bibs);
- At least 3 cloth masks (for general wear);
- Respiratory protection (minimum of FFP2) or as deemed required by the AIA, and
- Any other necessary PPE identified from SDSs and/or risk assessments.

Adequate quantities of PPE shall be available. This shall include necessary PPE for visitors. The procedures for managing PPE are to be in a formal procedure submitted with the SSHSP for approval.

Any person (including Client, Agents, etc.) found on site without the necessary PPE will be removed from site until the PPE is supplied and worn.

Failure to comply will result in penalties being applied.

11. Occupational Health and Safety Signage

On-site H&S signage is required as well as standard H&S information. Signage shall be posted up at fixed or temporary working areas, or other potential risk areas/operations. These signs shall be in accordance with the requirements of the General Safety Regulations or SANS requirements as amended. Signage is to be noted on the site drawings indicating where fixed/temporary signage is required and appropriate to the risks identified in risk assessments.



Signs shall be posted at areas of work on site indicating that a construction site is being entered and that persons should take note of H&S requirements.

Failure to comply will result in penalties being applied.

12. Induction of Employees and Visitors, General H&S Training

A simple, formal induction programme is to be submitted as an addendum for approval with the H&S plan. Inductions must be carried out for all workers and visitors (including Client, Designers) to the site.

Daily, pre-task training is required to ensure workers are familiar with the risks and H&S measures of the work or tasks to be done. Records to be kept in the H&S file.

Any person found on site without proof of induction will be removed from site until the proof is supplied and, and a **penalty issued per non-compliance.**

13. Management of Plant and Equipment

The CHSO will ensure control of all plant and equipment, including daily monitoring, prior to commencing work. Full lists of hired and own plant are to be available at the OHS Consultant /Client audit. All daily inspection records are to be kept in the H&S file, or Contractors where plant and equipment is brought onto site. Registers are not to be more than 1 week behind.

Only competent, fit plant operators are to be used. Medical certificates of fitness are required for all operators.

Any plant or slings used to lift plant or material require annual load testing by an AIA, and all certificates must have the testers LMI/E number. Operators are to be adequately trained and certified to operate mobile cranes or crane trucks. Certificates and registers are to be placed in the H&S file.

Failure to do so will be considered a serious offence.

14. Excavations (if applicable)

A procedure for managing excavations is to be provided as an addendum to the SSHSP describing how excavations are to be managed.

A competent person is to be appointed for managing all excavations. A permit system is to be available and used for all excavations. All equipment and ground conditions to be checked daily, and prior to work commencing.

Excavations should preferably not be open beyond what can be closed daily. Where excavations need to remain open, all excavations are to be properly protected. Adequate stakes with 1m high demarcation and berms/spoil are required to be a safe distance from the edge of the angle of repose. Candy tape may not be used to demarcate excavations. Cognisance is required of the surrounding area and increased levels of protection are required where work is in communities, near schools and clinics or churches.

Work will be stopped, and penalties applied to any work in excavations that is not compliant.

15. Working at heights (if applicable)

A fall protection plan is to be available and supplied as an addendum to the H&S plan. The fall protection plan must be appropriate for the project. Proof of competency must be on file for the Fall Protection Plan Developer and the appointment of a Fall Protection Supervisor with competency to be on file. Method statements, appropriate risk assessments, safe work procedures and training (all employees are to be in possession of a valid working at heights certification) are to be available prior to work commencing.

The focus for working at height shall include fall restraint systems where possible except during assembling or dismantling top components or where it is not deemed safe. The relevant SANS codes are to be applied as they apply to the works and the project, such as:

- SANS 10085
- SANS 10333 (parts 1-3)



Should part of the works be contracted out, competent Contractors are to be appointed and submit documentation according to the project requirements. The PC is to note if such work is to be contracted to specialists in the H&S Plan. the plan is to be developed and work managed by a competent person for the duration of the project. The following aspects must be included:

- · The public or users of buildings are to be protected at all times by way of hoarding, barricading or fencing
- Notices to be posted
- Restrictions or stoppage when weather conditions are deemed hazardous
- Permit system for working at heights
- Prevention of falling tools or equipment
- Link to emergency plan regarding rescue

All workers are to be in possession of valid certificates of fitness that extend for the duration of the works. Note the requirements in the section relating to medical surveillance.

Registers and all relevant documentation are to be placed in the H&S file.

Work will be stopped, and penalties applied to any work at heights that is not compliant.

16. Cranes and lifting equipment (if applicable)

Lifting devices such as mobile cranes might be used during the project for deliveries, and moving of supplies or equipment,

Appropriate documentation must be made available for the cranes and operators. Method statements, risk assessments, safe work procedures and training are to be available prior to work commencing. A procedure for managing loads and lifting must be made available as an addendum to the H&S Plan.

Chains, slings and webbing to have valid safe working load certification on file, should the documentation not be on site, the operation may be stopped, and fines imposed until such documentation may be delivered.

17. Temporary Works (Scaffolding, support work, formwork) (if applicable)

Temporary works must be properly designed and signed off by the PCs competent person for all temporary scaffolds, support work or formwork. In these instances, a competent person is defined as one who has sufficient experience in the design of the type of temporary work in question to be able to assess the design. The appropriate competent persons are to be appointed to manage and monitor such works to the satisfaction of the Engineer and OHS Agent. Records and registers are to be properly completed and kept in the H&S file. If temporary works are to be erected by a Contractor, this must be notified to the Principal Agent/OHS Agent.

Failure to do so will be considered a serious offence.

18. Auditing

Frequency of external auditing by the OHS Agent or Client will be bi-monthly to conform to the requirements of the Construction Regulations. The site will be inspected, and the documentation audited relative to the activities and H&S plan. The CHSO of the PC must accompany the Client, or the H&S Agent, on all audits and inspections.

The PC will ensure that all their Contractors are audited on a monthly basis, dependent upon the time to be spent on the site. Audit frequency may be increased if Contractors are not performing adequately. Audit results will be acted upon and non-conformances and penalties issued where deemed appropriate. The Client, Designer or OHS Agent may act or require further outcomes if non-compliances are noted or unsafe acts are noted on site.

Internal audits are to include site conditions as well as ensuring H&S files are appropriate, and compliant. Comprehensive audit reports are to be made available the format of the audit reports will be reviewed by the H&S Agent.



The PC will be audited using a template as supplied in the tender document. The audit template will be adjusted from time to time relative to the activities on site. A similar process is to be used by the PC when auditing their Contractors on site. Compliance with legislative requirements and the systems provided by the PC to manage the H&S on site will be measured. Full compliance is required. Time limits for corrective actions will be set and must be adhered to.

Failure to address findings or non-conformances will be considered a serious offence.

19. Communication and Meetings on Site

All H&S communication during the project between the OHS Consultant and the PC will be done through the Principal Agent and be in writing, including the issue and responses to non-conformances and H&S audit results.

Failure to address issues timeously will be considered a serious offence.

20. Care of Workers on Site (Welfare)

Adequate toilets, clean, safe drinking water and weather protected shelter will be afforded workers at all times. Toilets will be within reasonable distance of workers, or placed with each working team in safe, with reasonable privacy.

Hand washing facilities, disinfectants and sanitizers will be provided across the site at common areas and entrances to work areas.

Failure to ensure compliance will be considered a serious offence, work will be stopped if con-conformances noted until corrected.

21. HEALTH AND SAFETY FILE

The documentation submitted and approved following the awarding of the contract will be used to form the H&S file. The H&S file is required to be laid out in a logical manner, and documentation filed within the file is to be easily accessible.

The following completed information shall be included (but not be limited to) as part of the index:

- The SSHSS;
- The SSHSP and the approval by Client;
- Appointment by Client;
- Mandatory agreement with Client;
- Notification of construction work;
- A record of all working drawings, calculations and design where applicable;
- Detailed list of Contractors with contact details, appointments, Mandatories etc., H&S specifications issued;
- Record of Competencies (CVs) and appointments;
- Training Records;
- · Permits;
- Method statements;
- Risk assessments;
- Safe work procedures;
- · Emergency and injury management;
- Safety data sheets
- Medical surveillance records;
- Registers;
- Records of audits, minutes etc.;
- Plant lists;
- Temporary electrical installations, and
- Employee records (who is on site).



22. NON-CONFORMANCES

Should, at any time, the works, or part of the works, be stopped due to unsafe acts or non-compliance with the Clients or PCs H&S Plan; neither the PC nor any other Contractor shall have a claim for extension of time or any other compensation.

The following constitute examples of the types of non-conformances that will attract penalties:

Minor: Penalty: R50/count	Medium: Penalty: R500/count and a non- conformance	Severe Penalty: R5000/count, a non- conformance and/or activity stoppage
Non-use of PPE supplied	Toilets not supplied or regularly serviced; lack of drinking water	Contractors working without Health and Safety Plan approval
Non-completion of registers for plant and equipment on site	Contractors not audited	Workers transported in contravention of the OHS plan or legal requirements
Lack of H&S signage at work areas	Working without training or the appropriate, approved H&S method statements	Invalid Letters of Good Standing
Tools and equipment identified in poor condition during inspections	Legal non-conformances identified during the previous audit and not addressed within the agreed time frame	Non-compliance with traffic accommodation requirements: layout or physical conditions
	No monthly OHS report at site meeting to report on	Any serious breach of legal requirements
	No certificates of fitness for workers as required	
	Working without approved method statements	

23. Failure to Comply with Provisions

Failure or refusal on the part of the PC or their Contractors to take the necessary steps to ensure the safety of workers and the general public in accordance with these specifications or as required by statutory authorities or ordered by the engineer, shall be sufficient cause for the engineer to apply penalties as follows:

- (i) A penalty as shown in the Table above shall be deducted for each and every occurrence of non-compliance with any of the requirements of the SSHSS.
- (ii) In addition, a time-related penalty of R500,00 per hour over and above the fixed penalty may be deducted for non-compliance to rectify any non-conformance within the allowable time after a site instruction to this effect has been given by the Designer. The site instruction shall state the agreed time, which shall be the time in hours for reinstatement of the defects. Should the Contractor fail to adhere to this instruction, the time-related penalty shall be applied from the time the instruction was given.

24. Public safety

The Principal Contractor shall ensure at all times that staff, and general public are aware of the dangers and risks involved whilst construction is taking place.

- Safety signage / posters shall be posted at all areas where construction work is taking place;
- Edges, excavations, stockpile areas, material storage areas, will be demarcated and no entry signage appended;
- Safety talks with employees shall be done, all employees shall be involved in keeping the site safe;
- CLO shall be given talks to do with the community members who are directly involved;
- A record of all training shall be kept, and indemnity documents shall be signed by those attending the safety talks
- Community unrest shall be handled by the local SAPS. CLO shall assist the Contractor should the need arise.



• No visitors to site are allowed unless proper arrangements are made.



ANNEXURE A CLOSE OUT REQUIREMENTS

The H&S files for the Principal Contractors and all Contractors require closure and handover to the Client at the completion of the project. The following list is an example of what should be included but is not exhaustive. The OHS Consultant or the Client may require further information at the time of completion and the Principal Contractor is to ensure that all instructions are met. Documentation would include all records from the start of the project. Daily or monthly plant inspection records are not required unless they are related to an accident. All records to be in electronic format and submitted to the OHS agent for approval in adequately formatted lists and folders. Layout should be logical and in the same order as in the site files.

Health and Safety close out file requirements include:

- a) Client H&S Specification
- b) Principal Contractor's OHS Plan(s)
- c) Organograms
- d) Legal Appointments
- e) List of all employees employed on a permanent or contractual basis over the duration of the contract
- f) Notification to Department of Labour of commencement of work
- g) Letters of Good Standing for the Project
- h) Full files for all Contractors as well as their close out reports
 - List of Contractors
 - All employees employed on a permanent or contractual basis over the duration of the contract
 - Letters of Approval of Contractors
 - Mandatary Agreements
 - · Letters of Good Standing
 - Appointments
- i) Incident Records
- j) Non- Conformance records
- k) Agent's Audits
- Method Statements
- m) Risk assessments
- n) Safe work procedures
- o) Medical surveillance certificates of fitness. Medical records are to be kept according to the OH&S Act as amended
- p) All drawings for temporary structures (suspended beams/scaffolds etc.)
- q) All operating manuals for any systems that require ongoing maintenance
- r) Copies of test results, policies and procedures for environmental monitoring (silica, noise, dusts etc.)

Defect and Liability Period

The H&S files are to be kept 'live' for the defect and liability period by the Principal Contractor, including those of their Contractors. Any work required during the defect and liability period will require an assessment of the H&S file by the OHS Consultant to any work commencing.

A copy drawing records for the as-builts are to be placed on file by the Designers once complete



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

	HAZARD	RISK	MINIMUM CONTROL MEASURES
1.	Electrical commission	Electrical shock	 Personnel to comply with permits to work issued by client. Personal protective equipment to be worn by employees to prevent electrical shock. First aid treatment to be readily available. Only competent and trained persons may decommission or commission electrical equipment.
2.	Excavations (working in and around	Toxic fumes Collapse of trench walls/trapping Falling into excavation Collapse of adjacent structures	 Deep excavation/ Monitor air for toxic fumes. Prevent collapse by battering back sides to safe angle or install temporary support. Protect vehicles from falling into excavations, provide barriers, signage, etc. as necessary. Beware of undermining of other structures (e.g. building, scaffolds). Record excavations inspections by competent person on daily basis. Provide suitable means of access/egress in case of emergency. Excavations formed by explosives must be accompanied by method statement approved by client.
3.	Explosive actuated fastening devices	Noise Being stuck by cartridge or fixing	 Operators to be trained, competent and wear appropriate protective equipment, e.g. goggles, gloves, ear plugs and head protection. Cartridge gun to be in good condition, inspected for damages and faults regularly and results entered register. Used and unused cartridges gun should be kept in a secure place when not in use, maintain register for return and issue.
4.	Explosive use	Injuries to personnel and by-passers Property damage	 Blaster must have all relevant permits, permission and licenses in place before blasting.



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

			 Method statement must be approved. Maintain exclusion zone around perimeter of blasting, warn persons away, erect warning signage and barriers. Obtain permission from local authority and police. Blaster must be competent in blasting. Ensure blasting does not affect stability of adjacent structures/building.
5.	Fire	Injuries to workers, pedestrians, residents, road users, damage to property through fire.	 No littering on site which could become a fire hazard, maintain site in clean condition. No fires to be lit on site, have a working fire extinguisher at hand all times. No smoking or naked flames near flammable substances or in unauthorised areas. Ensure proper storage/use of petrol/diesel/flammable substances, post warning notices
6.	Flammable liquids	Fire Explosion	 No littering on site which could become a fire hazard, maintain site in clean condition Have a working fire extinguisher at all times.
7.	Asbestos Cement pipes	Release of asbestos fibres	 Ensure safe access and egress is provided. Erect physical barriers to prevent entry by unauthorised persons, as applicable. Damp down exposed area to contain fibre release. Personnel involved to wear asbestos respiratory protection. Only Department of Labour registered asbestos contractors may work with asbestos, and strictly in accordance with the requirements of the Asbestos Regulations.



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

8.	Asbestos	Person falling from height	- Notice to be erected informing
	Cement removal	Debris falling from height Falling of equipment or tools Release of asbestos fibres	personnel of fragile roofs, as applicable. Ensure of safe access and egress in provided. Erect physical barriers to prevent entry by unauthorised persons and falls from heights, as applicable. Roof sheets to be sprayed with water to prevent fibre release, where feasible. Take extreme care to remove sheets whole. Where breakage occurs damp down exposed area to contain fibre release. Personnel involved to wear respiratory protection. Exclusive zone may be required under area of sheet removal to prevent injury from falls of material from heights. Only Department of Labour registered asbestos contractors may work with asbestos, and strictly in accordance with the requirements of the Asbestos Regulations.
9.	Asphalting	Fire Burns to skin Skin disease	 Suitable fire extinguisher to be place prior to commence of works Ensure competent personnel using material and competent and trained machinery/equipment operators. Ensure there is a safe workplace at all time. Ensure all personnel wear sufficient personal protective equipment (PPE) including safety boots, reflective vests and gloves. Health and safety data sheet required.
10.	Bricklaying	Caustic contamination with mortar Contact with sharp blade tools	 Use only trained personnel. Safe means of access to be provided.



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

•			T
			 Safe/suitable working platform required where working at height. PPE for mortar to include gloves where practical and goggles/ masks where there is a risk of contamination
11.	Brush cutting	Injury from contact with blade/nylon Fire (where petrol used) Electrocution (where electrical tools are used)	 Person using brush cutter must be trained and competent. Use PPE such as goggles, safety boots, ear protection, gloves, hard hat. Brush cutter must be in good condition and maintained. Adequate supervision on site at all times. No smoking when refuelling, fire extinguisher to be on hand (where petrol is used)
12.	Chainsaw use	Falling tree or branches causing injury to persons Incorrect use of chainsaw causing injury	 Person using chainsaw must be trained and competent Use PPE such as goggles, safety boots, ear protection, gloves, hard hat, chainsaw trousers and jackets. Chainsaw must be in good condition including guards. Clear area below area of chainsaw use and where tree felling.' When using chainsaw at height practise safety procedures
13.	Plumbing	Falling material Fall from height Fire Burns Exposure to lead flames	 Ensure standard safety procedures are followed at all times Only used trained and competent personnel Ensure there is a safe working area at all times. Ensure material are stored neatly Ensure there is a safe access and egress at all times. Ensure all personnel wear suitable and sufficient PPE. Consider a hot works permit system prior to commencing of any hot works. Make sure emergency procedures are in place and ensure all



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

			personnel are aware of where to go in case of fire.
14.	Plastering	Falling material Fall from height Contact with materials	 Ensure standard safety procedures are followed. Ensure there is a safe working area. Ensure safe access and egress. Ensure competent personnel are used.
15.	Plant or vehicles and equipment operation	Workers injured by passing traffic Road users and pedestrians at risk from plant operation Noise	 Implement traffic protection measures. Trained and competent operators must be used. Check plant and vehicles on daily basis before use and record inspections. Maintain vehicles in safe condition. Medical certificates of fitness required for construction plant. Crossing of road by construction vehicles or machines must be limited to the practical minimum. Plant and vehicles must be fitted with amber rotating beacons and reverse alarms. Wear appropriate PPE
16.	Pilling	Falls Struck by machine Exposure to noise	 Personnel to be trained and competent, pilling rig to be in safe condition and inspected on a daily basis on a register by competent personnel. Empty pilling holes not to be left unguarded. Only approach pilling plant on signal from operator. Personnel to wear PPE such as ear plugs.
17	Paving (laying)	Impact injuries from tile/ mallet Caustic burns Sore knees Cuts from cutter	 Impervious gloves to be worn/ barrier cream to be used Kneelers or similar to be available. Personal protective equipment to be worn.
18	Painting	Contact with paint	 Refer to safety data sheet for usage instructions, hazards and precautions required.



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

19	Overhead services (Working near)	Contact with live services causing injury to personnel Damage caused to services	 When working at height, refer to risk assessment addressing this hazard. Maintain safe clearance levels. Establish presence of any services via proper walk through survey of site and/ or means service drawings. Wear personal protective clothing. Ensure height of plant/ vehicles
20	Noise and Dust	Breathing in dust can cause	does not compromise or exceed clearance levels from service provider. - Wear respiratory and hearing
		long term health problems, noise can damage hearing	protection.Dampen down and minimise dust where possible.
21	Night work	Security Lighting	 The contractor shall not undertake any night work without prior arrangement and written permit from the client. The contractor shall ensure that adequate lighting is provided for all night work and failure to do so shall result in work being stopped
22	Compacting and filling	Contact with tipping materials Contact with moving plant Vehicles/personnel falling into excavations Contact with underground services	 Trained banks man to control vehicle movement Only trained personnel to use plant Personnel to stand clear as materials are being tipped Use stop blocks and signs to warn vehicles of excavations, where applicable Stand clear of plant whilst material is being compacted Establish position of underground services and protect services from damage.
23	Concrete pumping	Sprains and strains Hit by pump Concrete burns Collapse/bursting of structure	 Personnel to be in clear vision of pump operator Trained pump operator Personnel working with the concrete to wear the appropriate equipment to protect against cement burns



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

	T	1	During Calaba and Calaba
			 Design of structure being loaded to be approved by competent designer and inspect before, during and after loading. Pump to be well maintained
24	Compactor operations	Crush of feet	 Only trained and competent personnel to use the machine Ensure operators wear steel toe caps shoes or boots at all times
25	Confined spaces	Suffocating Fumes	 Ensure that confined spaces is sufficiently ventilated Wear personal protective equipment such as proper masks if air supply insufficient or not of sufficient quality. Test oxygen levels in confined space to ensure that is safe for entry Ensure that emergency procedures are in place
26	Cutting Kerbs	Saw slipping, blade disintegrating	 Only trained operators to use saw and change blades. PPE must be worn, gloves, goggles, dust mask and hearing protection. People to be kept away from the work area. Work to cease if people have to pass Sparks etc. To be directed away from people and any flammable material.
27	Cutting Off Disc	Noise Cuts from machine Fire (particularly at refuelling) Flying debris Blade shattering Contamination by fume created or exhaust fume	 Use competent personnel Hot works control, fire extinguisher, fire watch man. (permit may be required). PPE to include gloves, eye protection, hearing protection. Solid working position Clear working area Correct grade of blade must be used Good ventilation to be provided (Forced if necessary) Changing of wheels to be by competent persons only



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

28	Demolition	Falling materials premature collapse of structure	 Cutting discs must not be used for grinding (grinding disc thicker). Bystanders to wear hearing protection, as applicable. Ensure there is current method statement in place Ensure all emergency procedures are in place and all details are displayed. Ensure that structural demolition has been approved by designer and
29	Kerb Laying	Nips at joints Crushing by kerbs Caustic burns	site management Impervious gloves and barrier cream to be used to protect hands. Personnel should be aware of safe manual handling techniques when handling kerbs.
30	Lead – working with removal of tiles	Toxic effects from exposure to lead and its compounds Risk of inhalation, ingestion and absorption Personnel falling from height Debris falling from height	 Demarcation of the workplace Restriction of entry by unauthorised persons Restriction of substances that can release airborne lead to certain areas Limit number of workers exposed to lead Regular cleaning of workplaces and equipment All employees who are exposed to lead must be provided with suitable and adequate PPE Lead is to be packed in impermeable containers that are tightly sealed and clearly marked for removal. The need for medical surveillance and the nature thereof is to be based on both risk assessment and air monitoring results and safety legislations.
31	Lifting Operations	Falling material Crushing by material Hand injuries to the slinger Toppling crane	Check test certificate Check examination certificate Check inspection have been carried out



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

			 Check certificates for lifting equipment (chains, slings, shackles,
32	Fragile Materials	Person or items falling through fragile materials	etc.) - All fragile materials to be identified and protected prior to work commencing. - Protection to include either covering the fragile materials or excluding activity. - Any coverings to be secured in place - The location of the fragile materials to be indicated by signage
33	Hand tools	Injuries caused by use of hand tool Impact with the tool Falls due to access problems Contamination with substance being worked	 Ensure: Tool is correct for the job Tool is in good order and suitably sharp Personnel must be competent/instructed in tool usage and tool safety Lighting is sufficient Access is safe, working platform is secure, leading edge is guarded Operative is wearing all necessary PPE
34	Hazardous Substances	Injuries to workers through use of hazardous substances, e.g. injuries to eyes, skin, etc	 Use substances in accordance with the safety data sheet particularly reference protective clothing required. (example: gloves, goggles, etc.) Know what first aid measures are. Have welfare facilities available for washing of hands, etc
35	Hot Works	Burns to eyes or other parts of the body	 PPE to include eye protection, kin and ear protection. Respirator maybe be required where cutting galvanized steel or anywhere else toxic fumes and gases arise. Dust can also be a problem and forced ventilation may be required
36	Mobile Crane Erection & Dismantling and Use	Collapse of structure Overturning structure Falling Materials	 Ensure emergency procedures are in place and all operative are aware of the details



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

			 Only used trained and competent operators for the erection and dismantling and use of cranes Ensure crane driver is trained and hold certification as proof. Must have a valid medical fitness certificate Ensure crane is 360 degrees vision if not ensure a fully trained banks man is available at all times. Banksman to wear reflector vest to identify him/herself to the crane driver Ensure all personnel wear suitable and sufficient PPE
37	Members of the public – Protection Of	Injury to the member of the public and road users from site works	 Consider creating an exclusion area Barriers and signage to be in place Workers must warn away members of the public from the works Footpaths and bridges which are open to the public must be closed off if in the area of works otherwise made safe so that no injury to a member of the public occurs Traffic turning into site – traffic management and signage is required Signage to be on the road at site entrance warning motorists that construction traffic turning into/out of site access. Keep roads free of mud where possible Refer to plant risk assessment for details on plant safety precautions NOTE: SIGNAGE TO BE POSTED ON SITE TO WARN OF CONSTRUCTION MOVEMENTS. SAFE MEANS OF ACCESS FOR BOTH CONSTRUCTION TRAFFIC TO SITE AND PROVATE HOMEOWNERS MUST BE AGREED
38	Manhole Rings & Pipe Storage	Rolling of rings Collapse of pipes Crushing of persons Stockpile collapse	 Manhole rings must be stored flat to prevent them being rolled Banks of stock pipes are not to be broken until they are ready to be used



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

39	Temporary Works – Shoring, Scaffolding, falsework, formwork	Collapse of works	 Personnel must stand to the side when breaking bands so as not to be hit by falling pipes Pipes must be wedged to prevent rolling Wear PPE such as gloves and goggles Formwork must be built by trained person and also be inspected by competent person and results entered into register on site/
40	Tower (Mobile Aluminium Tower) Scaffold	Overturning Falls	 Tower to be on firm level ground with wheels or feet properly supported Erection by competent person Inspection before first use Weekly record of inspection required Guard rails and toe boards as per normal scaffold Beware when moving of overhead obstructions, such as power lines Never move in strong winds
41	Underground Services	Striking of buried services	 Make all necessary enquiries to establish what services are in the area Assume all services to be live (unless confirmation Is received to confirm that services are isolated or otherwise made safe. Comply with requirements of the safe system of work for underground services Where available locate services with a locator Hand dig around services
42	Working at height	Personnel falling from height Falling debris Those beneath being injured	 All access equipment is properly constructed (inspection record must be maintained) Only trained personnel construct, dismantle or control access equipment All equipment must have full toe boards and guard rails, Comply



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

			with SANS10085 on erection, use and dismantling scaffolding No access equipment to be loaded above its safe working load No access equipment to be loaded above the level of the guardrail Where working involves leaning out an open leading edge, then all personnel are to be fitted with a full body harness. The harness must be connected at all times All fall arrest equipment to be correctly maintained Ensure if ladders used for access, they are either footed or tied.
43	Precast slab/ Unit laying and fixing	Falls Falling material Manual handling	 Emergency procedures are in place and personnel explained details Use competent personnel Ensure suitable and sufficient access and egress is provided Safe place of work must be provided Ensure all personnel wear correct PPE Exclusion zone may be required for protection against risk of falling objects
44	Road Construction	Risk of being struck by vehicles	 Ensure traffic management measures in place No construction activities to commence until adequate provision made to accommodate traffic in accordance with the South African road signs manual Wear reflective waist coats when working on or near the road and road shoulder as well as any either required PPE clothing Crossing of road by personnel must be limited to the practical minimum Use of fencing or other barriers as appropriate.
45	Road Marking	Contact with moving vehicles	- Ensure suitable and sufficient road signs are erected, as applicable



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

	T	1	
46	Rope Access	Personnel falling from Height Falling debris	 Possible road or lane closure may be required, traffic management may be required Fire extinguisher to be situated in a suitable area, use dry powder or foam Ensure: Competent person is appointed in writing to supervise all rope access
		Falling debris Those beneath being injured	 writing to supervise all rope access on the site Compliance with Construction regulations particularly section 10 & 18 All rope access work is carried out under supervision of a competent person All rope access operators are competent and licensed to carry out their work The design, selection and use of the equipment and anchors comply with safety standards incorporated for this purpose into these regulations under section 44 of the act. Site specific fall protection plan must be developed by a competent person applicable to the specific work and environment prior to the commencement of the work including all records of maintenance and inspections of all equipment used for the work
47	Steel fixing	Back injuries caused by	operations - PPE must include safety boots and
		manual handling Eye injuries from tie wire Trips/Falls Falling from height	goggles - Manual handling training may be required - Care to be taken when near overhead lines - Use only trained personnel - Provide safe means of access - Maintain and regularly inspect all lifting appliances and equipment



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

	<u></u>	<u></u>	
			 Cap starter bars to prevent injuries where feasible Construct scaffold walkway to cross reinforcing mesh, as required
48	Steel erection	Falls from height Falling components Contact injuries from falling lifting equipment	 Adhere to all general precautions for working at height Barrier off/ exclude area below work All lifting appliances to be examined and inspected Inspection register in place and up to date All personnel to be trained and competent wear clipped on safety harnessed when working on height Ensure that lifting equipment (slings, chains and shackles) test certificates are current and on site Competent persons only to connect loads and direct plant
49	Work over or next to water	Drowning	 Evaluate the depth of water, height above water that work takes place, whether workers can swim or not and then determine safety precautions required: these may include such measures such as barriers, signage, life belts, safety harness etc. When working on river/harbour/dam edge, erect life saving devices and barriers to protect workers and vehicles (Stop blocks may also be required). Only trained and competent personnel may be used
50	Scaffold Erection/Dismantling	Personnel falling from height Items of scaffold falling onto personnel Scaffold collapsing onto those below	 Ensure: Scaffold is designed to take the imposed load Scaffold is not overloaded Scaffolders are fully trained Scaffolding is regularly checked by competent person and record of inspection retained. Written inspections to be recorded on weekly basis.



PROJECT: DoE Small Projects COMPILED BY: Ntokozo Ngwenya

51	Shuttering walls, Beams, Columns	Falling from height Falling materials from height Cuts and abrasions from splinters and nails	 Scaffolders must adhere to the safe systems of work. All fall arrest equipment to be checked and certified in good working order That ALL understand the safety system of work Ensure all personnel wear appropriate PPE Ensure at all times there is a safe working platform Use only trained competent personnel If electrical tools are being used ensure they have been tested and safe to use Ensure timber is de-nailed after used Ensure safety standards are followed at all times Ensure there is a safe means of access and egress at all times



AGREEMENT WITH MANDATARY

WRITTEN AGREEMENT ENTERED INTO AND BETWEEN

	(Hereinafter referred to as the Employer)	
	and	
	(Hereinafter referred to as The Employee)	
ompensation Fund		



Whereas the Company called under contract no	for the executing of the following		
At	("Premises"		
and whereas the contractor			

Undertook to carry out the work and whereas the client contractor have agreed to regulate as between them and as provided for in terms of section 37(2) of the Occupational Health and Safety Act, No 85 of 1993, now therefore the undersigned agree to:

- 1. The Contractor warrants that all his and his contractors' employees are covered in terms of the provisions of the Compensation for Occupational Injuries and Diseases Act 1993 (the Act) which cover shall remain in force whilst any such employees are on the premises.
- 2 The Contractor warrants that he is in possession of the following insurance cover which shall remain in force whilst he and/or his Contractor and/or his employees are present on the premises or which shall remain in force for the duration of his contractual relationship with the client whichever period is the longest:
 - Public liability insurance covers.
 - Any other insurance cover that will adequately make provision for any possible losses and/or claims arising from his and/or his contractors and/or his Employees' acts and/or omissions on the premises.
- 3. The Contractor undertakes to ensure that he and/or his contractors and/or their respective employees will at all times comply with all the requirements of the Act and without derogating from this general undertaking, also comply with the following conditions:
 - All work performed on the premises must be performed under the close supervision of the contractor's employees who are trained to understand the hazards associated with any work that the contractor performs on the stated premises.
 - The Contractor shall assume the responsibility in terms of Section 16(1) of the Act. If the Contractor delegates any duty in terms of Section 16(2), a copy of such written delegation shall immediately be forwarded to the Client.
 - The Contractor shall ensure that he familiarize himself with the requirements of the Act, and that he, his employees and any Contractor comply with them.
 - The Contractor shall conduct a hazard analysis and ensure that his and any contractor employees are made aware of the hazards identified. This analysis needs to be reviewed prior to a new tasks are commenced.

The Contractor must provide the Client with written proof that his employees and those of the sub contractor have been made aware of the hazards identified. The Contractor must provide the Client with up dated copies of the analysis.

- Discipline regarding Occupational Health and Safety shall be strictly enforced.
- Personal Protective Equipment as defined in the Act and regulations shall be issued free of charge by the Contractor and worn as prescribed.
- Safe work practices shall be enforced and all employees shall be made conversant with the contents of these practices.
- No unsafe equipment/machinery and/or articles will be allows and/or used on the premises.
- All incidents referred to in Section 24 of the Act shall be reported by the Contractor to the Department of Labour as well as to the client. The Client shall further be provided with copies of all documentation relating to any incident.
- The Client hereby obtains an interest in the issue of any formal inquiry conducted in terms of Section 32 of the Act into any incident involving a Contractor and/or his employees and/or his Contractor.
- No use shall be made of any machinery/article/substance/personal protective equipment that belongs to the Client without prior written approval.
- Work for which the issuing of a permit is required shall not be performed prior to the obtaining of a duly completed and approved permit.



- No alcohol or other intoxicating substance shall be allowed on the premises. Anyone found to be or suspected of being under the influence of alcohol or any other intoxicating substance shall be removed from the premises.
- Full participation shall be given if and when Client employees inquire into Occupational Health and Safety
- The Contractor expressly agrees to comply with the procedures and arrangements as required by the Act in the execution of the work.
- 4. The Contractor confirms; that he has been informed that he must report to Client management ;(in writing) anything that he deems to be unhealthy and/or unsafe and that he has versed his employees and/or contractors in this regard.

5.	The Contractor warrants that he shall not endanger the health and safety of any of the Client's employees in any way whilst performing any work on the premises.

		Date	
1.	Signed by Client Rep		
		Date	
2.	Signed by Contractor or his Authorized	Represent	

C3.4 Contractors Reports

CONTRACTOR MONTHLY REPORT

PART 1

Project No:	Project Name:
Contract No:	
Contractor Name:	
Claim No:	For Period Ending:
Date of Report:	

The Contractors monthly report comprises an integral part of the Contractors payment claim and processing of the payment claim is not permitted without this report also being submitted i.e.

"NO REPORT - NO PAYMENT".

Attachments:

Part 2: Overall Project Worker Schedule: Schedule of all local labourers

employed since the start of the project

Part 3: Weekly Task Wage Register

Part 4: Local Labour Schedule

Part 5: Beneficiary List (certified copy of ID's)

Additional Requirements:

- When contractor recruit local labourers, they must produce a 13 digit identity document and a certified copy of the ID must be forwarded to the DRPW Regional EPWP representative
- 2. That at least one disabled person be recruited and employed on the project and reported as such
- 3. A daily attendance register should be kept on site
- 4. Each beneficiary must sign the payment sheet, as proof that they have been paid.
- 5. At the bottom of the contractors report, the site agent or CLO or contractor must sign the document as proof that the people indicated have worked the number of days
- 6. Employment of local labourers should constitute the following:
 - a. 55% women
 - b. 55% young people
 - c. the minimum wage rate to be paid is in accordance with the National Minimum Wage Act, 1 March 2023 of the latest Published Act.

	nes of all Local Worl	kers employed at any					tered	l in tl	ne ta	ble b					····· of f how lor			n the
No.		Identity Number	Month Worker Started	Age			7	Γick if	Yes					Place a		ender and		
					ad of vith	Dependants Disabled	Disabled Labourer							Women		ı	Men	
					Female Head of Household with Dependants			Semi-Skilled	Semi-Skilled Skilled	Supervisor	Supervisor		Professional	Over 35 yrs 2A	35 yrs & under 2B	Over 35 yrs 2C	35 yrs & under 2D	
																		-
																		-
Totals for this sheet Totals from previous sheet																Total No. o workers Employed on the		
Total	s carried forward																	Project
NO.	TE: LOCAL LABOU	R TARGETS TO BE A	VCHIEVED V	VITU DE	(A)			(D))		(J)	(K)	(L)	(M)	(N) = (J+K+L)

WEEKLY TASK WAGE REGISTER (local labourers only)	Contract No:	PART 3
--	--------------	--------

	et No Project Name Proje						****		Entries in this portion to be Completed by Contractor							
			Day Tasks Worked						Payment							
No.	Name of local worker	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Total DAY TASKS worked this week	Rate per DAY TASK	Total Payment due to Worker	Workers signature on receipt of Payment	Date Payment Received by Worker			
Tatel	This Chast															
	s This Sheet s Brought Forward From previous She	not.														
	s Carried Forward s Carried Forward	-CL														
. otal									(A)		(B)					

Completed by: Na	ıme:Signature:	: Capacity	: Date:
------------------	----------------	------------	---------

Week No.	Week Ending	Total Day Tasks / Person Days Worked	Total Amount Paid				
		(Total of (A) from Form 4 for each week)	(Total of (B) from Form 4 for each week)				
1			R				
2			R R				
3 4			R				
5			R				
6			R				
7			R				
8			R				
9			R				
Total				Trar	nsfer to 2 in	table below	
			R				
2. Sı	ımmary of Amoı	ınt Spent on	Local Labour to	date			
I. Previou	s Amount Spent on	Local Labour (F	rom previous claim)	R		
. Amoun	t Spent on Local La	bour this month	(From Total above)		R		
B. Total A	mount Spent on Lo	cal Labour to da	te (3)=(1+2)		R		
3. Lo	ocal Labour Sche	dule					
	ary of Local La	-	oyed			No. of local workers who worked on th project to dat (From Part 2	e l
			nave worked on the	Project (C	Column N)		100%
10. How r D)	nany of the Total N	o. are local yout	h (35 yrs and under)	(Column	B &		
	nany of the Total No	o. are local wom	en (Column A + B)		"		
4. S	ummary of Amo	unt Spent on	Material to Date	<u> </u>		<u> </u>	
(C	Cumulative)						
tem						This Month	Total to
-0111							date

Date of Report:

Project Name:

For Period Ending:

PART 4

LOCAL LABOUR AND MATERIAL SCHEDULE

Contractor Name:

Contract No:

Project No:

Claim No:

1. Material from Local Municipality	
2. Material from Local District Municipality	
3. Material from Outside the Eastern Cape	
4. Material from other areas within the Eastern Cape	
Total Material	
Total material as percentage of contractor expenditure	
Total as percentage of contractor budget	

Training of Local Workers

Training of Local V				
Catogory of training	Name of course	No. trained	Days trained	Comments on
				progress
(a) Technical training	Bricklaying			
for implementation	Carpentry			
	Plumbing			
	Fencing			
	Plastering			
	Painting			
	House Building			
	Handyman			
	Electrical			
(b) Institutional				
training for local				
management beyond				
construction				
(c) Technical training				
for OMM				
(d) Institutional				
training for				
implementation				
(e) HIV/ Aids etc.				
Other – Please specify				
Total				

	OCAL LABOUR TARGE PWP RELATED WORK			
Completed	by:	Signature	Capacity	 Date

Part 5: Pricing Data

C2.1 Pricing Instructions

C2.1: PRICING INSTRUCTIONS JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	NEW ECD CENTRE AT BOLANI ECD
BID No:	2022/07/714

1. BILLS OF QUANTITIES

The **bills of quantities** forms part of and must be read and priced in conjunction with all the other documents forming part of the **contract documents**, the Standard Conditions of Bid, Conditions of Contract, Specifications, Drawings and all other relevant documentation.

2. VALUE ADDED TAX

The bid price must include for Value Added Tax (VAT). All rates, provisional sums, etc. in the **bills of quantities** must however be net (exclusive of VAT) with VAT calculated and added to the Total Value thereof in the Final Summary.

3. PREVIOUS WORK

The bidder is to acquaint themselves with the site thoroughly before pricing. Adjustment of prices will not be entertained after the award of the contract.

C2.2 Preliminaries / Bill of Quantities / Final Summary

BILL	PAGE NO	ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	
1		TT EWITTO	PRELIMINARIES	H1	QUANTITI	IVAIL	AWOON	
1	1		MEANING OF TERMS "TENDER / TENDERER"	H2				
			Any reference to the words "Tender" or "Tenderer" herein and/or in any other					
1	1		documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"					
1			PRELIMINARIES	H2				
			The JBCC Preliminaries Code 2103, May 2005 edition for use with the JBCC Principal					
			Building Agreement Edition 4.1 Code 2101, March 2005 is taken to be incorporated					
			herein. The tenderer is deemed to have referred to these documents for the full intent and					
			meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the contract such modifications					
			or corrections as are necessary are given under each relevant clause. Where an item is					
			not relevant to this specific contract such item is marked. "N/A" signifying "Not					
1			Applicable".					
1	1		PRICING OF PRELIMINARIES Should Option A, as set out in clause B10.3.1 hereinafter be used for the adjustment of	H2				
			preliminaries then each item priced is to be allocated to one or more of the three					
			categories Fixed, Value Related or Time Related and the respective amounts entered in					
1	1		the spaces provided under each item					
			Items not priced in these Preliminaries shall be deemed to be included elsewhere in these					
1			Bills of Quantities.	⊔o				
1			SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT DEFINITIONS	H2 H2	 		+	
'	*		A1DEFINITIONS AND INTERPRETATIONClause 1.0		1		1	
1	1	1	Clause 1.1 Definition of "Commencement Date" is added:	CONT			1	
			"COMMENCEMENT DATE" means the date that the agreement, made in terms of the		1	I	1	
1	1		Form of Offer and Acceptance, comes into effect	CONT			+	
1	1		Clause 1.1 Definition of "Construction Guarantee" is amended by replacing it with the following:	CONT				
			"CONSTRUCTION GUARANTEE" means a guarantee at call obtained by the contractor	COITT				
			from an institution approved by the employer in terms of the employer's construction					
1	1		guarantee form as selected in the schedule	CONT				
1	0		Clause 1.1 Definition of "Construction Period" is amended by replacing it with the	CONT				
1	2		following: "CONSTRUCTION PERIOD" means the period commencing on the commencement date	CONT				
1	2		and ending on the date of practical completion	CONT				
1	2		Clause 1.1 Definition of "Corrupt Practice" is added:	CONT				
			"CORRUPT PRACTICE" means the offering, giving, receiving or soliciting of anything of					
4	2		value to influence the action of a public official in the procurement process or in conract execution	CONT				
1			Clause 1.1 Definition of "Fraudulent Practise" is added:	CONT				
			"FRAUDULENT PRACTICE" means a misrepresentation of facts in order to influence a	00111				
			procurement process or the execution of a contract to the detriment of any tenderer and					
			includes collusive practice among tenderers (prior to or after the tender submission)					
1	2		designed to establish tender prices at artificial non-competitive levels and to deprive the tenderer of the benefits of free and open competition.	CONT				
1			Clause 1.1 Definition of "Interest" is amended by replacing it with the following:	CONT				
			"INTEREST" means the interest rates applicable on this contract, whether specifically					
			indicated in the relevant clauses or not, will be the rate as determined by the Minister of					
			Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management					
1	2		Act, 1999 (Act No. 1 of 1999).	CONT				
1	2		Clause 1.1 Definition of "Principal Agent" is amended by replacing it with the following:	CONT				
			"PRINCIPAL AGENT" means the person or entity appointed by the employer and named				†	
			in the schedule. In the event of a principal agent not being appointed, then all duties and				1	
			obligations of a principal agent as detailed in the agreement shall be fulfilled by a	00:-				
1 1			representative of the employer as named in the schedule Clause 1.1 Definition of "Security" is amended by replacing it with the following:	CONT			+	
'	_		"SECURITY" means the form of security provided by the employer or contractor, as	CONT			+	
			stated in the schedule, from which the contractor or employer may recover expense or				1	
1	2		loss	CONT			1	
,	2		Clause 1.6 is amended by replacing the works "prepaid registered post, telefax or e-mail"	CONT			1	
1			with "prepaid registered post or telefax" Clause 1.6.4 is amended by replacing it with the following:	CONT	-		+	
1			No clause Fixed: Value related: Time related:	Item	1,00		1	
	3		OBJECTIVE AND PREPARATION	H2	.,,,,,			
			A20FFER, ACCEPTANCE AND PERFORMANCE Clause 2.0 Fixed:					
1	3	2	Value related: Time related:	Item	1,00			
			A3DOCUMENTS Clause 3.0Clause 3.2.1 is amended by replacing "14.1" with				1	
			"14.0"Clause 3.7 is amended by the addition of the following: The contractor shall supply					
			and keep a copy of the JBCC Series 2000 Principal Building Agreement and Preliminaries				1	
			applicable to this contract on the site, to which the employer, principal agent and agents					
			shall have access at all timesClause 3.10 is amended by replacing the second reference				1	
1	3	3	to "principal agent" with the word "employer"Eixed:Value related:	Item	1,00			
-	3		A4DESIGN RESPONSIBILITY Clause 4.0 Clause 4.3 is amended by replacing it with	10111	1,00		1	
			the following:No clauseEixed: Value related: Time					
1	3	4	related:	Item	1,00		1	
			A5EMPLOYER'S AGENTS Clause 5.0 Clause 5.1.2 is amended to include clauses				1	
1	3	5	32.6.3, 34.3 and 34.4 and 38.5.8Fixed:Value related:Time related:	Item	1,00		1	
	-		I:		1,00	1		l .

		1	T			1	
1	3	6	A6SITE REPRESENTATIVE Clause 6.0 Fixed:Value related: Time related:	Item	1,00		
			A7COMPLIANCE WITH REGULATIONS Clause 7.0 Note: The provisions herein		1,00		
			include inter alia, compliance with all the requirements set out in the Construction				
			Regulations, 2003 issued under the Occupational Health and Safety Act, 2014 (Act No 85 of 1003), and in particular with Pagulation 5 (1) requisites the compilation of a health and				
			of 1993), and in particular with Regulation 5(1) requiring the compilation of a health and safety plan, as well as Regulation 6(1) requiring the appointment of a construction				
			supervisor See also clause C10 of Section C - Specific Preliminaries				
1	4	7	Fixed: Value related: Time related:	Item	1,00		
1	4	8	A8WORKS RISK Clause 8.0 Fixed: Value related: Time related:	Item	1,00		
<u> </u>	4	O	A9INDEMNITIES Clause 9.0 Fixed: Value related: Time	item	1,00		
1	4	9	related:	Item	1,00		
1	4	10	A10WORKS INSURANCES Clause 10.0 Clause 10.0 is amended by the addition of the	CONT			
- 1	4	10	following clauses:	CONT			
			10.5 Damage to the Works (a) Without in any way limiting the contractor's obligations in				
			terms of the contract, the contractor shall bear the full risk of damage to and/or				
			destruction of the works by whatever cause during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor				
			shall take such precautions and security measures and other steps for the protection and				
1	4		security of the works as the contractor may deem necessary	CONT			
			(b)The contractor shall at all times proceed immediately to remove or dispose of any				
1	4		debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works	CONT			
	4		(c)The employer shall carry the risk of damage to or destruction of the works and	CONT			
1	4		material paid for by the employer that is the result of the excepted risks as set out in 10.6	CONT	+		
			(d)\Where the employer bears the risk in terms of this contract, the contractor shall, if				
	_		requested to do so, reinstate any damage or destroyed portions of the works and the	001-			
1	5	1	costs of such reinstatement shall be measured and valued in terms of 32.0 hereof 10.6 Injury to Persons or loss of or damage to Properties (a)The contractor shall be	CONT	-		
			liable for and hereby indemnifies the employer against any liability, loss, claim or				
			proceeding whether arising in common law or by statute, consequent upon personal				
			injuries to or the death of any person whomsoever arising out of or in the course of or				
1	5		caused by the execution of the works unless due to any act or neglect of any person for whose actions the employer is legally liable	CONT			
<u>'</u>	<u> </u>		misse details the employer to logally habit	00111			
			(b)The contractor shall be liable for and hereby indemnifies the employer against any				
			liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site, whether belonging to or				
			under the control of the employer or any other body or person, arising out of or in the				
			course of or by reason of the execution of the works unless due to any act or neglect of				
1	5		any person for whose actions the employer is legally liable	CONT			
			(c)The contractor shall, upon receiving a contract instruction from the principal agent, cause the same to be made good in a perfect and workmanlike manner at his own cost				
			and in default thereof the employer shall be entitled to cause it to be made good and to				
	_		recover the cost thereof from the contractor or to deduct the same from amounts due to	001			
1	5		the contractor (d)The contractor shall be responsible for the protection and safety of such portions of	CONT	-		
			the premises placed under his control by the employer for the purpose of executing the				
1	5		works until the issue of the certificate of practical completion	CONT			
1 1			(a)M/hara the execution of the works involved the risk of		Γ	Ţ	
			(e)Where the execution of the works involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered				
			or added to, the contractor shall obtain adequate insurance and will remain adequately				
			insured or insured to the specific limit stated in the contract against the death of or injury				
1	5		to persons or damage to such property consequent on such removal or interference with the support until such portion of the works has been completed	CONT			
			(f)The contractor shall at all times proceed immediately at his own cost to remove or	JUNI			
	_		dispose of any debris and to rebuild, restore, replace and/or repair such property and to				
1	5		execute the works 10.7 High risk insurance In the event of the project being executed in a geological area	CONT	+		
			classified as a "High Risk Area", that is an area which is subject to highly unstable				
			subsurface conditions that might result in catastrophic ground movement evident by				
1	6		sinkhole or doline formation the following will apply:	CONT			
			10.7.1 Damage to the works The contractor shall, from the commencement date of the				
			works until the date of the certificate of practical completion bear the full risk of and hereby				
			indemnifies and holds harmless the employer against any damage to and/or destruction of				
			the works consequent upon a catastrophic ground movement as mentioned above. The contractor shall take such precautions and security measures and other steps for the				
1	6		protection of the works as he may deem necessary	CONT			
			When so instructed to do so by the principal agent, the contractor shall proceed				
			immediately to remove and/or dispose of any debris arising from damage to or destruction				
1	6		of the works and to rebuild, restore, replace and/or repair the works, at the contractor's own costs	CONT			
			10.7.2 Injury to persons or loss of or damage to property The contractor shall be liable for	30111	+		
			and hereby indemnifies and holds harmless the employer against any liability, loss, claim				
			or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any				
			person whomsoever resulting from, arising out of or caused by a catastrophic ground				
1	6		movement as mentioned above	CONT			

			The contractor shall be liable for and hereby indemnifies the employer against any and all				
			liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or				
			immovable or personal property or property contiguous to the site, whether belonging to or				
			under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred				
1	6		during the period of the contract	CONT			
				00.11			
			10.7.3 It is the responsibility of the contractor to ensure that he has adequate insurance to				
			cover his risk and liability as mentioned in 10.7.1 and 10.7.2. Without limiting the				
			contractor's obligations in terms of the contract, the contractor shall, within twenty-one				
			(21) calendar days of the commencement date but before commencement of the works,				
1	6		submit to the employer proof of such insurance policy, if requested to do so	CONT			
			10.7.4 The employer shall be entitled to recover any and all losses and/or damages of				
			whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be				
			recovered from the contractor or by deducting the same from any amounts still due under				
			this contract or under any other contract presently or hereafter existing between the				
			employer and the contractor and for this purpose all these contracts shall be considered				
			one indivisible whole Fixed: Value related: Time				
1	7		related:	Item	1,00		
			A11LIABILITY INSURANCES Clause 11.0 Fixed:Value				
1	7	11	related:Time related:	Item	1,00		
			A12EFFECTING INSURANCES Clause 12.0 Fixed:Value				
1		12	related: Time related:	Item	1,00		
1	7	13	A13.0No clause	N/A			ļ
	-		A14SECURITY Clause 14.0 Clauses 14.1 - 14.8 are amended by replacing them with	00::-			
1	1	14	the following:	CONT	1		ļ
			14.1 In respect of contracts with a contract sum up to R1 million, the security to be				
1	7		submitted by the contractor to the employer will be as a payment reduction of five per cent	CONT			
 		1	(5%) of the value certified in the payment certificate (excluding VAT) 14.1.1 The payment reduction of the value certified in a payment certificate shall be	CONT	1		
1	7		mutatis mutandi in terms of 31.8(A)	CONT			
	-	1	The state of the s	20111			
			14.1.2 The employer shall be entitled to recover expense and loss from the payment				
			reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4				
			in which event the employer's entitlement shall take precedence over his obligations to				
1	7		refund the payment reduction security or portions thereof to the contractor	CONT			
			14.2 In respect of contracts with a contract sum above R1 million, the contractor shall				
			have the right to select the security to be provided in terms of 14.3, 14.4, 14.5, 14.6, or				
			14.7 as stated in the schedule. Such security shall be provided to the employer within				
			twenty-one (21) calendar days from commencement date. Should the contractor fail to				
			select the security to be provided or should the contractor fail to provide the employer with				
	_		the selected security within twenty-one (21) calendar days from commencement date, the				
1	8		security in terms of 14.7 shall be deemed to have been selected.	CONT			
4	0		14.3 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) has been selected:	CONT			
1	0		14.3.1 The contractor shall furnish the employer with a cash deposit equal in value to ten	CONT			
			per cent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days				
1	8		from commencement date	CONT			
·				00.11			
			14.3.2 Within twenty-one (21) calendar days of the date of practical completion of the				
			works the employer shall reduce the cash deposit to an amount equal to three per cent				
1	8		(3%) of the contract value (excluding VAT), and refund the balance to the contractor	CONT			
			14.3.3 Within twenty-one (21) calendar days of the date of final completion of the works				
			the employer shall reduce the cash deposit to an amount equal to one per cent (1%) of				
1	8		the contract value (excluding VAT) and refund the balance to the contractor	CONT			ļ
_	0		14.3.4 On the date of payment of the amount in the final payment certificate, the employer	001			
1	8	-	shall refund the remainder of the cash deposit to the contractor	CONT	1		ļ
			14.3.5 The employer shall be entitled to recover expense and loss from the cash deposit				
			in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the				
1	8		cash deposit security or portions thereof to the contractor	CONT			
	<u>. </u>	1	14.3.6 The parties expressly agree that neither the employer nor the contractor shall be	JUNI	1		+
1	8		entitled to cede the rights to the deposit to any third party	CONT			
'		1	14.4 Where security as a variable construction guarantee of ten percent (10%) of the	20111	1		
1	8		contract sum (excluding VAT) has been selected:	CONT			
			14.4.1 The contractor shall furnish the employer with an acceptable variable construction				
			guarantee equal in value to ten per cent (10%) of the contract sum (excluding VAT) within				
1	8		twenty-one (21) calendar days from commencement date	CONT			
			14.4.2 The variable construction guarantee shall reduce and expire in terms of the				
1	8		Variable Construction Guarantee form included in the invitation to tender	CONT			ļ
	0		14.4.3 The employer shall return the variable construction guarantee to the contractor	00::-			
1	8	1	within fourteen (14) calendar days of it expiring	CONT			
			14.4.4.Where the employer has a right of account of the control of				
	0		14.4.4 Where the employer has a right of recovery against the contractor in terms of 33.0,	CONT			
1	9	-	the employer shall issue a written demand in terms of the variable construction guarantee	CONT			1
			14.5 Where security as a fixed construction guarantee of five per cent (5%) of the contract				
1	O		sum (excluding VAT) and a five per cent (5%) payment reduction of the value certified in	CONT			
1	3		the payment certificate (excluding VAT) has been selected: 14.5.1 The contractor shall furnish a fixed construction guarantee to the employer equal in	CONT			-
1	q		value to five per cent (5%) of the contract sum (excluding VAT)	CONT			
		1	14.5.2 The fixed construction guarantee shall come into force on the date of issue and	30111			†
1	9		shall expire on the date of practical completion	CONT			
ــــــــــــــــــــــــــــــــــــــ	-	-	1		i		

		1	[
1	9		14.5.3 The employer shall return the fixed construction guarantee to the contractor within fourteen (14) calendar days of it expiring	CONT			
			14.5.4 The payment reduction of the value certified in a payment certificate shall be in				
1	9		terms of 31.8 (A) and 34.8	CONT			
			14.5.5 Where the employer has a right of recovery against the contractor in terms of 33.0,				
			the employer shall be entitled to issue a written demand in terms of the fixed construction				
1	9		guarantee or may recover from the payment reduction or may do both	CONT			
			14.6 Where security as a cash deposit of five per cent (5%) of the contract sum (excluding VAT) and a payment reduction of five per cent (5%) of the value certified in the				
1	9		payment certificate (excluding VAT) has been selected:	CONT			
			14.6.1 The contractor shall furnish the employer with a cash deposit equal in value to five				
1	۵		per cent (5%) of the contract sum (excluding VAT) within twenty-one (21) calendar days from commencement date	CONT			
'	9		14.6.2 Within twenty-one (21) calendar days of the date of practical completion of the	CONT			-
1	9		works the employer shall refund the cash deposit in total to the contractor	CONT			
4	0		14.6.3 The payment reduction of the value certified in a payment certificate shall be	CONT			
1	9		mutatis mutandi in terms of 31.8(A) 14.6.4 Where the employer has a right of recovery against the contractor in terms of 33.0,	CONT			
			the employer may issue a written notice in terms of 33.4 or may recover from the payment				
1	9		reduction or may do both	CONT			
1	۵		14.7 Where security as a payment reduction of ten per cent (10%) of the value certified in the payment certificate (excluding VAT) has been selected:	CONT			
	3		14.7.1 The payment reduction of the value certified in a payment certificate shall be	CONT			
1	9		mutatis mutandi in terms of 31.8(B)	CONT			
			44.7.2 The employer shall be entitled to receiver expense and less from the newment				
			14.7.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4				
			in which event the employer's entitlement shall take precedence over his obligations to				
1	10		refund the payment reduction or portions thereof to the contractor	CONT			
			14.8 Payments made by the guarantor to the employer in terms of the fixed or variable construction guarantee shall not prejudice the rights of the employer or contractor in terms				
1	10		of this agreement	CONT			
			14.9 Should the contractor fail to furnish the security in terms of 14.2, the employer, in his				
			sole discretion and without notification to the contractor, is entitled to change the contractor's selected form of security to that of a ten per cent (10%) payment reduction of				
			the value certified in the payment certificate (excluding VAT), whereafter 14.7 shall be				
			applicable Fixed: Value related: Time				
	10 10		related: EXECUTION	Item	1,00		
	10		A15PREPARATION FOR AND EXECUTION OF THE WORKS Clause 15.0 Clause	H2			
1	10	15	15.1.1 is amended by replacing it with: No Clause	CONT			
			01 4540: 111 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1				
			Clause 15.1.2 is amended by replacing it with: The security selected in terms of 14.0 Clause 15.1 is amended by the addition of the following clause: 15.1.4 An acceptable				
			health and safety plan, required in terms of the Occupational Health and Safety Act, 1993				
	10		(Act 85 of 1993), within twenty-one (21) calendar days of commencement date	CONT			
1	10		Clause 15.2.1 is amended by replacing it with the following clause: Give the contractor possession of the site within ten (10) working days of the contractor	CONT			
			complying with the terms of 15.1.4 Fixed:				
1	10	16	Time related:	Item	1,00		
1	10	17	A16ACCESS TO THE WORKS Clause 16.0 Fixed:Value related: Time related:	Item	1,00		
'	10	17	Tille relateu	item	1,00		-
			A17CONTRACT INSTRUCTIONS Clause 17.0 Clause 17.1.11 is amended by deleting				
4	11	40	the words "and the appointment of nominated and selected subcontractors"	14	4.00		
1	11	18	Fixed: Value related: Time related: A18SETTING OUT OF THE WORKS Clause 18.0 Fixed: Value	Item	1,00		
1	11	19	related: Time related:	Item	1,00		
	44		A19ASSIGNMENT Clause 19.0 Fixed:Value related:	14			
1	11	20	Time related:	Item	1,00	-	-
			A20NOMINATED SUB-CONTRACTORSClause 20.0Clause 20.1.3 is amended by				
			replacing it with the following: No ClauseNote: See item B9.1 hereinafter for adjustment of				
4	11	21	attendance on nominated subcontractors executing work allowed for under provisional sums Eixed: Value related: Time related:	Item	1,00		
	1.1	<u>- '</u>	A21SELECTED SUBCONTRACTORS Clause 21.0 Clause 21 is amended by	nom	1,00	+	
			replacing it with: No Clause Fixed:Value related:Time				
1	11	22	related:	Item	1,00		
1	11	23	related: Time related:	Item	1,00		
			A23CONTRACTOR'S DOMESTIC SUBCONTRACTORS Clause 23.0				
	12	24	Fixed: Value related: Time related:	Item	1,00		
1	12		COMPLETION A24PRACTICAL COMPLETION Clause 24.0 Fixed: Value	H2			
1	12	25	related: Time related:	Item	1,00		
	40		A25WORK'S COMPLETION Clause 25.0 Fixed:Value				
1	12	26	related:Time related:	Item	1,00		
			A26EINAL COMPLETION Clause 26.0 Clause 26.1.2 s amended by inserting "#" next				
1	12	27	26.1.2 Fixed: Value related: Time related:	Item	1,00		
	12	28	A27LATENT DEFECTS LIABILITY PERIOD Clause 27.0 Fixed: Value related: Time related:	Item	1,00		
	14	20	A28SECTIONAL COMPLETION Clause 28.0 Fixed: Value	ICIII	1,00	+	
1	12	29	related:Time related:	Item	1,00		

			A29REVISION OF DATE FOR PRACTICAL COMPLETION Clause 29.0 Clause 29.2.5				
			is amended by replacing it with: No clause Fixed:Value		4.00		
1	12	30	related: Time related:	Item	1,00		
	13	24	A30PENALTY FOR NON-COMPLETION Clause 30.0 Fixed:Value	14	4.00		
	13	31	related:Time related:	Item H2	1,00		
	13		A31INTERIM PAYMENT TO THE CONTRACTOR Clause 31.0 Clause 31.5.2 is	ПZ			
1	13	32	amended by replacing "14.7.1" with "14.0"	CONT			
	13	O.E.	Clause 31.8 is amended by replacing it with the following two alternative clauses:	CONT			
			Alternative A 31.8(A) Where a security is selected in terms of 14.1; 14.5 or 14.6, the				
			value of the works in terms of 31.4.1 and materials and goods in terms of 31.4.2 shall be				
			certified in full. The value certified shall be subject to the following percentage				
1	13		adjustments:	CONT			
			31.8(A).1 Ninety-five per cent (95%) of such value in interim payment certificates issued				
1	13		up to the date of practical completion	CONT			
			31.8(A).2 Ninety-seven per cent (97%) of such value in interim payment certificates				
,	40		issued on the date of practical completion and up to but excluding the date of final	CONT			
1	13	-	completion 31.8(A).3 Ninety-nine per cent (99%) of such value in interim payment certificates issued	CONT			
			on the date of final completion and up to but excluding the final payment certificate in				
1	13		terms of 34.6	CONT			
<u> </u>	10		31.8(A).4 One hundred per cent (100%) of such value in the final payment certificate in	00111			
			terms of 34.6 except where the amount certified is in favour of the employer. In such an				
			event the payment reduction shall remain at the adjustment level applicable to the final				
1	13	<u> </u>	payment certificate	CONT			<u></u>
1	13		Alternative B	CONT			
			31.8(B) Where security is a payment reduction in terms of 14.7 the value of the works in				
			terms of 31.4.1 and materials and goods in terms of 31.4.2 shall be certified in full. The				
1	13		value certified shall be subject to the following percentage adjustments:	CONT			
	40		31.8(B).1 Ninety per cent (90%) of such value in interim payment certificates issued up to	CONT			
1	13		the date of practical completion	CONT			
			31.8(B).2 Ninety-seven per cent (97%) of such value in interim payment certificates				
1	14		issued on the date of practical completion and up to but excluding the date of final completion	CONT			
	14		31.8(B).3 Ninety-nine per cent (99%) of such value in interim payment certificates issued	CONT			
			on the date of final completion and up to but excluding the final payment certificate in				
1	14		terms of 34.6	CONT			
<u> </u>			31.8(B).4 One hundred per cent (100%) of such value in the final payment certificate in	00111			
			terms of 34.6 except where the amount certified is in favour of the employer. In such an				
			event the payment reduction shall remain at the adjustment level applicable to the final				
1	14		payment certificate	CONT			
1	14		Clause 31.12 is amended by deleting the following:	CONT			
			Payment shall be subject to the employer giving the contractor a tax invoice for the				
			amount due Fixed: Time				
1	14	1	related:	Item	1,00		
			A32ADJUSTMENT TO THE CONTRACT VALUE Clause 32.0 Clauses 32.5.1, 32.5.4				
			and 32.5.7 are amended by the addition of the following at the end of the sentence: "due				
	14	22	to no fault of the contractor" Fixed: Value related: Time related:	14	4.00		
<u> </u>	14	33	A33RECOVERY OF EXPENSE AND LOSS Clause 33.0 Fixed: Value	Item	1,00		
1	14	34	related: Time related:	Item	1,00		
<u> </u>	1-7	04	Time related	ItCIII	1,00		
			A34 EINAL ACCOUNT AND FINAL PAYMENT Clause 34.0 Clause 34.1 is amended				
			by removing "#" next to 34.1 Clause 34.2 is amended by inserting "#" next to 34.2				
			Clause 34.8 is amended by deleting the words "where security as a fixed construction				
			guarantee in terms of 14.4 has been selected or where payment reduction has been				1
			applied in terms of 14.7.1" Clause 34.13 is amended by replacing "seven (7) calendar		1		
			days" with "twenty-one (21) calendar days" and deleting the words "subject to the		1		
]		employer giving the contractor a tax invoice for the amount due" Fixed:				
1	15	35	Value related: Time related:	Item	1,00		
			A35PAYMENT TO OTHER PARTIES Clause 35.0 Fixed:Value				
	15	36	related:Time related:	Item	1,00		-
<u> </u>	15	 	CANCELLATION A36CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT □Clause 36.0	H2			
			Clause 36.1 is amended by the addition of the following clauses: 36.1.3 refuses or				
			neglects to comply strictly with any of he conditions of contract 36.1.4 estate being				
			sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the				
			Republic of South Africa 36.1.5 in the judgement of the employer, has engaged in corrupt				1
		1	or fraudulent practices in competing for or in executing the contract. Clause 36.3 is				1
				1	I	İ	
			amended by removing the reference to "No clause" and replacing the words "principal				
1	15		amended by removing the reference to "No clause" and replacing the words "principal agent" with "employer"	CONT			
	15 15			CONT			
			agent" with "employer"				
			agent" with "employer"				
			agent" with "employer" Clause 36.0 is amended by the addition of the following clause:				
			agent" with "employer" Clause 36.0 is amended by the addition of the following clause: 36.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from				
			agent" with "employer" Clause 36.0 is amended by the addition of the following clause: 36.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the				
1	15		agent" with "employer" Clause 36.0 is amended by the addition of the following clause: 36.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever	CONT			
1		37	agent" with "employer" Clause 36.0 is amended by the addition of the following clause: 36.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the		1,00		

			Clause 37.0 is amended by the addition of the following clause: Clause 37.3.5 is amended by replacing "ninety (90)" with "one-hundred and twenty (120)" 37.5			
			Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site.			
	10		The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever		4.00	
	16		A38CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT Clause 38.0 Clause 38.5.4 is amended by replacing "ninety (90)" with "one-hundred and twenty (120)"	Item	1,00	
1	16	38	Clause 38.0 is amended by the addition of the following clause:	CONT		
			38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever			
1	16		Fixed: Value related: Time related:	Item	1,00	
			A39CANCELLATION - CESSATION OF THE WORKS Clause 39.0 Clause 39.3.5 is amended by the addition of the following at the end of the sentence: "within one hundred and twenty (120) working days of completion of such a report" Fixed:			
1	17	39	Value related: Time related:	Item	1,00	
1	17	40	A40DISPUTE SETTLEMENT Clause 40.0 Clause 40.2.2 is amended by replacing "one (1) year" with "three (3) years" Clause 40.6 is amended by removing the reference to: No clause Clause 40.7.1 is amended by replacing "(10)" with "(15)" and by the addition of the following: Whether or not mediation resolves the dispute, the parties shall bear their own cost concerning the mediation and equally share the costs of the mediator and related costs Eixed: Value related: Time related:	Item	1,00	
1	17		SUBSTITUTE PROVISIONS	H2	·	
1	17	41	A41STATE CLAUSES Clause 41.0 Fixed:Value related: Time related:	Item	1,00	
1		41	CONTRACT VARIABLES	H2	1,00	
1	17		THE SCHEDULE (DPW04EC)	H2		
1	17	42	A42PRE-TENDER INFORMATION Clause 42.0 Tenderers are referred to the document C1.2 Contract Data DPW04(EC) for variables pertaining to this contract Fixed: Value related: Time related:	Item	1,00	
	18	72	SECTION B: JBCC PRELIMINARIES	H1	1,00	
1	18		B1.0 DEFINITIONS AND INTERPRETATION	H2		
			B1.1 Definitions and interpretation See also clause A1.0 of Section A for additional and/or amended definitions which shall apply equally to this Section Fixed:			
1	18	43	Value related: Time related:	Item	1,00	
1	18		B2.0 DOCUMENTS	H2		
1	18	44	B2.1 Checking of documents Fixed:Value related: Time related:Time	Item	1,00	
<u>'</u>	10	7-7	B2.2 Provisional bills of quantities Fixed:Value related:	Itom	1,00	
1	18	45	Time related: B2.3 Availability of construction documentation Fixed: Value	Item	1,00	
1	18	46	related: Time related: Value	Item	1,00	
			B2.4 Interests of agents Fixed:Value related: Time		1,00	
1	18	47	related:	Item	1,00	
1	18	48	related:	Item	1,00	
4	18	40	B2.6 Tender submission Clause 2.6 is amended by replacing "JBCC Form of Tender" with "Form of Offer and Acceptance (C 1.1)" Fixed:	14		
	18	49	related:Time related: B3.0 THE SITE	Item H2	1,00	
			B3.1 Defined works area Fixed: Value related: Time			
1	18	50	related:	Item	1,00	
1	18	51	related:	Item	1,00	
1	19	52	B3.3 Inspection of the site Tenderers shall complete the Site Inspection Certificate (T 2.2K) included in the tender documents and return the same with the tender submission. Fixed: Value related: Time related:	Item	1,00	
			B3.4 Existing premises occupied Fixed:Value related:		·	
	19 19	53 54	Time related: B3.5 Previous work - dimensional accuracy Fixed: related: Time related: Value	Item	1,00 1,00	
'	10	J-7	B3.6 Previous work - defects Fixed: Value related: Time	Item	1,00	
1	19	55	related:	Item	1,00	
1	19	56	B3.7 Services - known Fixed: Value related: Time related: Time B3.8 Services - unknown Fixed: Value related: Time	Item	1,00	
1	19	57	related:	Item	1,00	
1	19	58	B3.9 Protection of trees Fixed:Value related:Time related:	Item	1,00	
'	10		B3.10 Articles of value Fixed:Value related: Time	T.CIII	1,00	
1	19	59	related: B3.11 Inspection of adjoining properties Fixed: Value	Item	1,00	
1	19	60	related: Time related:	Item	1,00	
-	19		B4.0 MANAGEMENT OF CONTRACT	H2	,	
1	19	61	B4.1 Management of the works Fixed: Value related: Time related:	Item	1,00	
<u> </u>	10	101	politica.	160111	1,00	

				
1 19	62	B4.2 Programme for the works Fixed: Value related: Time related:	Item 1,0	
		B4.3 Progress meetings Fixed:Value related: Time		
1 19	63	related:	Item 1,0	0
1 20	64	related:	Item 1,0	0
1 20	65	B4.5 Labour and plant records Fixed:Value related:Time related:	Item 1,0	0
1 20)	B5.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS' INSTRUCTIONS B5.1 Samples of materials Fixed: Value related: Time	H2	
1 20	66	related:	Item 1,0	0
1 20	67	B5.2 Workmanship samples Fixed: Value related: Time related:	Item 1,0	
		B5.3 Shop drawings Fixed:Value related: Time		
1 20) 68	related: B5.4 Compliance with manufacturers instruction Fixed: Value	Item 1,0	0
1 20		related:Time related:	Item 1,0	0
1 20)	B6.0 TEMPORARY WORKS AND PLANT B6.1 Deposits and fees Fixed:Value related: Time	H2	
1 20	70	related:	Item 1,0	0
1 20	71	B6.2 Enclosure of the works Fixed:Value related: Time related:	Item 1,0	0
1 20	70	B6.3 Advertising Fixed:Value related:Time related:	Item 1,0	
1 20	72	B6.4 Plant, equipment, sheds and offices Fixed:Value	Item 1,0	0
1 20	73	related:Time related:	Item 1,0	0
1 20	74	related:	Item 1,0	0
1 21	75	B6.6 Subcontractors' notice board Fixed:Value related: Time related:	Item 1,0	
1 21		B7.0 TEMPORARY SERVICES	H2	
1 21	76	B7.1 Location Fixed:Value related:Time related:	Item 1,0	
		B7.2 Water Fixed: Value related: Time		
1 21	77	related: B7.3 Electricity Fixed: Value related: Time	Item 1,0	0
1 21	78	related:	Item 1,0	0
1 21	79	B7.4 Telecommunication facilities Fixed:Value related: Time related:	Item 1,0	0
		B7.5 Ablution facilities Fixed:Value related:Time		
1 21		related: B8.0 PRIME COST AMOUNTS	Item 1,0 H2	0
1 21	04	B8.1 Responsibility for prime cost amounts Fixed:Value	Itom 1.0	
1 21 1 21		related: Time related:	Item 1,0 H2	0
1 21	82	B9.1 General attendance Fixed: Value related: Time related:	Item 1,0	
1 21	02	B9.2 Special attendance Fixed:Value related:Time	item 1,0	
1 21	83	related:	Item 1,0	0
1 21		related: Time related: B10. FINANCIAL ASPECTS	Item 1,0	0
1 21		B10. FINANCIAL ASPECTS B10.1 Statutory taxes, duties and levies Fixed:Value	H2	
1 21	85	related: Time related: Value related: Value related:	Item 1,0	0
1 22	2 86	B10.2 Payment for preliminaries Fixed: Value related: Time related:	Item 1,0	
		B10.3 Adjustment of preliminaries Clauses B10.3.1 and B10.3.2 are amended by	.,,	
		replacing "within fifteen (15) working days of taking possession of the site" with "in his priced bills of quantities /lump sum document submitted with his tender offer"		
1 22	2 87	Fixed: Value related: Time related: Time related: B10.4 Payment certificate cash flow Fixed: Value related:	Item 1,0	0
1 22		Time related:	Item 1,0	0
1 22	2	B11. GENERAL B11.1 Protection of the works Fixed: Value related: Time	H2	
1 22	89	related:	Item 1,0	0
1 22	90	B11.2 Protection / isolation of existing / sectionally occupied works Fixed:	Item 1,0	
		B11.3 Security of the works Fixed: Value related: Time		
1 22	91	related:Value related:Value related:Value related:	Item 1,0	0
1 22	92	Time related:	Item 1,0	0
1 22	93	11.5 Disturbance Fixed:Value related:Time related:	Item 1,0	0
		B11.6 Environmental disturbance Fixed:Value related:		
1 22	94	Time related:	Item 1,0	0
1 22	95	Time related: B11.8 Vermin Fixed: Value related: Time	Item 1,0	0
1 22	96	related:	Item 1,0	0
1 23	3 97	B11.9 Overhand work Fixed: Value related: Time related:	Item 1.0	
		B11.10 Instruction manuals and guarantees Fixed: Value	Item 1,0	
1 23	98	related:Time related:Value related:Time B11.11 As built information Fixed:Value related:Time	Item 1,0	0
1 23	99	related:	Item 1,0	0
			•	

			B11.12 Tenant installations Fixed: Value related: Time				
	23 23	100	related: B12. SCHEDULE OF VARIABLES	Item H2	1,00	-	
- 1	23		B12.1 Pre-tender information Fixed: Value related: Time	П∠			
1	23	101	related:	Item	1,00		
			This schedule contains all variables referred to in this document and is divided into		.,		
			pretender and post-tender categories. The pre-tender category must be completed in full				
			and included in the tender documents. Both the pre-tender and post-tender categories				
1	23		form part of these Preliminaries.				
			Spaces requiring information must be filled in, shown as "not applicable" or deleted and				
			not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross-				
			referenced to the applicable clause of the schedule. Key cross reference clauses are				
1	23		italicized in [] brackets				
			12.1PRE TENDER INFORMATION 12.1.1Provisional Bills of Quantities [2.2]The				
1	23		quantities are provisional: YES				
			12.1.2Availability of construction documentation [2.3]Construction of documentation is				
	23		complete: NO				
	23 23		12.1.3Interest of agents [2.4]Details: See Contract Data Part C/1 of Tender				
	23		12.1.4Defined works area [3.1]Details: As per Tender Data 12.1.5Geotechnical investigation [3.2]Details: NONE				
	LU		12.1.6Existing premises occupied [3.4]Specific requirements: Buildings are occupied				
			by Learners and Contractor will need to Programme his Works together with the School				
1	24		Principal so as to not disturb learning processes.				
			12.1.7Previous work - dimensional accuracy [3.5]Details: To be checked on site by				
1	24		contractor prior to building operations.				
]	24		12.1.8Previous work - defects [3.6]Details: To be checked on site by contractor prior				
1	24		to building operations.			+	-
1			12.1.9Services - known [3.7]Details: Should the contractor encounter any existing				
1			services such as underground cables, pipes or sewer during the execution of the works he				
			shall notify the principal agent immediately and suspend all affected work in the				
1	24		immediate vicinity until instruction to proceed has been given by the principal agent.	<u> </u>			
			12.1.10Protection of trees [3.9]Specific requirements: All trees on the site outside of				
1	24		the position of the proposed structure must be protected.				
			12.1.11 inspection of adjoining properties [3.11] Specific requirements: The contractor				
	24		must inspect adjoining properties and immediately bring to the notice of the Principal				
1	24		Agent of any consequences that may arise from the building works. 12.1.12Enclosure of the works [6.2}Specific requirements: The contractor shall				
1	24		enclose the works as required by the Occupational Health and Safety Act.				
	24		12.1.13Offices [6.4.3]Specific requirements: The contractor shall provide, maintain and				
			remove on completion of the works an office for the exclusive use of the principal agent,				
			minimum size 4 x 3 x 3m high internally, suitably insulated and ventilated, provided with				
			electric lighting and fitted with boarded floor, desk, chairs, drawing stool, drawing board				
			and lock-up drawers for drawings. The office shall be kept clean and fit for use at all				
1	24		times.				
			12.1.1.4 Main notice heard [6.5] Checific requirements. The contractor shall provide				
			12.1.14Main notice board [6.5]Specific requirements: The contractor shall provide, erect where directed, maintain and remove on completion of the works a notice board				
			size 3000 x 3420mmm all as per EPWP requirements constructed of suitable boarding				
			with flat smooth surface and with edging bead 40mm thick all round. The board shall				
			be securely fixed to hoarding where hoarding is provided, or fixed to and including a				
			suitable supporting structure of timber or tubular posts and braces. The board is to be				
			painted EPWP "orange" with 40mm wide white dividing lines. All wording shall be				
			inscribed in black painted sans serif lettering. Sub-contractor's individual boards will				
	25 25		be allowed on the site subject to the written approval of the Representative/Agent.			-	
1	20		12.1.15Subcontractors' notice board [6.6]Specific requirements: NO			-	
1			employer - free of charge when available) (NO) Option C (by employer -				
1	25		metered)□ (NO)				
			12.1.17Électricity [7.3]Option A (by contractor)□ (YES)□Option B (by				
			employer - free of charge when available)□ (NO) Option C (by employer -				
1	25		metered)□ (NO)				
1 .	05		12.1.18Telecommunications [7.4]Telephone(YES)				
1	25		Eacsimile(NO) E-mail(YES) 12.1.19Ablution facilities [7.5}Option A (by contractor) (YES)			+	
4	25		12.1.19Ablution facilities [7.5}Option A (by contractor)□ (YES)□ Option B (by employer)□ (NO)				
 	20		12.1.20Protection of existing/sectionally occupied works [11.2]Protection is required				
1	25		(Only when existing buildings) (YES)				
1	26		12.1.21Special attendance [9.2]Electrical sub-contractor (1) details: Site Meetings				
			12.1.22Protection of works [11.1]Specific requirements: □The contractor shall				
1	26		protect the works for the duration of the contract.				
			12.1.23Disturbance [11.5]Specific requirements: The contractor shall keep the site,				
			structures, etc well watered during operations to prevent dust and shall provide and erect and remove on completion of the works all necessary temporary dust screens all to the				
1	26		satisfaction of the principal agent				
	26		12.1.24Environmental disturbance [11.6]Specific requirements: None			+	
	26		12.2POST-TENDER INFORMATION				
			12.2.1Payment of preliminaries [10.2]Option A (prorated)(INO) Option B				
1	26		(calculates)(YES)				
			12.2.2Adjustment of preliminaries [10.3]Option A (three categories)(YES)			T	
	26		Option B (detailed breakdown)(YES)				
	26		12.2.3Additional agreed preliminaries items Details:N/A SCHEDULE OF SUPPLEMENTARY INFORMATION	L1		-	
	27 27		NOTE:	H1 H3		+	
	<u> </u>	1	NOTE:	1113			

_	07		The information listed below is in respect of certain clauses in the Preliminaries, requiring				
1	27		the supplementary information Local unskilled Labour must be appointed via the School SGB, acting in liaison between				_
1	27		the Contractor and the community.				
	21		Amount of insurance against injury to person or property in respect of any single				
			occurrence R 5 million Amount of insurance against removal of support to adjoining				
	27		properties in respect of any single accurance Not specifically prescribed				
	27		Contract period - 5 (Five) months				
1	27		The date for site handover :- TBA				
1	27		Amount of penalty per day on which the completion of the works may be in arrear: 6.25c per R100 of contract value per day (Excluding VAT)				
	21		Specification of materials and methods to be used: Specification of Materials and Methods				
1	27		to be used - PW 371, Edition 2.0, July 2013				
			Edition of Standard System of measuring building work: Sixth Edition including the latest				
	27		amendments				
1	27		SECTION C: SPECIFIC PRELIMINARIES Section C contains specific preliminary items which apply to this contract except where	H1			
1	27		N/A (Not Applicable) appears against an item	CONT			
	21		(Not Applicable) appears against an item	OON			
			C1CONTRACT DRAWINGS The drawings issued with the tender documents do not				
			comprise the complete set but serve as a guide only for tendering purposes and for				
			indicating the scope of the work to enable the tenderer to acquaint himself with the nature				
			and extent of the works and the manner in which they are to be executed Should any part				
			of the drawings not be clearly intelligible to the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent Fixed: Value				
1	27	102	related: Time related:	Item	1,00		
		102	THIS I SHARW.		1,00	<u> </u>	
			C2GENERAL PREAMBLES The document "Specification of Materials and Methods to be				
			used (PW371)" is obtainable on request from the head office and all regional offices of the		1		
			Department, and shall be read in conjunction with the bills of quantities and be referred to				
		400	for the full descriptions of work to be done and materials to be used Fixed:		4.00		
1	28	103	Value related:Time related:Time related:	Item	1,00		_
			C3TRADE NAMES Wherever a trade name for any product has been described in the bills of quantities, the tenderer's attention is drawn to the fact that any other product of				
			equal quality may be used subject to the written approval of the principal agent being				
			obtained prior to the closing date for submission of tenders. If prior written approval for an				
			alternative product is not obtained, the product described shall be deemed to have been				
			tendered for Fixed: Value related: Time				
1	28	104	related:	Item	1,00		
			C4IMPORTED MATERIALS AND EQUIPMENT Where imported items are listed in the tender documents, the tenderer shall provide all the information called for, failing which the				
			price of any such item, materials or equipment shall be excluded from currency				
			fluctuations. (refer to Schedule of Imported Materials and Equipment (T 2.2q) to be				
			completed by tenderer) Notwithstanding any provisions elsewhere regarding the				
			adjustment of contract prices, the price of any item, material or equipment listed in terms				
			of this clause shall be excluded from the Contract Price Adjustment Provisions (if				
			applicable) Fixed: Value related: Time				
1	28	105	related: C5VIEWING THE SITE IN SECURITY AREAS The site is situated in a security area	Item	1,00		_
			and the tenderer must arrange with the unit commander or other responsible officer to				
			obtain permission to enter the site for tendering purposes Fixed: Value				
1	28	106	related: Time related:	Item	1,00		
			C6COMMENCEMENT OF WORKS IN SECURITY AREAS As the works falls within a			İ	
			security area the contractor must give the unit commander or other responsible officer		1		
			notice before commencement of the works. Should the contractor fail to make such				
			arrangements, admission to the site may be refused and any additional costs will be for the contractor's account Fixed: Value related: Time		1		
1	29	107	related:	Item	1,00		
		107	C7ENTRANCE PERMITS TO SECURITY AREAS As the works falls within a security		1,00	<u> </u>	
			area the contractor shall obtain entrance permits for his personnel and workmen entering				
			the area and shall comply with all regulations and instructions which may be issued from		1		
			time to time regarding the protection of persons and property under the control of the				
]	00	400	Defence Force, Police or chief security officer Fixed:Value				
1	29	108	related:Time related:	Item	1,00		
			C8SECURITY CHECK OF PERSONNEL. The principal agent may require the				
			contractor to have his personnel and workmen, or a certain number of them, security				
			classified In the event of the principal agent requesting the removal of a person or				
			persons from the works for security reasons, the contractor shall do so forthwith and shall		1		
			thereafter ensure that such person or persons are denied access to the works and the site				
	20	100	and/or to any document or information relating to the works Fixed:Value	14	4.00		
1	29	109	related:Time related:	Item	1,00		
			C9PROHIBITION ON TAKING OF PHOTOGRAPHS In terms of article 119 of the		1		
			defence Act, 44 of 1957, it is prohibited to sketch or to take photographs of any military				
			site or installation or any building or civil works thereon or to be in possession of a camera				
			or other apparatus used for taking of photographs except when authorized thereto by or				
			on behalf of the Minister The same prohibition is also applicable to all correctional				
	20	110	institutions in terms of article 44.1(e) of the Correctional Services Act 8 of 1959 Fixed: Value related: Time related:	Itom	1 00		
	29	110	Value related:Time related:	Item	1,00		

1	30		C10HIV/AIDS AWARENESS It is required of the contractor to thoroughly study the HIV/AIDS Specification (PW 1544) of the Department that must be read together with and is deemed to be incorporated under this Section of the Bills of Quantities. Provision for pricing of HIV/AIDS awareness is made under items C10.1 to C10.5 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained. Also see Part C3.6 Social and Economic Deliverables F1 The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions of Clause A 31 of "Section 1: Preliminaries (Section A)" or any other clause to the contract, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment C10.1AWARENESS CHAMPION Selection, appointment, briefing and making available of an Awareness Champion including provision of all relevant services, all in accordance		1,0		
			with the HIV/AIDS Specification Fixed: Value related: Time				
1	30	111	related:	Item	1,00		
1	30	112	C10.2AWARENESS WORKSHOPS Selection and appointment of a competent Service Provider approved by the principal agent, provision of a Service Provider Workshop Plan and a suitable venue, conducting of awareness workshops by means of traditional and/or modern multi-media techniques, including follow-up courses, making available all tuition material and performing assessment procedures, all in accordance with the HIV/AIDS Specification Fixed:Value related: Time related:	Item	1,00		
			C10.3POSTERS, BOOKLETS, VIDEOS, ETC. Provision, displaying, maintaining and				
			replacing when necessary of four plastic laminated posters, booklets and educational videos, etc. for the duration of the construction period, all in accordance with the HIV/AIDS Specification Fixed:				
1	30	113	related:	Item	1,00		
			C10.4ACCESS TO CONDOMS Provision and maintenance of condom dispensers fixed in position, including male and female condoms, replenishing male and female condoms on a daily basis as required for the duration of the construction period, all in accordance with the HIV/AIDS Specification Fixed: Value related: Time				
1	31	114	related:	Item	1,00		
1	31	115	C10.5MONITORING Monitoring HIV/AIDS awareness of workers, providing the principal agent with access to information including making available all reports, thoroughly completed and reflecting the correct information, for the duration of the construction period and close out, all in accordance with the HIV/AIDS Specification Fixed: Value related: Time related:	Item	1,00		
1	31	116	C11OCCUPATIONAL HEALTH AND SAFETY ACT The contractor shall comply with the requirements set out in the Construction Regulations, 2014 issued under the Occupational Health and Safety Act, 1993 (Act No. 85 of 1993). It is required of the contractor to thoroughly study the Health and Safety Specification that must be read together with and is deemed to be incorporated under this Section of the bills of quantities/lump sum document. The contractor must take note that compliance with the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions of clause A3.10 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment. Provision for pricing of the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is made under this clause and it is explicitly pointed out that all requirements of the aforementioned are deemed to be priced hereunder and no additional claims in this regard shall be entertained.	ltem	1,00		
			C12.SOCIAL AND ECONOMIC DELIVERABLES IN CONSTRUCTION WORKS CONTRACTSThe contractor shall thoroughly study and comply with the requirements and specification data set out in Part C3.6: Specification for Social and Economic Deliverables in Construction.Provision for pricing of Social and Economic Deliverables is made under items C12.1 to C12.4 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, and no additional items or extras to the contract in this regard shall be entertained.		100		
<u> </u>	32	117	Fixed: Value related: Time related: C12.1UTILIZE LOCAL RESOURCES Deliverable A1: Utilize local resources as	Item	1,00	+	
1	32	118	described in the Specification Data. Fixed:	Item	1,00		
1	32		C13EABOUR-INTESIVE WORKS Those parts of the contract to be constructed using labour-intensive methods have been marked in the bill of quantities with the letters LI in a separate column filled in against every item so designated. The works, or parts of the works so designated are to be constructed using labour-intensive methods only. The use of plant to provide such works, other than plant specifically provided for in the scope of work, is a variation to the contract. The items marked with the letters LI are not necessarily an exhaustive list of all the activities which must be done by hand, and this clause does not over-ride any of the requirements in the 'Specification for social and economic deliverables in construction works contracts'.				

			C13.1EABOUR INTENSIVE Payment for items which are designated to be constructed labour-intensively (either in this schedule or in the Scope of Works) will not be made unless they are constructed using labour-intensive methods. Any unauthorised use of plant to carry out work which was to be done labour-intensively will not be condoned and				
			any works so constructed will not be certified for payment. Fixed:Value				
1	32	119	related: Time related:	Item	1,00		

Total Carried Forward

CONSTRUCTION OF EARLY CHILDHOOD DEVELOPMENT CENTRE AT LOWER NTAFUFU LOCATION FOR THE PERIOD OF 04

SECTION 01 BILL NO 1	UNIT	QTY	TENDED DATE	TOTAL AMOUNT
DEMOLITION	UNII	QII	IENDER KAIE	TOTAL AMOUNT
Demolition and removal of building and other structures				
Single storey zinc shed with flat roof size $3.4\ x\ 5.8m$ on plan and $2.8m$ high overall.	No	1		
Single storey pit toilet with flat roof 1 x 2m on plan and 2.8m high overall.	No	1		
Budgetary allowance				
Note: The following items are to remain the property of the employer and are to be carefully taken out, temporarily stored, transported over a distance of approximately 1km and handed over:				
Budgetary allowance of R3000,00 (Three Thousand Rand) for removal , transportation and storing of valuable items from the existing classroom in accordance to the Principal agent's instruction.	Item	1		
TOTAL				
BILL NO 02				
EARTHWORKS (PROVISIONAL)				
EXCAVATION, ETC OTHER THAN BULK Site clearance etc:				
Digging up and removing rubbish, debris,vegetation. hedges, shrubs, bush, etc and trees not exceeding 200mm girth	m2	2 843		
Stripping average 150mm thick layer of top soil and depositing material in prescribed stockpiles on site	m2	62		
Excavation in earth not exceeding 2m deep:				
Trenches (LI)	m3	78		
Extra over trench and hole excavations in earth for excavation in: Soft rock (LI)	m3	7		
Hard rock (LI)	m3	4		
Extra over all excavations for carting away:				
Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor.	m3	24		
Risk of collapse of excavations:				
Sides of trench and hole excavations not exceeding 1,5m deep.	m	84		
Keeping excavations free of water:				
Keeping excavations free from mud and all water including subterranean sources.	item	1		
EARTH FILLING, ETC.				
Earth filling obtained from the excavations and / or prescribed stock piles on site compacted to 93% Mod. AASHTO density:				

•			
Backfilling to trenches, holes, etc	m3	38	
Under floors, steps, pavings, etc.	m3	93	
Imported natural G5 Gravel compacted to 95% Mod AASHTO density in maximum 150mm thick layers at optimum moisture content:			
Under floors, steps, pavings, etc	m3	34	
Coarse river sand filling supplied by the contractor:			
Under floors etc	m3	93	
Compaction of surfaces:			
Compaction of ground surface under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density.	m3	126	
Prescribed density tests on filling:			
Allow for compaction tests by an approved laboratory to determine density of filling material. Note: PROVIDE LAB RESULTS	no	5	
SOIL POISONING			
Approved brand of anti-termite soil poison applied by a Registered Pest Control Company and guaranteed against termite infestation for ten years:			
Treat filling under concrete beds with 'Chlordane Heptachlor Aldrin' or equal approved.	m2	93	
	m2	93	
approved.	m2 m3	93	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete:			
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases	m3	5	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases Apron REINFORCED CONCRETE	m3	5	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases Apron REINFORCED CONCRETE 25MPa/19mm concrete:	m3 m3	5 1	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases Apron REINFORCED CONCRETE 25MPa/19mm concrete: Strip footing.	m3 m3	5 1	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases Apron REINFORCED CONCRETE 25MPa/19mm concrete: Strip footing. Ramps	m3 m3 m3	5 1 12 1	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases Apron REINFORCED CONCRETE 25MPa/19mm concrete: Strip footing. Ramps Surface beds CONCRETE TESTS	m3 m3 m3	5 1 12 1	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases Apron REINFORCED CONCRETE 25MPa/19mm concrete: Strip footing. Ramps Surface beds CONCRETE TESTS Test blocks: Making and testing set of three 150x150x150mm concrete strength test cubes	m3 m3 m3 m3	5 1 12 1 12	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases Apron REINFORCED CONCRETE 25MPa/19mm concrete: Strip footing. Ramps Surface beds CONCRETE TESTS Test blocks: Making and testing set of three 150x150x150mm concrete strength test cubes (Provisional).	m3 m3 m3 m3	5 1 12 1 12	
approved. TOTAL BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE 10MPa/19mm concrete: Surface blinding under footings and bases Apron REINFORCED CONCRETE 25MPa/19mm concrete: Strip footing. Ramps Surface beds CONCRETE TESTS Test blocks: Making and testing set of three 150x150x150mm concrete strength test cubes (Provisional). CONCRETE SUNDRIES	m3 m3 m3 m3	5 1 12 1 12	

10mm Bitumen impregnated softboard joint filler set between vertical brick surfaces not exceeding 300mm wide. (LI)	m	10	
10mm Closed cell expanded polyethylene expansion joint with tearoff strip in joint not exceeding 300mm high or wide set between concrete and/or brick surfaces. (LI)	m	22	
Two layers of 375 micron "Consol Plastic Brickgrip DPC" in slip joints			
between horizontal concrete and brick surfaces, including cement mortar bed			
Not exceeding 300mm wide	m	10	
"Sondor" or similar approved expansion joints with "Jointex" softbaord between concrete and brick surfaces			
10mm Vertical isolation joints not exceeding 300mm high with 10mm pull out strip to surface beds	m	20	
"Sondor"or similar approved expansion joints with "Jointex" softboard between horizontal concrete surfaces			
20mm Joints exceeding 300mm high or wide	m2	44	
REINFORCEMENT (PROVISIONAL)			
Fabric reinforcement:			
REF. 245 fabric reinforcement in concrete surface beds, slabs, etc.	m2	117	
Mild steel reinforcement to structural concrete work			
8mm Diameter bars.	t	1	
10mm Diameter bars.	t	1	
High tensile steel reinforcement to structural concrete work			
16mm Diameter bars.	t	1	
12mm Diameter bars.	t	1	
10mm Diameter bars.	t	1	
TOTAL			
BILL NO. 4			
MASONRY BRICKWORK IN FOUNDATIONS (PROVISIONAL)			
Brickwork of "Corobrik or similar approved" NFX burnt clay bricks (14 MPa nominal compressive strength) in class I mortar.			
One brick walls (LI)	m2	65	
BRICKWORK IN SUPERSTRUCTURE			
Brickwork of "Corobrik or similar approved" NFX burnt clay bricks (14 MPa nominal compressive strength) in class I mortar			
One brick wall. (LI)	m2	159	
One brick walls in beamfilling	m2	21	
BRICKWORK SUNDRIES			
I			

Builders work in connection with services in Brick walls (form hole			
including making good).			
Holes for pipes, ducts, etc n.e 0.1m2	no	5	
Joint forming material in movement joints:			
10mm Jointex filler 220mm wide with tear-off strip seal 10 x 10 with Sikaflex Pro 2HP between brick skins, concrete, etc (Provisional).	m	20	
Brickwork reinforcement:			
150mm Wide reinforcement built in horizontally	m	517	
Ditto, but in foundations .	m	85	
Prestressed fabricated lintels:			
150 x 70mm Lintels in lengths not exceeding 3m	m	11	
Galvanised hoop iron cramps, ties, etc:			
40 x 1,6mm "Tibond or similar approved" wall tie strips 800mm long shot pinned to concrete and with other end bent out and built into brickwork (maximum 425mm vertical)	no	13	
Wall tie			
$30\mathrm{x}$ 1,6mm Roof tie 1500mm long with one end fixed to timber and other built into brickwork or concrete	no	44	
Air bricks, etc. (Provisional)			
229 x 152 x 35mm Clay verminproofed louvred airbrick. (LI)	no	8	
Fibre-cement natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc:			
15 x 150mm Wide sills set sloping and slightly projecting.	m	10	
BILL NO. 5			
WATERPROOFING DAMPPROOFING OF WALLS AND FLOORS			
One layer of 375 micron "Brikgrip DPC (SABS) or similar approved" embossed damp proof course well lapped at joints and intersections bedded and joined in cement mortar			
	0	4	
in walls	m2	4	
One layer of 375 micron "Brikgrip DPC (SABS) or similar approved" embossed damp proof course wrapped around timber roof members			
Around 50 x 152mm rafters through one brickwork	No	8	
One layer of 250 micron 'Consol Plastics Gunplas Green' waterproof sheeting sealed at laps with 'Gunplas Pressure Sensitive Tape':			
Under surface beds, lapped 50mm and selaed at all joints (measured net).	m2	115	
WATERPROOFING TO ROOFS, BASEMENTS, ETC			
One layer "Bituthene 3000 or similar approved" fully bonded waterproofing to:			
Around aluminium frames	m2	2	

Glass fibre bandage flashing membrane set in two coats bitumen flashing compound:			
Bandage flashing 150mm wide to roofs.	m	84	
JOINT SEALANTS ETC			
Clear neutral silicone sealant:			
In joint sealing and pointing all round external window and door frames.	m	52	
In joint sealing and pointing between cornice and walls.	m	84	
TOTAL			
BILL NO. 6 ROOF COVERINGS			
'Saflok Charcoal grey' corrugated roof sheet 0.5mm thick roof sheeting as per manufacturer's specification on 75 x 50mm timber purlins at 1200mm maximum centres on 114 x 38mm timber trusses at maximum 1400mm			
centres.			
Roof covering with pitch not exceeding 25 degrees, in transportable lengths not exceeding 20m.	m2	153	
Ridge capping, 408mm girth	m	13	
Side wall flashing, 408mm girth	m	10	
ROOF AND WALL INSULATION			
"Super Sisalation" Heavy Industrial Grade 420 or other approved - Double sided reflective foil laminate incorporating layers of kraft paper and reinforcing scrim, laminated together with low density polyethylene (293gsm):			
Insulation laid taut over purlins (at approximately 1m centres) and fixed concurrent with roof covering, including taped laps and nylon / galvanised straining wires.	m2	153	
TOTAL BILL NO. 9			
CARPENTRY AND JOINERY ROOFS ETC			
Sawn softwood: PREFABRICATED ROOF TRUSSES, ETC.			
Roof construction to pitched roof 7.5 x 12.5 m overall building on plan to 22 degree pitch with 300mm eaves overhang on two sides including trusses, jack rafters, permanent bracing, loose connectors, hangers, stainless steel 10mm diamter round bar struts, bolts and 50 x 76mm purlins at 900mm centres hoisted into position at maximum of 3700mm high all complete in accordance to manufactures recommendation (wall plates elsewhere).	ITEM	1	
38 x 114mm Wall plate	m	46	
50 x 76mm Bearer fascia support	m	46	
EAVES, VERGES, ETC.			
High density plain Nutec-cement:			
225 x 12mm thick fascia boards and barge board fixed to timber rafters twice screwed with 12 x 40mm countersunk brass screws with heads filled and aluminium H-profile corner joiners at board ends	m	45	

Eaves soffit coverings 600mm wide of 4mm thick sheets, including 38 x 38mm sawn softwood brandering along edges, along centre and at 1.20m centres across sheets	m2	27
DOORS ETC.		
Approved semi-solid flush doors, with masonite veneer both sides and with hardwood edge strips, tongued and grooved on to edges, hung to steel or timber frames:		
44mm Thick, single flush door semi solid core door, size 813 x 2032mm high.(internal)	No	2
44mm Thick, single flush door semi solid core louver door, size 813 x 2032mm high.(ext)	No	4
NOTICEBOARDS, KEYBOARDS, DUCKBOARDS,		
Pinning boards in classrooms		
Pinning board size 900mm x 600mm high overall glued on instructions	No	1
CUPBOARDS IN CLASSROOMS,ETC		
The following cupboard fittings are measured as complete units, i.e., the components of the units are not seperately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing, notching, glueing, nailing, screwing with sunk screws, edge strips, decorative laminates, glass, ironmongery, metalwork, paint or varnish finish, etc., and silicone against all wall and floor surfaces. The descriptions of all fittings contain a reference to the applicable Architect's drawing and tenderers are refered to these drawings for the full specification and detailing of the various fittingsPrices will be deemed to include for everything necessary to complete the installation of the fittings as depicted on the drawings and no extras in this regard will be entertained		
Shelving unit to wall, 2 600mm long x 2 130mm high overall comprising no. 4 shelves 450mm deep	No	2
Office Desks, Cupboards, etc		
Joinery to Store room :		
Cupboard unit 2 050mm long x 900mm high with full height doors	No	1
Joinery in pantry :		
Cupboard unit 1 050mm long x 900mm high with full height doors	No	1
Joinery to Kitchen:		
L-shaped counter unit 4 920mm overall girth, comprising worktop with no.4 cupboard units below and with cutout for sink (sink supplied and fitted by others)	No	1
BUDGETARY ALLOWANCES : BED TO SICK-BAY		
Allow a Provisional sum of R8000,00 (Eight Thousand Rand) for one single bed to sick bay	PS	2
KITCHEN EQUIPMENT		
Allow a Provisional sum of R4000,00 (Four Thousand Rand) for one microwave oven in accordance to the architect's specification	PS	1

Allow a Provisional sum of R6000,00 (Six Thousand Rand) for one fridge in accordance to the architect's specification	PS	1	
Allow a Provisional sum of R20 000,00 (Twenty Thousand Rand) for one gas cylinder in accordance to the client's requirements	PS	1	
SCHOOL FURNITURE			
Provide the amount of R40 000,00 (Forty Thousand Rand) desks and two teacher's desks to classrooms.	PS	1	
Provide the amount of R40 000,00 (Forty Thousand Rand) chairs and two teacher's chairs to classrooms.	PS	1	
TOTAL			
BILL NO. 10 <u>CEILINGS PARTITIONS AND ACCESS FLOORING</u> <u>NAILED UP CEILINGS</u> 12.5mm "Rhino" gypsum plasterboard with 63mm wide strips of mesh scrim nailed over joints and the whole finished with skim plaster trowelled to a smooth polished surface			
Ceiling including 38x38mm SA pine brandering at 600mm centres	m2	99	
Extra over ceilings for 650 x 650mm trap door of 38 x 50mm wrought softwood rebated framing with one 38 x 38mm sawn softwood cross brandering covered with ceiling board and fitted flush in opening	No	1	
Shadow line cornice			
Shadowline cornice to nailed up ceiling	m	89	
CEILING TIMBERS, BEADS, INSULATION, ETC			
Aerolite Insulation			
2 Layers of 50mm thick fibre glass blanket laid on top ceiling brandering between roof timbers,etc	m2	99	
TOTAL			
BILL NO. 10 IRONMONGERY HINGES, BOLTS, ETC			
Hinges: "Dorma":			
B3599 x 300mm SC "W&B Hardware" lever action flush bolt to top 'Ward' face of inactive leaf	NO	12	
of inactive leaf HANDLES, KEYHOLES, ETC	NO	12	
of inactive leaf	NO	12	
of inactive leaf HANDLES, KEYHOLES, ETC LOCKS The following locks are in one set with a master key:	NO NO	12	
of inactive leaf HANDLES, KEYHOLES, ETC LOCKS The following locks are in one set with a master key: "Union"			
of inactive leaf HANDLES, KEYHOLES, ETC LOCKS The following locks are in one set with a master key: "Union" Standard two lever mortice lockset	NO	12	
of inactive leaf HANDLES, KEYHOLES, ETC LOCKS The following locks are in one set with a master key: "Union" Standard two lever mortice lockset 2 x 19SC euro profile knob cylinder and turn, master keyed HANDLES	NO	12	
of inactive leaf HANDLES, KEYHOLES, ETC LOCKS The following locks are in one set with a master key: "Union" Standard two lever mortice lockset 2 x 19SC euro profile knob cylinder and turn, master keyed HANDLES "Union"	NO NO	12 6	
of inactive leaf HANDLES, KEYHOLES, ETC LOCKS The following locks are in one set with a master key: "Union" Standard two lever mortice lockset 2 x 19SC euro profile knob cylinder and turn, master keyed HANDLES "Union" AL687-09AS Bishop lever door furniture	NO NO	12 6	
of inactive leaf HANDLES, KEYHOLES, ETC LOCKS The following locks are in one set with a master key: "Union" Standard two lever mortice lockset 2 x 19SC euro profile knob cylinder and turn, master keyed HANDLES "Union" AL687-09AS Bishop lever door furniture LETTERS, NAMEPLATES, ETC	NO NO	12 6	

150 x 150mm Kids sign	NO	1	
TOTAL			
BILL NO 11 METALWORK ALUMINIUM WINDOWS, DOORS ETC			
WINDOWS All aluminium units to comply with AAAMSA standards concerning sections and sizes and to be Dark Bronze anodised with 4mm thick			
laminated tinted safety glass, complete with subframes, ironmongery, glass, sealing, including burglar bars by manufacturer etc and fixing to brickwork.			
Charcoal grey aluminium window size 1800 x 900mm high (W1), architect to confirm detailed window specification as per window schedule	No	2	
Charcoal grey aluminium window size $1800 \times 1200 \text{mm}$ high (W2) , architect to confirm detailed window specification as per schedule	No	2	
Charcoal grey aluminium window size 1500 x 1500mm high (W3) , architect to confirm detailed window specification as per schedule	No	2	
Charcoal grey aluminium window size 1500×600 mm high (W4) , architect to confirm detailed window specification as per schedule	No	1	
SECURITY GATES			
GALVANISED PRESSED STEEL DOOR FRAMES			
GALVANISED PRESSED STEEL DOOR FRAMES			
Single gate size 2620 x 2105mm overall, formed of 8 x 44mm steel flat frame welded at angles, divided into three sections with two cross rails, 12mm diameter vetical bars at 120mm centres max, hung on pair of socketted and pinned hinges with pin 18mm in diameter and bolt to blockwork and with 200mm locking bolt welded on, to suit clear openning size of standard single door measured on site before ordering	No	1	
1.6mm Mild steel single rebated frames suitable for one brick walls			
Frame for door 2700 x 2193mm high	No	1	
TOTAL			
BILL NO.12 PLASTERING SCREEDS			
30mm Thick on floors and landings. (LI)	m2	93	
GRANOLITHIC			
INTERNAL PLASTER			
Cement plaster on brickwork:			
On walls	m2	82	
On narrow widths not exceeding 300mm wide	m2	3	
EXTERNAL PLASTER			

Cement plaster on brickwork:			
On walls	m2	222	
On narrow widths not exceeding 300mm wide	m2	5	
TOTAL			
BILL NO 13 TILING			
FLOOR TILES			
300 x 300mm Vinyl tiles			
On floors	m2	93	
TOTAL			
BILL NO 14 PLUMBING AND DRAINAGE (PROVISIONAL) RAINWATER DISPOSAL:			
<u>"Watertite" or similar approved PVC:</u>			
120mm Wide box eaves gutter fixed to fibre-cement fascia board as described.	m	31	
Extra on eaves gutter for stopped end.	No	8	
Extra on eaves gutter for external angle.	No	8	
100mm Diameter square rainwater pipe fixed to walls	m	11	
Extra over for shoe.	No	4	
Extra over for bend.	No	8	
WATER SUPPLIES			
<u>"Jojo" water tanks, etc</u>			
2 500 Litre cylinder vertical tank complete with lid and standard outlet fitted with and including 30mm pipe, including setting in position on concrete stand (stand elsewhere measured) and tying down with three double strands of 4mm diameter galvanised wire with ends secured into the stand (Note: tanks to be with water before Pactical Completion)	No	3	
Provide an amount of R 100 000.00			
TOTAL			
BILL NO 15 GLAZING			
TOPS, SHELVES, DOORS, MIRRORS, ETC.			
6mm framed mirror with edges holed for and fixed with screws with rubber buffers to plugs in brickwork or concrete:			
Mirror 600 x 1200mm high.	No	1	
TOTAL			

BOLANI PRE SCHOOL ABLUTION FACILITIES - PIT LATRINES			
BILL NO 01			
EARTHWORKS (PROVISIONAL)	UNIT	QTY	
EXCAVATION, ETC OTHER THAN BULK Site clearance etc:	88		
Digging up and removing rubbish, debris,vegetation. hedges, shrubs, bush, etc and trees not exceeding 200mm girth	m2	6	
Excavation in earth not exceeding 2m deep:			
Trenches (LI)	m3	5	
Holes	m3	48	
Extra over trench and hole excavations in earth for excavation in: Soft rock (LI)	m3	4	
Hard rock (LI)	m3	2	
Extra over all excavations for carting away:			
Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor.	m3	46	
Risk of collapse of excavations:			
Sides of trench and hole excavations not exceeding 1,5m deep.	m2	55	
Keeping excavations free of water:			
Keeping excavations free from mud and all water including subterranean sources.	item	1	
EARTH FILLING, ETC.			
Imported natural G7 Gravel compacted to 95% Mod AASHTO density in maximum 150mm thick			
layers at optimum moisture content:			
Backfilling to trenches, holes, etc	m3	16	
Compaction of surfaces:			
Compaction of ground surface under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density.	m2	28	
Prescribed density tests on filling:			
Allow for compaction tests by an approved laboratory to determine density of filling material.	no	4	
TOTAL			
BILL NO. 2 CONCRETE, FORMWORK AND REINFORCEMENT UNREINFORCED CONCRETE CAST IN OR AGAINST WALLS			
15MPa/19mm concrete:			
Surface blinding under footing and bases	m3	1	
REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES			
25MPa/19mm concrete:			
Footings to walls (Provisional).	m3	5	
Surface beds	m3	14	
CONCRETE TESTS			

Test blocks:			
Making and testing set of three 150x150x150mm concrete strength test cubes (Provisional).	No	4	
CONCRETE SUNDRIES	140	7	
Finishing top surfaces of concrete smooth with a wood float:			
Surface beds, slabs, etc	m2	14	
REF. 193 fabric reinforcement in concrete surface beds, slabs, etc.	m2	117	
High tensile steel reinforcement to structural concrete work:			
16mm Diameter bars	t	1	
8mm Diameter bars.	t	1	
12mm Diameter bars.	t	1	
10mm Diameter bars.	t	2	
TOTAL			
BILL NO. 4			
MASONRY BRICKWORK IN FOUNDATIONS (PROVISIONAL) TO PIT TOILETS			
Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:			
Half brick walls (LI)	m2	57	
<u>SUPERSTRUCTURE</u>			
Brickwork of NFP bricks in Class II mortar:			
One brick walls.	m2	11	
220 brick walls	m2	60	
BRICKWORK SUNDRIES			
Weepholes, openings etc.			
Form weep hole size 80 x 140mm thick through brick wall with internal and external plaster.	no	4	
Bagging the pit walls with 1:3 cement and sand mixture:			
To walls (Provisional)	m2	34	
Brickwork reinforcement:			
75mm Wide reinforcement built in horizontally.	m	181	
Ditto, but in foundations (Provisional).	m	679	
150mm Wide reinforcement built in horizontally.	m	340	
Prestressed fabricated lintels:			
110 x 75mm Lintels in lengths not exceeding 3m.	m	6	
Cramps, ties, etc:			
30 x 2mm Galvanized hoop iron roof tie 1500mm long with one end fixed to timber and other built into blockwork or concrete.	No	26	
Air bricks etc:			
230 x 160mm Cement vermin proof air brick.	no	14	
Cement mortar beamfilling 110mm wide to close gap between walls and roof sheeting +-76mm thick.	m	8	
TOTAL			
BILL NO. 6			

BILL NO. 6 WATERPROOFING

DAMPPROOFING OF WALLS AND FLOORS

One layer of 250 micron 'USB GREEN' waterproof sheeting sealed at laps with 'Gunplas Pressure Sensitive Tape':				
Under surface beds.	m2	14		
One layer of 375 micron "Brikgrip DPC (SABS) or similar approved" embossed damp proof course wrapped around timber roof members				
In walls etc.	m2	14		
Around 50 x152 mm rafters through one brickwall	no	5		
WATERPROOFING TO ROOFS, BASEMENTS, ETC				
Glass fibre bandage flashing membrane set in two coats bitumen flashing compound:				
Bandage flashing 150mm wide to roofs.	m2	36		
JOINT SEALANTS ETC				
Clear neutral silicone sealant:				
In joint sealing and pointing all round external window and door frames.	m	45		
TOTAL				
BILL NO. 6 ROOF COVERINGS RIBBED SHEETING AND ACCESSORIES				
0.58mm Nominal thickness IBR roofing sheets with silicone polyester top finish or colomet equal, colour as per architect to one side and standard grey backing coat to other side, etc., with 275g/m2 galvanising to both sides with one and a half corrugation side lap including fixing to timber purlins at approximately 1,000mm centres including all screws, bolts, washers, etc. strictly in accordance with manufacturer's specification.				
Roof covering with pitch not exceeding 15 degrees.	m2	18		
Ridge capping, 408mm girth	m	5		
0,58mm Nominal thickness ditto, but flashings:				
ROOF AND WALL INSULATION				
"Super Sisalation" Heavy Industrial Grade 420 or other approved - Double sided reflective foil laminate incorporating layers of kraft paper and reinforcing scrim, laminated together with low density polyethylene (293gsm):				
Insulation laid taut over purlins (at approximately 1m centres) and fixed concurrent with roof covering, including taped laps and nylon / galvanised straining wires.	m2	20		
TOTAL BILL NO. 10				
CARPENTRY AND JOINERY				
PREFEBRICATED ROOFS TRUSSES ETC				
Plate nailed timber roof truss construction				
Manufacture, Supply and install new roof trusses size 8.83 x 4.73mm flat on plane comprising of all necessary rafter, purlins batterns etc including all trusses, jack rafter, permanent bracing and 75 x50mm sa pine purlins at 1200mm maximum centres for covering all necessary fixtures and fittings all in accordince with Architect's drawings, all purlins fixed to rafter with approved hurricane clips and trusses fixed to wall plates with approved roof ties (wall plate elsewhere measured). All exposed timber eaves, verges etc are to be wrot and including painting with two coats "ABE PROVONITE" installed complete	item		R	80 000,00
Profit	item			
Attendance	item			

ROOF CONTRUCTION				
Treated Sawn softwood:				
38 x 114 Wall plate	No	16		
50 x 76mm purlins	No	74		
50 x 76mm Bearer fascia support	М	19		
EAVES, VERGES, ETC.				
Medium density plain fibre-cement fascias and barge boards				
225 x 12mm thick fascia boards and barge board fixed to timber rafters twice screwed with 12 x 40mm countersunk brass screws with heads filled and aluminium H-profile corner joiners at board ends High density plain Nutec-cement	m	19		
Eaves soffits coverings 600mm wide of 4mm thick sheets, including 38 x38mm sawn softwood brandering along edges, along centres and at 1.20m centres across sheets	m	6		
SKIRTING				
"Meranti"				
19 x 150mm Moulding skirting fixed to wall including 19mm quadrant bbead planted on	m	15		
DOORS ETC. V03				
Approved semi-solid flush panel doors, with masonite veneer both sides and with hardwood edge strips, toungued and grooved on to edges, hung to steel steel or timber frames:				
40mm Thick, single flush door semi solid core louver door, size 813 x 1,832mm high.	no	2		
FRAMED FRAMES ETC				
Wrought meranti: 44 x 70mm door frames size 900 x 2125mm .		40		
JOINERY FITTINGS	m	10		
Fittings:				
Provide an amount of R 10 000.00 (Ten thousand rand) for the supply and installation of counter in accoda	item		R	10 000,00
TOTAL				10 000,00
BILL NO. 10 CEILINGS PARTITIONS AND ACCESS FLOORING NAILED UP CEILINGS				
12.5mm "Rhino" gypsum plasterboard with 63mm wide strips of mesh scrim nailed over joints and the whole finished with skim plaster trowelled to a smooth polished surface				
Ceiling including 38x38mm SA pine brandering at 600mm centres with cross brandering at joints, end of sheets and light fitting, etc	M2	14		
Extra over ceilings for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing with one 38 x 38mm sawn softwood cross brandering covered with ceiling board and fitted flush in opening	NO	1		
Shadow line cornice				
Shadowline cornice to suspended ceiling	m	29		
"Nucornice" Fibre cement cornices:				
75mm coved cornice nailed.	m	21		
100mm mineral wool ceiling insulation blanket laid on top ceiling brandering betwwen roof timber, etc	m2	14		
TOTAL				
RILL NO 11				

BILL NO. 11 IRONMONGERY HINGES, BOLTS, ETC

Hinges: "Dorma":			
Dormakaba 102 x 75 x 2mm Stainless Steel two ball bearing butt hinge DBB-SS-009)	PAIRS	5	
HANDLES, KEYHOLES, ETC			
LOCKS The following locks are in one set with a master key: "Union"			
DHP-301A' Tubular stainless pull handle 305mm long x 25mm diameter bolted to stainless steel plate with 2 only M8 x 25mm hex. Headed galv. Bolts and washers(bolts elsewhere measured)	NO	5	
Sundries: "Union"			
Stainless steel soap dispensers 1,250ml soap capacity lockable grade 304 stainless steel casing (0.8mm thick) with satin finish with manual top-up of soap reservor. Brass pump mechanism can also dispense lotions and shampoos	NO	2	
TS68/2-4 Standard silver door closer	NO	2	
CZ8731SC Rubber bufferrd door stopper	NO	2	
Brushed stainless steel toilet roll holders with sight inspection hole. Holding 3 toilet rolls and lockable samples to be presented to architect for approval.	NO	4	
300 x 270 x 520mm High "Stratos STRX 605" (code 359730) or other app	NO	2	
LETTERS, NAMEPLATES, ETC			
Sign plates:			
150 x 150mm Male/Female combined sign	NO	2	
TOTAL			
BILL NO 11			

BILL NO 11

METALWORK

SUNDRY BRASS WORK:

PRE-GALVANISED PRESSED STEEL DOOR FRAMES

Note : In accordance with an instruction from the Department of Public works all door frames and windows are to be galvanised, regardless of the locality of the school

1,6mm Double rebated frames suitable for 140mm block walls

Mild steel frame for door size 2420 x 2100mm high

ALUMINIUM WINDOWS

All windows to be approved by the Architect prior to installation.

White Powder coated aluminium windows, factory glazed with 6.38mm laminated safety glass with clipon glazing beads, with neoprene seals and fixed with minimum three lugs per side in accordance with manufacturers instructions (See window schedule attached to these bills of quantities):

Dark bronze anodized aluminium window size 533×654 mm high (W5), with one opening sections, top hung outward opening including burglar bars by manufacturer

NO

No

SECURITY GATE

Hot dipped galvanised steel gates

Single gate, formed of 8 x 44mm steel flat frame welded at angles, divided into three sections with two cross rails, 12mm diameter vertical bars at 70mm centres, hung on pair of socketted and pinned hinges with pin 18mm in daimter and bolted to blockwork and with 200mm locking bolt welded on, to suit clear opening size 2420 x 2100mm measured on site before ordering.

No

1

TOTAL

BILL NO.12 PLASTERING SCREEDS

30mm Thick on floors and landings. (LI)	M2	14		
GRANOLITHIC				
Untinted granolithic, on concrete				
30mm Thick on floors and landings	M2	14,0		
INTERNAL PLASTER				
Cement plaster on brickwork:				
On walls	M2	68		
On narrow widths not exceeding 300mm wide	М	17		
EXTERNAL PLASTER				
Cement plaster on brickwork:				
On walls	M2	48		
On narrow widths not exceeding 300mm wide	М	12		
TOTAL	_	_		
BILL NO. 13				
TILING				
FLOOR TILING				
400 x 400mm "Ceramic" glazed floor tiles with adhesive to screeds (screeds elsewhere) and flush pointed with waterproof tinted jointing compound				
On floors and landings	M2	13		
Skirting 100mm high	М	27		
SUNDRIES				
Aluminium strips:				
Aluminium tile edge strip	М	2		
BILL NO 14 PLUMBING AND DRAINAGE (PROVISIONAL) RAINWATER DISPOSAL: PVC Vynadeep Gutters:				
rovide the amount of R60000 (sixty thousand rands) supply and installation of plumbing and Drainage items such as:rainwater disposals,soil drainage, sanitary fittings, sanitary plumbing, water supplies, etc.	Item	1 R 60 000),00 R	60 000,00
TOTAL			R	60 000,00
BILL NO. 15				
GLAZING No 1				
MIRRORS				
6 mm Float glass multiple silvered mirror size 600 x 1200 mm with polished and bevelled edges, holed and screwed with four chromium plated dome headed screws with rubber spacer washers behind, to and including hardwood plugs in wall.	m	1		
BILL NO 16				
PAINTWORK				
PAINTWORK, ETC TO NEW WORK				
FLOATED PLASTER SURFACES WITH, ETC				

Prepare and brush to remove all loose contaminents and apply two coat "Dulux Duraseal" alkali resistant primer and two coats "Dulux Wash 'N Wear Silk" paint or similar approved:				
On internal plastered walls:	M2	29		
On narrow widths	M2	9		
Prepare and brush to remove all loose contaminants and apply one coat primer and three coats "Dulux weatherguard" light texture matt finish paint or similar approved:				
On External plastered walls:	m2	56		
On narrow widths	m2	12		
SKIMMED SURFACES WITH:				
One coat universal undercoat and two coats "super PVA acrylic emulsion or similar approved" paint on				
Ceilings, bulk heads and cornices	M2	14		
IN FIBRE CEMENT				
One coat bonding liquid and two coats "Dulux Weatherguard"or similar approved:				
On fascia and barge boards	M2	2		
<u>ON WOOD</u>				
Two coats oil wood primer and two coats "Dulux Wash 'N Wear Silk" or similar approved paint on:				
On general surfaces of doors.	M2	18		
Two coats oil wood primer and two coats "Dulux Woodguard Timbavarnish Dark Oak" varnish or similar approved paint on:				
Backs of frames, linings, architraves etc not exceeding 300mm wide	М	19		
ON METAL				
One coat water based primer, two caots premium quality polyurethane enamel paint, on glavanised steel or similar approved:				
Security gates.	M2	11		
BILL NO 16 <u>EXTERNAL WORK</u> <u>BULK EARTHWORKS, PLATFORMS, CUT-OFF DRAINS, ETC</u>			ı	
Excavations in earth:				
Allow a Provisional amount of R55 000,00 for external works to be co-ordinated as per architect's instructions	Item		R	55 000,00
			R	55 000,00
BILL NO.17				
OCCUPATIONAL HEALTH AND SAFETY				
(C.01) Preparation of the Contractor's site specific Health and safety Plan	Item		R	2 500,00
(C.02) Principal Contractor's initial obligations in respect of the Occupational Health and Safety Act and Construction Regulations.	Item		R	2 500,00
(C.03) Principal contractor's time related obligations in respect of the Occupational Health and Safety Act and Construction Regulations.	Item		R	1 000,00
(C.04 Provision of Personal Protective Equipment (PPE)				
Reflective vests	Item		R	2 000,00
Hard hats.	Item		R	6 000,00
Protective foot wear.	Item		R	2 500,00

Establishment of noise zones (plant) Audiograms (personnel)	ltem ltem	R R	500,00 1 500,00
(C.09) Noise monitoring			
(C.08) Provision of first Aid Boxes to GRS requirements.	Item	R	1 500,00
(C.07) Induction training.	Item	R	2 000,00
Contractor's charges to allow for handling costs and profit in respect of sub items 13/X.06(a) and (b)	Item	R	2 800,00
Periodic and exit examinations.	Item	R	5 000,00
Initial (baseline) medical examinations.	Item	R	5 000,00
(C.06) Cost of medical certificates and medical surveillance			
(C.05) Provision of full time Construction Health and Safety Officer.	Item	R	36 000,00
High visibility overalls to SARTSM Chapter 13 Level 3.	Item	R	2 500,00
Earplugs	Item	R	1 500,00
Gloves	Item	R	1 600,00

SECTION 4: PROVISIONAL AMOUNTS

	UNIT	QTY	TENDER RATE
BUDGETARY ALLOWANCES PROVIDE LABOUR REPORT			
Allow a Provisional sum of R6000 (Seven Thousand Two Hundred Rand Only) for the appointment of 3 PSC members at R400 per seating	ITEM	1	R6 000,00
Provide the amount of R30,000.00 (Thirty Six thousand rand) for the appointment of Community Liaison Officer to be coordinated by contractor at R 6,000.00 per month for a period of 6 months	ITEM	1	R30 000,00
ELECTRICAL INSTALLATION AND CONNECTION:			·
ELECTRICAL INSTALLATION AND CONNECTION:			
Provide the amount of R120,000.00 (One hundred and eighty thousand rand) for electrical installation and connection	ITEM	1	R120 000,00
Profit	%		
Attendance	%		
<u>Land surveyor :</u>			
Allow an amount of R40 000 (Forty Thousand Rand) for the appointment of a Land surveyor	ITEM	1	R40 000,00
Profit	%		
Attendance	%		
JUNGLE GYM			
Provide the amount of R45,000.00 (Forty five thousand rand) for Jungle gym to the play area as per architect's requirements.	ITEM	1	R45 000,00
Profit	%	1	
Attendance	%	1	
<u>ARTWORK</u>			
Provide the amount of R45,000.00 (Ten thousand rand) for school notice board as per architects requirements.	ITEM	1	R45 000,00
Profit	%	1	
Attendance	%	1_	
SUB TOTAL			

CONTINGENCY

Allow a contingency amount of R280 000-00 (Two hundred and Eighty thousand rand only) to be used as directed by the Principal agent	ITEM	1	R280 000,00
GRAND TOTAL		\Box	

FENCING SMME

Galvanised welded Mesh or similar approved Fencing formed of 50 x 100 x 2.5mm diameter galvanised wires facing outwards secured with "Howgring" clips or 1.6mm centres to top and bottom straining wires and 700 mm centres (straining wires elsewhere measured) including holes through m 215 Six strands of 4mm galvanised straining wires secured to galvanised wire inserted through hole in post and turned wire and attached to straining frame at one end with not straining bolts (elsewhere measured). Posts 75 - 100mm Diameter creosoote treated gumpole intermediate necessary for wire or straining eye bolts and embedded 600mm 400 x 400 x 600m deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc 75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh, led fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, led fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate with encounter and constructions. Post 1 2 2 2 3 2 3 2 3 2 3 2 3 3 2 3 3 3 3 3	<u>I ENCING SHIT</u>			
Fencing formed of 50 x 100 x 2.5mm diameter galvanised wires facing outwards secured with "Howgring" clips or 1.6mm centres to top and bottom straining wires and 700 mm centres (straining wires elsewhere measured) including holes through Six strands of 4mm galvanised straining wires secured to galvanised wire inserted through hole in post and turned wire and attached to straining frame at one end with not straining botts (elsewhere measured). Posts 75 - 100mm Diameter creosote treated gumpole intermediate necessary for wire or straining eye botts and embedded 600mm doy x 400 x 600mm deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc 75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces million and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces million and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces million and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted wi		UNIT	QTY	TOTAL AMOUNT
Fencing formed of 50 x 100 x 2.5mm diameter galvanised wires facing outwards secured with "Howgring" clips or 1.6mm centres to top and bottom straining wires and 700 mm centres (straining wires elsewhere measured) including holes through Six strands of 4mm galvanised straining wires secured to galvanised wire inserted through hole in post and turned wire and attached to straining frame at one end with not straining botts (elsewhere measured). Posts 75 - 100mm Diameter creosote treated gumpole intermediate necessary for wire or straining eye botts and embedded 600mm doy x 400 x 600mm deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc 75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces million and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces million and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces million and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted wi	Calvaniand walded Manh or similar ammunud			
wires facing outwards secured with "Howgring" cips or 1.6mm centres to top and bottom straining wires and 700 mm centres (straining wires elsewhere measured) including holes through m 215 Six strands of 4mm galvanised straining wires secured to galvanised wire inserted through hole in post and turned wire and attached to straining frame at one end with not straining bolts (elsewhere measured). Posts 75 - 100mm Diameter creosote treated gumpole intermediate necessary for wire or straining eye bolts and embedded 600mm 400 × 400 × 600mm deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc no 72 75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 × 400 × 600mm deep cement including 37 - 100 mm stay post, for wire or straining eye ground in and including 400 × 400 × 600mm deep cement including all excavations in earth, backfilling and ramming no 4 Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling no 11 Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh, leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with no 1 Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, leaf fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed	•			
Six strands of 4mm galvanised straining wires secured to galvanised wire inserted through hole in post and turned wire and attached to straining frame at one end with not straining botts (elsewhere measured). Posts 75 - 100mm Diameter creosote treated gumpole intermediate necessary for wire or straining eye bolts and embedded 600mm 400 x 400 x 600mm deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc 75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed	wires facing outwards secured with "Howgring" clips or 1.6mm centres to top and bottom straining wires and 700 mm centres			
galvanised wire inserted through hole in post and turned wire and attached to straining frame at one end with not straining bolts (elsewhere measured). Posts 75 - 100mm Diameter creosote treated gumpole intermediate necessary for wire or straining eye bolts and embedded 600mm 400 x 400 x 600mm deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc 75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, loth leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate 1 Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed 132	(straining wires elsewhere measured) including holes through	m	215	
Posts 75 - 100mm Diameter creosote treated gumpole intermediate necessary for wire or straining eye bolts and embedded 600mm 400 x 400 x 600mm deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc	galvanised wire inserted through hole in post and turned wire and attached to straining frame at one end with not straining	m	215	
75 - 100mm Diameter creosote treated gumpole intermediate necessary for wire or straining eye bolts and embedded 600mm 400 x 400 x 600mm deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc no 72 75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming no 4 Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling no 11 Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh, leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with no 1 Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate no 1 Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132				
necessary for wire or straining eye bolts and embedded 600mm 400 x 400 x 600mm deep cement concrete (15 MPa/19 mm earth, backfilling and ramming etc no 72 75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming no 4 Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling no 11 Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with no 1 Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132				
75 - 100mm Diameter creosote treated gumpole gate post including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming no 4 Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling no 11 Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with no 1 Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate no 1 Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132	necessary for wire or straining eye bolts and embedded 600mm 400 x 400 x 600mm deep cement concrete (15 MPa/19 mm			
including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement including all excavations in earth, backfilling and ramming Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling no 11 Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed	cartif, backining and ranning etc	no	72	
Corner straining frame formed of three 75 - 100mm diameter horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling no 11 Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with no 1 Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate no 1 Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132	including 75 - 100 mm stay post, for wire or straining eye ground in and including 400 x 400 x 600mm deep cement	no	4	
horizontal braces each 1200mm long with bottom ends of as last described including all excavations in earth, backfilling no 11 Gates Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with no 1 Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate no 1 Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132		110	•	
Single pedestrain gate, size 900mm wide x 1800 mm high, x 3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with no 1 Vehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate no 1 Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132	horizontal braces each 1200mm long with bottom ends of as	no	11	
3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh , leaf fitted with three 24 mm diameter x 300 mm etc. 500 mm long approved chain spot fitted to gate with Nehicle gate, size 3000mm wide x 1800 mm high, formed mm wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132	<u>Gates</u>			
wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes, etc. 500 mm long approved chain spot fitted to gate no 1 Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132	3,25 mm wall thickness hot dip galvanised mild steel pipe welded angles and cross braces mullion and transome, scribed intersections, fixed gate posts, the gate covered with 50 x weldmesh, leaf fitted with three 24 mm diameter x 300 mm	no	1	
Sundries: 12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132	wall thickness hot dip galvanised mild steel pipe framing angles and cross braces mullion and transome, scribed and intersections, fixed gate posts, the gate covered with 50 x weldmesh, both leafs fitted with three 24 mm diameter x holes,	no	1	
12mm Diameter galvanised mild steel straining eye bolt with and washers, including hole through post or drilled and fixed no 132		ΠU	1	
and washers, including hole through post or drilled and fixed no 132	<u>Sundries:</u>			
TOTAL		no	132	
	TOTAL			•

CLASSROOM SI	<u>MME</u>			
	UNIT	QTY	TENDER RATE	TOTAL AMOUNT
PAINTWORK PAINTWORK, ETC TO NEW WORK				
Two coats stoep paint or similar approved				
Floors				
ON INTERNAL FLOATED PLASTER SURFACES				
Prepare and brush to remove all loose contaminents and apply two coat "Dulux Duraseal" alkali resistant primer and two coats "Dulux Wash 'N Wear Silk" paint or similar approved:				
On internal plastered walls	m2	R396,00		
On narrow widths not exceeding 300 mm wide	m	R20,00		
ON EXTERNAL FLOATED PLASTER SURFACES				
Prepare and apply one undercoat and paint with two coats premium quality pure acrylic sheen PVA on:				
On external plastered walls	m2	R214,00		
On narrow widths not exceeding 300 mm wide	m	R21,00		
ON FIBRE-CEMENT BOARD SURFACES				
Prepare and paint one coat universal undercoat and two coats "super PVA acrylic emulsion or similar approved" paint on				
Ceilings and cornices, including priming metal cover strips and nailheads	m2	R124,00		
Fascias and barge boards not exceeding 300mm girth, including priming metal jointing strips	m	R73,00		
Eaves soffits, including priming metal jointing strips	m2	R10,00		
ON METAL SURFACES Prepare and paint one coat enamel primer, one coat merit universal undercoat and two coats universal gloss enamel paint				
Door frames	m2	R46,00		
<u>ON WOOD</u>				

Prepare and paint one coat Plascon Wood Primer, one coat		
Plascon Universal Undercoat, two coats Plascon Velvaglo Polyurethane Enamel paint. Colour to Architects approval		
Door frames	m2	R62,00
On general surfaces of doors	m2	R24,00
On skirtings.	m	R87,00
PIT TOILETS PAINTWORK ETC TO NEW WORK ON PLASTERED SURFACES		
Prepare and apply one undercoat and paint with two coats premium quality pure acrylic PVA for external use on:		
External walls	m2	R29,00
Prepare and apply one undercoat and paint with two coats premium quality pure acrylic sheen PVA on:		
Internal walls.	m2	R57,00
Scrub surface with degreaser, rinse thoroughly with tap water, and apply one coat Medal stoep paint thinned with 10% mineral turpentine and two coats of un-thinned Medal		
stoep paint on:		
On concrete floated or screeded floors (Provisional).	m2	R11,00
Prepare and apply two coats "Brixeal" bitumen emulsion waterproofing coating on:		
Toilet pit walls (Provisional).	m2	R61,00
ON WOOD		
Prepare and apply one coat wood primer, one undercoat and two coats superior quality smooth gloss enamel on: General surfaces of timbers at eaves.	m2	R17,00
Prepare and apply one coat wood primer, one undercoat and two coats superior quality eggshell enamel on:		
Doors (all surfaces measured).	m2	R14,00
Frames, rails, etc not exceeding 300mm girth.	m	R20,00
Two coats wood primer on:		

Backs of frames, linings, etc not exceeding 300mm wide. R16,00 m Three coats exterior quality penetrating wood preservative. Roof timbers at eaves and verges. m2 R9,00 **ON METAL** Clean down thoroughly with galvanised iron cleaner, wash down with water, and apply one coat bituminous paint on: Backs of steel door frames not exceeding 300mm girth. m R10,00 ON uPVC Prepare and brush to remove all loose contaminants and apply two coats Dulux Weathergard light texture matt finish paint: On pipes. m2 R8,00 TOTAL

CONSTRUCTION OF BOLANI PRE SCHOOL	
TRADES	FINAL SUMMARY
PRELIMINARIES	
MAIN : CLASSROOM	
DEMOLITIONS	
EARTHWORKS (PROVISIONAL)	
CONCRETE FORMWORK AND REINFORCEMENT	
MASONARY	
WATERPROOFING	
ROOF COVERING, ETC	
CARPENTRY AND JOINERY	
CEILINGS, PARTITIONS AND ACCESS FLOORING	
IRONMONGERY	
METALWORK	
PLASTERING	
TILING	
PLUMBING AND DRAINAGE (PROVISIONAL)	
GLAZING	
MAIN BUILDING: TRADES TOTAL	
ABLUTIONS FACILITIES	
EARTHWORKS (PROVISIONAL)	
CONCRETE FORMWORK AND REINFORCEMENT	
MASONARY	
WATERPROOFING	
ROOF COVERING	
CARPENTRY AND JOINERY	
FLOOR COVERING, WALL LININGS, ETC	
IRONMONGERY	
METALWORK	
PLASTERING	
TILING	
PLUMBING AND DRAINAGE (PROVISIONAL)	
GLAZING	
PAINTWORK	
EXTERNAL WORK	
OCCUPATIONAL HEALTH AND SAFETY	
ABLUTION FACILITIES: TRADES TOTAL	
PROVISIONAL SUMS	
Sub-total	
SMMEs	
Sub-total	
CONTINGENCIES	
GROSS AMOUNT	
Add: VAT (15%)	
TOTAL (INCL VAT)	

Part 6: Site Information

C4 Site Information

C4: SITE INFORMATION - JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	NEW ECD CENTRE AT BOLANI ECD
BID No:	2022/07/714

C4 Site Information – Existing operational education facilities

1. GROUND CONDITIONS

Geotech information not available. This is an existing site.

2. UNDERGROUND SERVICES

There are unidentifiable underground services traversing the area of works, care would need to be taken during excavations.

3. ADJACENT BUILDINGS

No adjacent buildings could be affected by the construction. No particular precautions have been identified by the Engineer for the protection of this structure.

4. ENVIRONMENTAL ISSUES

None

C5 Drawings

C5.1: DRAWINGS

Project title:	NEW ECD CENTRE AT BOLANI ECD
BID No:	2022/07/714

Drawing tile	Drawing number	Print date	Rev No.
Site Development Plan	1920.49-AR-DES- 0001	Aug 23	В