

REQUEST FOR QUOTATION

FOR

APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTENANCE WORK AT ELUXOLWENI PRE-SCHOOL

2GB OR HIGHER

EMIS NO:

EDUCATION DISTRICT: JOE GQABI

RFQ NO: 2025/05/1165

Consisting of:

Single Volume: The REQUEST FOR QUOTATION (Returnable) - This

document

TENDER:	
CRS NO:	

Compiled for:

SUPPLY CHAIN MANAGEMENT

Eastern Cape Department of Education Steve Tshwete Complex, Zone 6 **ZWELITSHA**

5608

0000

Website: www.edu.ecprov.gov.za

Compiled by:

MAY 2025 PNO:

REQUEST FOR QUOTATION

Index

REQUEST FOR QUOTATION

Part	1	- 1	R	FO	P	r۸	c	he		r۵
гаιι		.	г.	ГЧ	ľГ	ıv	u	σu	u	ıe

- REQUEST FOR QUOTATION Notice and Invitation to RFQ (SBD1)
- T1.2 **REQUEST FOR QUOTATION Data**
- T1.3 RFQ Evaluation Criteria

Part 2: Agreement and Contract Data

- Form of Offer and Acceptance ➤ C1.1 Final Summary of Bills of Quantities ➤ C1.1a Standard Conditions of Tender ➤ C1.1b ➤ C1.1c **General Conditions of Contract**
- ➤ C1.2 **Contract Data**
- ➤ C1.3 Form of Guarantee

Part 3: **Returnable Schedules/Documents**

- T2.1 List of Returnable Documents 1.
- 2. T2.2 Returnable Documents:
 - SBD 4 Declaration of Interest
 - SBD 5 The National Industrial Participation Programme
 - SBD 6.1 Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022

 - T2.2.1 Certificate of Authority for Signatory
 T2.2.2 Certificate of Authority for Joint Ventures
 T2.2.5 Record of Addenda to REQUEST FOR QUOTATION Documents
 T2.2.6 Capacity of Tender
 T2.2.7 Relevant Project Experience Completed Projects

 - o T2.2.7 Relevant Project Experience Completed Projects
 - o T2.2.8 Relevant Project Experience Current Projects
 - o T2.2.9 Schedule of Plant & Equipment
 - o T2.2.10 Compulsory Enterprise Questionnaire
 - o T2.2.11 CIDB Grading Certificate
 - o T2.2.12 Other Certificates
 - o T2.2.13 Completed Project Reference Forms

THE CONTRACT

Part 4: Scope of Work

- > C3.1 Scope of work
- > C3.2 Health and Safety Specification
- > C3.4 Contractors Reports

Part 5: Pricing data

- ➤ C2.1 Pricing instructions
- Preliminaries/Bill of Quantities/Final Summary

Part 6: Site information

- Site information C4
- C5 **Drawings**

Part 1: RFQ PROCEDURE

T1.1: REQUEST FOR QUOTATION Notice and Invitation to RFQ (SBD1)



REQUEST FOR QUOTATION NOTICE

DEPARTMENT OF EDUCATION EASTERN CAPE PROVINCE

The Eastern Cape Department of Education (ECDOE) invites contractors to tender for the APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL

RFQ NO: 2025/05/1165

[CIDB Grade: 2GB Category or Higher]

Principal Agent

Ms. Zimasa Mzazela (DOE)

Tel: 040 608 4707

Project Leader (DoE)

Ms. Vuyokazi Tandwa Tel: 040 608 4707

Bid documents are downloadable free of charge from the Eastern Cape Department of Education website (www.ecdoe.gov.za/tenders) RFQ documents will be available on Tuesday 27 May 2025. No bid documents will be available at departmental offices.

There will not be no mandatory briefing session.

Queries relating to the issue of these documents may be addressed in writing to: Pakamile.Nxozana@ecdoe.gov.za Technical enquiries: may be addressed in writing to Ms. V. Tandwa, email – Vuyokazi.tandwa@ecdoe.gov.za

Completed Request for Bid documents in a sealed envelope endorsed with the project name, request for Bid number and description must be deposited in the **Tender Box, Department of Education, Steve Tshwete Complex, Zone 6, Zwelitsha, not later than 11h00 on Tuesday 10 June 2025.** Telegraphic, telexed or faxed tenders will not be considered. The ECDoE does not bind itself to accepting the lowest tenderer. Tender price offered should not pose a commercial risk to the completion of the project.

Telegraphic, telexed or faxed tenders will not be considered. The ECDoE does not bind itself to accepting the lowest tenderer. Tender price offered should not pose a commercial risk to the completion of the project

Procurement Contact Official

Mr P Nxozana Tel: 040 608 4524

pakamile.nxozana@ecdoe.gov.za

Infrastructure Contact Official

Miss Z Mzazela Tel: 040 608 4707

zimasa.mzazela@ecdoe.gov.za

PART A INVITATION TO RFQ

YOU ARE HEREBY INVIT			<u> IE DEPARTMEI</u>				
RFQ NUMBER: 2025/05/1165 CLOSING DATE: 10 JUNE 2025 CLOSING TIME: 11h00am DESCRIPTION APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL							
DESCRIPTION APPOI							SCHOOL
		DEFOSITED IN THE KI Q	DOX SHOKILI	JAI (SINL	LI ADD	NL33)	
Department of Education							
Steve Tshwete Educatio	n Complex						
Zone 6							
Zwelitsha							
TENDERING PROCEDUR	RE ENQUIRIES M	AY BE DIRECTED TO	TECHNICAL I	ENQUIRIES	MAY BE	DIRECTED TO:	
CONTACT PERSON	Mr. Pakamile N	xozana	CONTACT PE	RSON	Miss.Z	Mzazela	
TELEPHONE NUMBER			TELEPHONE	NUMBER	040 60	8 4704	
FACSIMILE NUMBER			FACSIMILE N	UMBER			
E-MAIL ADDRESS		ana@ecdoe.gov.za	E-MAIL ADDR	ESS	Zimasa	a.mzazela@ecdoe.gov	.za
SUPPLIER INFORMATIO	N						
NAME OF TENDER							
POSTAL ADDRESS							
STREET ADDRESS				T			
TELEPHONE NUMBER	CODE			NUMBER			
CELLPHONE NUMBER				ı			
FACSIMILE NUMBER	CODE			NUMBER			
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER							
SUPPLIER	TAX			CENTRA	L		
COMPLIANCE STATUS	COMPLIANCE		OR	SUPPLIE			
	SYSTEM PIN:			DATABA:		MAAA	
ARE YOU THE				1			
ACCREDITED REPRESENTATIVE IN			ARE YOU A F			□Yes	□No
SOUTH AFRICA FOR	□Yes	□No	SUPPLIER FO		ODS		
THE GOODS	HE VEO ENOLO	0E DD00E1	/SLIVICES O	III LIXLD!		[IF YES, ANSWER THE	
/SERVICES OFFERED?	[IF YES ENCLOSE PROOF] QUESTIONNAIRE BELOW]						
QUESTIONNAIRE TO TENDERING FOREIGN SUPPLIERS							
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?							
DOES THE ENTITY HAVE A BRANCH IN THE RSA?							
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?							
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?							
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?							
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.							
SISIEWI PIN CODE FRO	IN THE SOUTH A	FRICAN REVENUE SEK	VICE (SAKS) AI	אט ור אטו ו	KEU131E	IN MO PER 2.3 BELUV	1.

PART B TERMS AND CONDITIONS FOR TENDERING

1. RFQ SUBMISSION:

- 1.1. RFQS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE RFQS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL RFQS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE RFQ DOCUMENT.
- 1.3. THIS RFQ IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL TENDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 TENDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 TENDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA
- 2.4 TENDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE RFQ.
- 2.5 IN RFQS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE TENDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO RFQS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABO	OVE PARTICULARS MAY RENDER THE RFQ INVALID.
SIGNATURE OF THE TENDER:	
CAPACITY UNDER WHICH THIS RFQ IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

T1.2 REQUEST FOR QUOTATION Data

T1.2: REQUEST FOR QUOTATION DATA

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL					
REQUEST FOR QUOTATION No:	2025/05/1165					
Advertising date:	27 May 2025	Closing date:	10 June 2025			
Closing time:	11h00	Validity period	120 Days			

Clause number						
	The conditions of REQUEST FOR QUOTATION applicable to this contract are the Standard Conditions of Tender as contained in Annexure C of the CIDB Standard for Uniformity in ConstruProcurement (August 2019) as published in Government Gazette No. 42622, Department of Pul Works Notice 423.					
	specifically to	d Conditions of RFQ make several references to the RFQ Date this RFQ. The RFQ Data shall have precedence in the interty between it and the standard conditions of RFQ.				
	Each item of which it main	data given below is cross-referenced to the clause in the Stally applies.	andard Conditions of RFQ to			
C.1.2	The employe	er is the Eastern Cape Province Department of Education				
C.1.3.1	The REQUE	ST FOR QUOTATION documents issued by the employer co	omprise:			
	Part 1: Tend T1.1 REQUE T1.2 REQUE Part 2: Agre C1.1 Form o C1.1a Final S C1.1b Stand C1.1c Gener C1.2 Contrac C1.3 Form o Part 3: Retu T2.1 List of F T2.2 Returna	f Guarantee urnable Schedules/Documents Returnable Documents able Documents:				
	SBD4	Declaration of interest	Mandatory Requirement			
	Non-Elimination, to be submitted for the purposes of claiming points for Specific Goals.					
	T2.2.1	Certificate of authority for signatory	Mandatory Requirement			
	T2.2.2	Certificate of authority for joint ventures (if applicable)	Mandatory Requirement			
	T2.2.5	Record of addenda to REQUEST FOR QUOTATION documents	Additional documents			
	T2.2.6	Capacity of Tender	Additional documents			

	T2.2.7	Releva	nt project experience - completed projects	Additional documents			
	T2.2.8	Releva	nt project experience - current projects	Additional documents			
	T2.2.9	Sched	ule of plant & equipment	Additional documents			
	T2.2.10	Compu	ulsory enterprise questionnaire	Mandatory Requirement			
	T2.2.11		rading certificate	Mandatory Requirement			
	T2.2.12	Other of Tender	certificates (certified copies to be inserted by c), etc	Mandatory Requirement			
		•	Valid Letter of Good Standing from Compensation Fund or a licensed insurer as contemplated in the Compensation for Occupational Injuries and Diseases Act 1993	Mandatory Requirement			
	T2.2.13	Compl	eted project reference forms	Additional documents			
	PRICING SCHEDULE	•	Priced BoQ	Mandatory Requirement			
C.1.4	THE CONTRACT Part 4: Scope of Work C3.1 Scope of work C3.2 Health and Safety Specification C3.4 Contractors Reports Part 5: Pricing data C2.1 Pricing instructions C2.2 Preliminaries / Bill of Quantities / Final Summary Part 6: Site information C4 Site information C5 Drawings						
	The employer's Name:	agoni	Z Mzazela (Eastern Cape Province Department	of Education)			
	Capacity:		Principal Agent				
	Address:						
			Steve Tshwete Building				
	Tel:		(040) 608 4707				
	Fax:						
	E-mail:		zimasa.mzazela@ecdoe.gov.za				
C.2.1		Only those Tenders who satisfy the following eligibility criteria should submit REQUEST FOR QUOTATIONs:					
		data and the Tender, or any of his principals, is not under any restriction to do business with the					
	2. The Tende	r is regis	tered with the CIDB, in a 2GB or Higher class of c	construction work.			
	4. The Tende						
			the pre-qualification criteria stated in the RE	EQUEST FOR QUOTATION			
C.2.1	Joint ventures are eligible to submit RFQs provided that: 1. Every member of the joint venture must be registered with the CIDB in the General Building (GB) class of work. 2. The combined contractor grading designation of the members calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a contractor						

	grading designation determined in accordance with the sum RFQ for a 2GB or Higher class of construction work. 3. The members/parties have signed a joint venture agreement.
C.2.7	The arrangements for the compulsory clarification meeting, if any, are as stated in the REQUEST FOR QUOTATION Notice (T1.1).
	There will be no mandatory briefing.
	Tenders must sign the attendance register in the name of the Tendering entity.
	Addenda will be issued to and REQUEST FOR QUOTATIONs will be received only from those Tendering entities appearing on the attendance register.
	REQUEST FOR QUOTATION documents will not be issued at the clarification meeting.
C.2.8	Request clarification at least 3 calendar days before the closing time.
C2.11	All documents must be completed and signed in black permanent ink. No correction fluid must be used in the document. Incomplete RFQ responses may be disqualified or evaluated solely on the information contained in the RFQ. The ECDoE may disregard any content in the REQUEST FOR QUOTATION that is illegible and will be under no obligation whatsoever to seek clarification from the Tender.
C.2.12	If a Tender wishes to submit an alternative REQUEST FOR QUOTATION offer, the only criteria permitted for such alternative REQUEST FOR QUOTATION offer is that it demonstrably satisfies the employer's standards and requirements, the details of which may be obtained from the Employer's Agent.
	Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative REQUEST FOR QUOTATION offer to enable the employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.
	Acceptance of an alternative REQUEST FOR QUOTATION offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the Tender, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the employer's standards and requirements.
	The modified Pricing Data must include an amount equal to 5% of the amount RFQ for the alternative offer to cover the employer's costs of confirming the acceptability of the detailed design before it is constructed.
	Alternative RFQ offer permitted: Yes ☐ No ⊠
C.2.13 C.2.15	The employer's address for delivery of REQUEST FOR QUOTATION offers and identification details to be shown on each REQUEST FOR QUOTATION offer package are as per REQUEST FOR QUOTATION Notice (T1.1) and Invitation to RFQ (SBD 1)
C.2.13.5	REQUEST FOR QUOTATION offers shall be submitted as originals only.
C.2.13.6	A two-envelope system is not required.
C.2.13.9	Telephonic, telegraphic, telex, facsimile, emailed, electronic copy or late offers will not be accepted.

C.2.15	The closing time for submission of REQUEST FOR QUOTATION offers is as per the REQUEST FOR QUOTATION Notice (T1.1) and the Invitation to RFQ (SBD 1).
C.2.16	The REQUEST FOR QUOTATION offer validity period is as per the REQUEST FOR QUOTATION Notice (T1.1) and the Invitation to RFQ (SBD 1).
C.2.17	Provide clarification of the REQUEST FOR QUOTATION offer in response to do so from the employer during the evaluation of REQUEST FOR QUOTATION offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of Tenders or substance of the REQUEST FOR QUOTATION offer is sought, offered, or permitted.
C.2.22	Not a requirement
C.2.23	Refer to Parts 1, 2 & 3 for certificates and other documents to be submitted with the REQUEST FOR QUOTATION.
C.3.4	The time and location for opening of the REQUEST FOR QUOTATION offers are as per the REQUEST FOR QUOTATION Notice (T1.1).
C.3.11	Financial Offer and Preference will be evaluated as follows: The 80/20 preference point system will be applicable with 80 points allocated to Price and 20 points towards Specific Goals status level of contribution.
	The score for price is calculated using the following formula: $Ps = 80 \left(1 - \frac{Pt - P\min}{P\min} \right)$ Where:
	Ps = Points scored for price of RFQ under consideration; Pt = Price of RFQ under consideration and
	Pmin = Price of lowest acceptable RFQ.
	A trust, consortium or joint venture will qualify for points for their Specific Goals.
C.3.13	REQUEST FOR QUOTATION offers will only be accepted if:
	 The Tender or any of its directors/shareholders is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector;
	2. The Tender has not:
	a. Abused the Employer's Supply Chain Management System; or
	b. Failed to perform on any previous contract and has been given a written notice to this effect;
	 The Tender has completed the compulsory declarations and there are no conflicts of interest, which may impact on the Tender's ability to perform the contract in the best interests of the employer or potentially compromise the REQUEST FOR QUOTATION process;
	4. The Tender is registered with the Construction Industry Development Board in an appropriate contractor grading designation;
	The Tender is in good standing with the Compensation Fund.
C.3.17	The number of paper copies of the signed contract to be provided by the employer is 1 (one) copy of the signed contract to the successful Tender.

T1.3 BID EVALUATION CRITERIA

T1.3: BID EVALUATION CRITERIA

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL					
RFQ No:	RFQ NO:2025/05/1165					
Advertising date:	27 May 2025 Closing date: 10 June 2025					
Closing time:	11h00	Validity period	120 Days			

Closing time:		11h00	Validity period	120 Days	
		RID E	VALUATION CRITER	ΙΔ	
	This RFQ	will be evaluated in Two (2) ph			
	evaluated	ne: Compliance, and responsiver on PPPFA. ro: Tenders passing the stage al			·
		points on price - points for Specific goals - points -	80 points 20 points 100 points		
	Phase 1:	Compliance, and responsivene	ess to the RFQ rules	and condition	s
	Tenders r Of Evalua	must comply with the following ition:–	RFQ conditions in o	order to proce	ed to Phase Two
	2. 3. 4. 5.	Priced Bills of Quantities must be Tenders are required to have an Proof of Cidb Registration or CR RFQs which are late will not be a A valid Letter of Good Standing contemplated in the Compensation submitted with RFQ Failure to complete all supplements SCHEDULES may result in the FT Tender Forms (Form C1.1: Form completed will result in elimination	active CIDB contractors number must be subaccepted. from the Compensation on for Occupational Interpretation and REQUEST FOR QUOTED of offer and acceptants.	bmitted with the in Fund or licer njuries and Dise the RETURNA TATION being	e RFQ. Insed insurer as eases Act 1993 must be aseled.
		submit the following complete		ulsory docume	ents will result in
	FORM C1.1	Tender Forms (Form C1.1: For incomplete or incorrectly completender			Mandatory Requirement
	SBD4	Declaration of interest			Mandatory Requirement
	SBD6.1	Preference points claim form in Regulations 2022	terms of Preferential	Procurement	Non-Elimination, to be submitted for the purposes of claiming points for Specific Goals.
					Mandatory

Certificate of authority for joint ventures (if applicable)

Certificate of authority for signatory

T2.2.1

T2.2.2

Mandatory Requirement

Requirement

Mandatory

T2.2.10	Compulsory enterprise questionnaire	Mandatory Requirement
T2.2.11	CIDB grading certificate or CRS No.	Mandatory Requirement
T2.2.12	Other certificates (certified copies to be inserted by Tender), etc	Mandatory Requirement
	 A valid Letter of Good Standing from Compensation Fund or licensed insurer as contemplated in the Compensation for Occupational Injuries and Diseases Act 1993 	Mandatory Requirement
	Priced BoQ	Mandatory Requirement

Phase Two: Tenders passing the stage above will thereafter be evaluated on PPPFA.

PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT (PPPFA) POINTS WILL BE AWARDED AS FOLLOWS:

Maximum points on price - **80 points**Maximum points for Specific goals - **20 points Maximum points** - **100 points**

Part 2: AGREEMENT AND CONTRACT DATA

C1.1 Form of Offer and Acceptance

C1.1: FORM OF OFFER AND ACCEPTANCE

Project title: APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANAN AT ELUXOLWENI PRE-SCHOOL	
REQUEST FOR QUOTATION No:	2025/05/1165

OFFER

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract for the: APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL

The Tender, identified in the offer signature block, has examined the documents listed in the REQUEST FOR QUOTATION data and addenda thereto as listed in the returnable schedules, and by submitting this offer has accepted the conditions of REQUEST FOR QUOTATION.

By the representative of the Tender, deemed to be duly authorized, signing this part of this form of offer and acceptance, the Tender offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS		
	Rand (in words);	
R	(in figures)	
and returning REQUEST FO	y be accepted by the employer by signing the acceptance part of this form of offer and acceptance gone copy of this document to the Tender before the end of the period of validity stated in the OR QUOTATION data, whereupon the Tender becomes the party named as the contractor in the contract identified in the contract data.	
Signature(s)		
Name(s)		
Capacity		
for the Tender		
	(Name and address of organization)	
Name and signature of witness	Date	

ACCEPTANCE

By signing this part of this form of offer and acceptance, the employer identified below accepts the Tender's offer. In consideration thereof, the employer shall pay the contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the Tender's offer shall form an agreement between the employer and the Tender upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1 Agreements and contract data, (which includes this agreement)

Part C2 Pricing data

Part C3 Scope of work.

Part C4 Site information and drawings and documents or parts thereof, which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the REQUEST FOR QUOTATION data and any addenda thereto as listed in the returnable schedules as well as any changes to the terms of the offer agreed by the Tender and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this form of offer and acceptance. No amendments to or deviations from said documents are valid unless contained in this schedule.

The Tender shall within 2 (two) weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the Tender receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the Tender (now contractor) within 5 (five) working days of the date of such receipt notifies the employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

Signature(s)		
Name(s)		
Capacity		
for the Employer		
	(Name and address of organization)	
Name and signature of witness		Date
with 1633		Date

Schedule of Deviations

Notes:

- 1. The extent of deviations from the REQUEST FOR QUOTATION documents issued by the employer before the REQUEST FOR QUOTATION closing date is limited to those permitted in terms of the conditions of REQUEST FOR QUOTATION.
- 2. A Tender's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of agreements reached during the process of offer and acceptance, the outcome of such agreement shall be recorded here.
- 3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the REQUEST FOR QUOTATION documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here.
- 4. Any change or addition to the REQUEST FOR QUOTATION documents arising from the above agreements and recorded here, shall also be incorporated into the final draft of the Contract.

1.	Subject		
	Details	 	
2.	Subject	 	
	Details		
3.	Subject		
	Details	 	
4.	Subject		
	-		
	Details		

By the duly authorised representatives signing this agreement, the employer and the Tender agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the REQUEST FOR QUOTATION data and addenda thereto as listed in the REQUEST FOR QUOTATION schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Tender and the employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the REQUEST FOR QUOTATION/ RFQ documents and the receipt by the Tender of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

C1.1a Final Summary of Bills of Quantities

C1.1b Standard Conditions of Tender

CIDB Standard Conditions of Tender (August 2019 Edition)

(As contained in Annexure C of the CIDB Standard for Uniformity in Engineering and Construction Works Contracts in Board Notice 423 of 2019 in Government Gazette No 42622 of 8 August 2019)

C.1 General

C.1.1 Actions

- **C.1.1.1** The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in C.2 and C.3, timeously and with integrity, and behave equitably, honestly and transparently, comply with all legal obligations and not engage in anticompetitive practices.
- C.1.1.2 The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Tenders shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.

Note: 1) A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of that person to act properly in his or her position even if no improper acts result.

- 2) Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any personal bias, inclination, obligation, allegiance or loyalty which would in any way affect any decisions taken.
 - **C.1.1.3** The employer shall not seek and a tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

C.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

C.1.3 Interpretation

- **C.1.3.1** The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.
- **C.1.3.2** These conditions of tender, the tender data and tender schedules which are required for tender evaluation purposes, shall form part of any contract arising from the invitation to tender.
- **C.1.3.3** For the purposes of these conditions of tender, the following definitions apply:
 - a) conflict of interest means any situation in which:
 - i) someone in a position of trust has competing professional or personal interests which make it difficult to fulfill his or her duties impartially;
 - ii) an individual or tenderer is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit; or
 - iii) incompatibility or contradictory interests exist between an employee and the tenderer who employs that employee.
 - b) **comparative offer** means the price after the factors of a non-firm price and all unconditional discounts it can be utilised to have been taken into consideration;
 - c) **corrupt practice** means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process;
 - d) **fraudulent practice** means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels;

C.1.4 Communication and employer's agent

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be readily read, copied and recorded. Communications shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

C.1.5 Cancellation and Re-Invitation of Tenders

- **C.1.5.1** An employer may, prior to the award of the tender, cancel a tender if:
 - a) due to changed circumstances, there is no longer a need for the engineering and construction works specified in the invitation;
 - b) funds are no longer available to cover the total envisaged expenditure; or
 - c) no acceptable tenders are received.
 - d) there is a material irregularity in the tender process.
- **C.1.5.2** The decision to cancel a tender invitation must be published in the same manner in which the original tender invitation was advertised
- **C.1.5.3** An employer may only with the prior approval of the relevant treasury cancel a tender invitation for the second time.

C.1.6 Procurement procedures

C.1.6.1 General

Unless otherwise stated in the tender data, a contract will, subject to C.3.13, be concluded with the tenderer who in terms of C.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.

C.1.6.2 Competitive negotiation procedure

- C.1.6.2.1 Where the tender data require that the competitive negotiation procedure is to be followed, Tenders shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of C.3.4, the employer shall announce only the names of the Tenders who make a submission. The requirements of C.8 relating to the material deviations or qualifications which affect the competitive position of Tenders shall not apply.
- C.1.6.2.2 All responsive Tenders or at least a minimum of not less than three responsive Tenders that are highest ranked in terms of the evaluation criteria stated in the tender data shall be invited to enter into competitive negotiations based on the principle of equal treatment, keeping confidential the proposed solutions and associated information. Notwithstanding the provisions of C.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.
- C.1.6.2.3 At the conclusion of each round of negotiations, Tenders shall be invited by the employer to revise their tender offer based on the same evaluation criteria, with or without adjusted weightings. Tenders shall be advised when they are to submit their best and final offer.
- C.1.6.2.4 The contract shall be awarded in accordance with the provisions of C.3.11 and C.3.13 after Tenders have been requested to submit their best and final offer.

C.1.6.3 Proposal procedure using the two stage-system

C.1.6.3.1 Option 1

Tenders shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The employer shall evaluate each responsive submission in terms of the method of evaluation stated in the tender data, and in the second stage negotiate a contract with the tenderer scoring the highest number of evaluation points and award the contract in terms of these

conditions of tender.

C.1.6.3.2 Option 2

- C.1.6.3.2.1 Tenders shall submit in the first stage only technical proposals. The employer shall invite all responsive Tenders to submit tender offers in the second stage, following the issuing of procurement documents.
- C.1.6.3.2.2 The employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data, and award the contract in terms of these conditions of tender.

C.2 Tenderer's obligations

C.2.1 Eligibility

- C.2.1.1 Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.
- C.2.1.2 Notify the employer of any proposed material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used by the employer as the basis in a prior process to invite the tenderer to submit a tender offer and obtain the employer's written approval to do so prior to the closing time for tenders.

C.2.2 Cost of tendering

- C.2.2.1 Accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.
- C.2.2.2 The cost of the tender documents charged by the employer shall be limited to the actual cost incurred by the employer for printing the documents. Employers must attempt to make available the tender documents on its website so as not to incur any costs pertaining to the printing of the tender documents.

C.2.3 Check documents

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

C.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.

C.2.5 Reference documents

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

C.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

C.2.7 Clarification meeting

Attend, where required, a clarification meeting at which Tenders may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the tender data.

C.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the employer at least five (5) working days before the closing time stated in the tender data.

C.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

C.2.10 Pricing the tender offer

- C.2.10.1 Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable fourteen (14) days before the closing time stated in the tender data.
- C.2.10.2 Show VAT payable by the employer separately as an addition to the tendered total of the prices.
- C.2.10.3 Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- C.2.10.4 State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

C.2.11 Alterations to documents

Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.

C.2.12 Alternative tender offers

- C.2.12.1 Unless otherwise stated in the tender data, submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted as well as a schedule that compares the requirements of the tender documents with the alternative requirements that are proposed.
- C.2.12.2 Accept that an alternative tender offer must be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.
- C.2.12.3 An alternative tender offer must only be considered if the main tender offer is the winning tender.

C.2.13 Submitting a tender offer

- C.2.13.1 Submit one tender offer only, either as a single tendering entity or as a member in a joint venture to provide the whole of the works identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.
- C.2.13.2 Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.
- C.2.13.3 Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- C.2.13.4 Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for Tenders proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.

- C.2.13.5 Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- C.2.13.6 Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- C.2.13.7 Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.
- C.2.13.8 Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
- C.2.13.9 Accept that tender offers submitted by facsimile or e-mail will be rejected by the employer, unless stated otherwise in the tender data.

C.2.14 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

C.2.15 Closing time

- C.2.15.1 Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Accept that proof of posting shall not be accepted as proof of delivery.
- C.2.15.2 Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

C.2.16 Tender offer validity

- C.2.16.1 Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.
- C.2.16.2 If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period with or without any conditions attached to such extension.
- C.2.16.3 Accept that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).
- C.2.16.4 Where a tender submission is to be substituted, a tenderer must submit a substitute tender in accordance with the requirements of C.2.13 with the packages clearly marked as "SUBSTITUTE".

C.2.17 Clarification of tender offer after submission

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of Tenders or substance of the tender offer is sought, offered, or permitted.

Note: Sub-clause C.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.

C.2.18 Provide other material

- C.2.18.1 Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.
- C.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

C.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

C.2.20 Submit securities, bonds and policies

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

C.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

C.2.22 Return of other tender documents

If so instructed by the employer, return all retained tender documents within twenty-eight (28) days after the expiry of the validity period stated in the tender data.

C.2.23 Certificates

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

C.3 The employer's undertakings

C.3.1 Respond to requests from the tenderer

- C.3.1.1 Unless otherwise stated in the tender Data, respond to a request for clarification received up to five (5) working days before the tender closing time stated in the Tender Data and notify all Tenders who collected tender documents.
- C.3.1.2 Consider any request to make a material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used to prequalify a tenderer to submit a tender offer in terms of a previous procurement process and deny any such request if as a consequence:
 - a) an individual firm, or a joint venture as a whole, or any individual member of the joint venture fails to meet any of the collective or individual qualifying requirements;
 - b) the new partners to a joint venture were not prequalified in the first instance, either as individual firms or as another joint venture: or
 - c) in the opinion of the Employer, acceptance of the material change would compromise the outcome of the prequalification process.

C.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date that tender documents are available until three (3) working days before the

tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, shall then notify all Tenders who collected tender documents.

C.3.3 Return late tender offers

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

C.3.4 Opening of tender submissions

- C.3.4.1 Unless the two-envelope system is to be followed, open valid tender submissions in the presence of Tenders' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.
- C.3.4.2 Announce at the meeting held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened and, where applicable, the total of his prices, number of points claimed for its Specific Goals status level and time for completion for the main tender offer only.
- C.3.4.3 Make available the record outlined in C.3.4.2 to all interested persons upon request.

C.3.5 Two-envelope system

- C.3.5.1 Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of Tenders' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.
- C.3.5.2 Evaluate functionality of the technical proposals offered by Tenders, then advise Tenders who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of Tenders, who score in the functionality evaluation more than the minimum number of points for functionality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any points claimed on Specific Goals status level. Return unopened financial proposals to Tenders whose technical proposals failed to achieve the minimum number of points for functionality.

C.3.6 Non-disclosure

Not disclose to Tenders, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

C.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

C.3.8 Test for responsiveness

- C.3.8.1 Determine, after opening and before detailed evaluation, whether each tender offer properly received:
 - a) complies with the requirements of these Conditions of Tender,
 - b) has been properly and fully completed and signed, and
 - c) is responsive to the other requirements of the tender documents.
- C.3.8.2 A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:
 - a) detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,

- b) significantly change the Employer's or the tenderer's risks and responsibilities under the contract, or
- c) affect the competitive position of other Tenders presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

C.3.9 Arithmetical errors, omissions and discrepancies

- C.3.9.1 Check responsive tenders for discrepancies between amounts in words and amounts in figures. Where there is a discrepancy between the amounts in figures and the amount in words, the amount in words shall govern.
- C.3.9.2 Check the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with C.3.11 for:
 - a) the gross misplacement of the decimal point in any unit rate;
 - b) omissions made in completing the pricing schedule or bills of quantities; or
 - c) arithmetic errors in:
 - (i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or
 - (ii) the summation of the prices.
- C.3.9.3 Notify the tenderer of all errors or omissions that are identified in the tender offer and either confirm the tender offer as tendered or accept the corrected total of prices.
- C.3.9.4 Where the tenderer elects to confirm the tender offer as tendered, correct the errors as follows:
 - a) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
 - b) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.

C.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

C.3.11 Evaluation of tender offers

The Standard Conditions of Tender standardize the procurement processes, methods and procedures from the time that tenders are invited to the time that a contract is awarded. They are generic in nature and are made project specific through choices that are made in developing the Tender Data associated with a specific project.

Conditions of tender are by definition the document that establishes a tenderer's obligations in submitting a tender and the employer's undertakings in soliciting and evaluating tender offers. Such conditions establish the rules from the time a tender is advertised to the time that a contract is awarded and require employers to conduct the process of offer and acceptance in terms of a set of standard procedures.

The CIDB Standard Conditions of Tender are based on a procurement system that satisfies the following system requirements:		
Requirement	Qualitative interpretation of goal	
Fair	The process of offer and acceptance is conducted impartially without bias, providing simultaneous and timely access to participating parties to the same information.	
Equitable	Terms and conditions for performing the work do not unfairly prejudice the interests of the parties.	
Transparent	The only grounds for not awarding a contract to a tenderer who satisfies all requirements are restrictions from doing business with the employer, lack of capability or capacity, legal impediments and conflicts of interest.	
Competitive	The system provides for appropriate levels of competition to ensure cost effective and best value	

outcomes.
The processes, procedures and methods are standardized with sufficient flexibility to attain best value outcomes in respect of quality, timing and price, and least resources to effectively manage and control procurement processes.

The activities associated with evaluating tender offers are as follows:

- a) Open and record tender offers received
- b) Determine whether or not tender offers are complete
- c) Determine whether or not tender offers are responsive
- d) Evaluate tender offers
- e) Determine if there are any grounds for disqualification
- f) Determine acceptability of preferred tenderer
- g) Prepare a tender evaluation report
- h) Confirm the recommendation contained in the tender evaluation report

C.3.11.1 General

The employer must appoint an evaluation panel of not less than three persons conversant with the proposed scope of works to evaluate each responsive tender offer using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the tender data.

C.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

C.3.13 Acceptance of tender offer

Accept the tender offer; if in the opinion of the employer, it does not present any risk and only if the tenderer: a) is not under restrictions, or has principals who are under restrictions, preventing participating in the employer's

 a) is not under restrictions, or has principals who are under restrictions, preventing participating in the employer' procurement;

- b) can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel, to perform the contract;
- c) has the legal capacity to enter into the contract;
- d) is not; insolvent, in receivership, under Business Rescue as provided for in chapter 6 of the Companies Act No. 2008, bankrupt or being wound up, has his/her affairs administered by a court or a judicial officer, has suspended his/her business activities or is subject to legal proceedings in respect of any of the foregoing;
- e) complies with the legal requirements, if any, stated in the tender data; and
- f) is able, in the opinion of the employer, to perform the contract free of conflicts of interest.

C.3.14 Prepare contract documents

- C.3.14.1 If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the tender documents to take account of:
 - a) addenda issued during the tender period,
 - b) inclusion of some of the returnable documents and
 - c) other revisions agreed between the employer and the successful tenderer.
- C.3.14.2 Complete the schedule of deviations attached to the form of offer and acceptance, if any.

C.3.15 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

C.3.16 Registration of the award

An employer must, within twenty-one (21) working days from the date on which a contractor's offer to perform a construction works contract is accepted in writing by the employer, register and publish the award on the cidb Register of Projects.

C.3.17 Provide copies of the contracts

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

C.3.18 Provide written reasons for actions taken

Provide upon request written reasons to Tenders for any action that is taken in applying these conditions of tender but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of Tenders or might prejudice fair competition between Tenders.

---00000---

C1.2 Contract Data

C1.2 : CONTRACT DATA : JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL	
REQUEST FOR QUOTATION No:	2025/05/1165	

The Conditions of Contract are clauses 1 to 42 of the **JBCC** series 2000 **Principal Building Agreement** (Edition 4.1 of March 2005) prepared by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained from the Association of South African Quantity Surveyors, Master Builders Association, South African Association of Consulting Engineers, South African Institute of Architects, Association of Construction Project Managers, Building Industries Federation South Africa, South African Property Owners Association or Specialist Engineering Contractors Committee.

CONTRACT VARIABLES

THE SCHEDULE

The **schedule** contains all the variables referred to in this document and is divided into part 1: contract data completed by the **employer** and part 2: contract data completed by the **contractor.** Part 1 must be completed in full and included in the Tender documents. Both part 1 and part 2 form part of this **agreement.**

Spaces requiring information must be filled in, shown as "**not applicable**" or deleted but not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross referenced to the applicable clause of the **schedule**. Key cross reference clauses are italicised in [] brackets.

42.0 PART 1: CONTRACT DATA PROVIDED BY THE EMPLOYER

42.1	CONTRACTING AND OTHER PARTIES
42.1.1	Employer: Eastern Cape Province Department of Education Postal address: Private Bag X0032 BHISHO 5605
[1.2]	Tel: 040 608 4335 Fax: 040 – 602 7272 Physical address: Steve Tshwete Building Zone 6 Zwelitsha

40.4.0		
42.1.2 [1.1, 5.1]	Principal Agent: XXX	
[1.1, 0.1]	Tel: Fax:	
42.1.3	Agent (1) - XXX	
[1.1, 5.2]	Agent's service:	
	Postal address:	
	Tel: Fax:	
42.1.4 [1.1, 5.2]	Agent (2) - XXX	
[, 0.2]	Agent's service:	
	Postal address:	
40.4.5	Tel: Fax:	
42.1.5 [1.1, 5.2]	Agent (3) - XXX	
	Agent's service:	
	Postal address:	
42.1.6	Tel: Fax: Agent (4) - XXX	
[1.1, 5.2]		
	Agent's service:	
	Postal address:	
	Tel: Fax:	
42.2	CONTRACT DETAILS	
42.2.1	Works description: Refer to document C3.1 – Scope of Work.	
[1.1]	Site description: Refer to document C4 – Site Information.	
[1.1]		
42.2.4 [41.0]	Specific options that are applicable to a State organ only Where so:	
[31.1 #] [31.11.2 #]	1) Interest rate legislation:(a) in respect of interest owed by the employer, the interest rate as determined by the	
[31.12.2#]	Minister of Justice and Constitutional Development from time to time, in terms of section 1(2) of the Prescribed Rate of Interest Act, 1975 (Act No. 55 of 1975), will apply;	
	and	
	(b) in respect of interest owed to the employer , the interest rate as determined by the	
	Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply	
[11.2.#]		
[11.4.#]	35	

	2) Lateral support insurance to be effected by the contractor :	Yes ☐ No ⊠			
[31.4.2 #]	3) Payment will be made for materials and goods on site: Under no circumstance will deposits due by the contractor to any supplier or subcontractor for materials or equipment be paid prior to the delivery to site thereof, after which it will be regarded as materials and goods on site.	Yes ⊠ No □			
[40.2.2.#]	4) Dispute resolution by adjudication:	Yes ⊠ No □			
[26.1.2 #]	5) Extended defects liability period is applicable to the following elements: - all civil works such as roads, parking areas, stormwater & soil drainage - all work done under electrical subcontracts - all work done under mechanical subcontracts				
42.2.6 [15.3]	Period for the commencement of the works after the contractor takes site : Five (5) working days.	kes possession of the			
42.2.7 [24.3.1] [30.1]	For the works as a whole: The date for practical completion shall be THREE (03) Months (incholidays, but excluding the annual builders' shutdown period) from tof the site is given to the contractor and the penalty per calendar day shall be 5.75c per R100 of the co	he date that possession			
42.2.9 [1.2]	The law applicable to this agreement shall be that of the: Republic	of South Africa			
42.3	INSURANCES				
	Contract works insurance to be effected by the contractor In the minimum value of the contract sum plus 20% With a deductible not exceeding 5% of each and every claim				
42.3.1 [10.1 #, 10.2 #, 12.1 #]	☐ To the minimum value of the contract sum plus 20%				
[10.1 #, 10.2 #,	☐ To the minimum value of the contract sum plus 20%				
[10.1 #, 10.2 #, 12.1 #] 42.3.2 [10.1#, 10.2 #, 12.1 #]					
[10.1 #, 10.2 #, 12.1 #] 42.3.2 [10.1#, 10.2 #, 12.1 #]	∑ To the minimum value of the contract sum plus 20% With a deductible not exceeding 5% of each and every claim Supplementary insurance is required: Yes To the minimum value of the contract sum plus 20 %				
[10.1 #, 10.2 #, 12.1 #] 42.3.2 [10.1#, 10.2 #, 12.1 #] 42.3.3 [11.1#,	 ☑ To the minimum value of the contract sum plus 20% With a deductible not exceeding 5% of each and every claim Supplementary insurance is required: Yes To the minimum value of the contract sum plus 20 % Public liability insurance to be effected by the contractor 				
[10.1 #, 10.2 #, 12.1 #] 42.3.2 [10.1#, 10.2 #, 12.1 #] 42.3.3 [11.1#,	 ☑ To the minimum value of the contract sum plus 20% With a deductible not exceeding 5% of each and every claim Supplementary insurance is required: Yes To the minimum value of the contract sum plus 20 % Public liability insurance to be effected by the contractor ☑ For the sum of R 5 million 				
[10.1 #, 10.2 #, 12.1 #] 42.3.2 [10.1#, 10.2 #, 12.1 #] 42.3.3 [11.1#, 12.1 #]	 ☑ To the minimum value of the contract sum plus 20% With a deductible not exceeding 5% of each and every claim Supplementary insurance is required: Yes To the minimum value of the contract sum plus 20 % Public liability insurance to be effected by the contractor ☑ For the sum of R 5 million With a deductible not exceeding 5% of each and every claim Support insurance to be effected by the contractor: 				
[10.1 #, 10.2 #, 12.1 #] 42.3.2 [10.1#, 10.2 #, 12.1 #] 42.3.3 [11.1#, 12.1 #]	 ☑ To the minimum value of the contract sum plus 20% With a deductible not exceeding 5% of each and every claim Supplementary insurance is required: Yes To the minimum value of the contract sum plus 20 % Public liability insurance to be effected by the contractor ☑ For the sum of R 5 million With a deductible not exceeding 5% of each and every claim Support insurance to be effected by the contractor: Not Applicable 	contractor free of			
[10.1 #, 10.2 #, 12.1 #] 42.3.2 [10.1#, 10.2 #, 12.1 #] 42.3.3 [11.1#, 12.1 #] 42.3.4 [11.2 #, 12.1 #]	 ☑ To the minimum value of the contract sum plus 20% With a deductible not exceeding 5% of each and every claim Supplementary insurance is required: Yes To the minimum value of the contract sum plus 20 % Public liability insurance to be effected by the contractor ☑ For the sum of R 5 million With a deductible not exceeding 5% of each and every claim Support insurance to be effected by the contractor: Not Applicable DOCUMENTS Three (3) copies of the construction documents will be supplied to the contractor. 	in accordance with:			

42.4.5 [3.4]	JBCC Engineering General Conditions are to be included in the contract documents: No			
42.4.6 [31.5.3]	The contract value is to be adjusted using CPAP indices: Yes □ No ⊠			
[32.13]	Where CPAP is applicable, the contract sum will be adjusted in accordance with the JBCC Contract Price Adjustment Provisions (CPAP) as set out in the CPAP Indices Application Manual as prepared by the JBCC Series 2000, code 2118, dated May 2005 and any amendments thereto:			
	1) Glass etc. measured in specialist section Metalwork, will be adjusted in terms of the index for that work group unless specifically stated otherwise in the bills of quantities			
	2) All electrical installations in buildings and power distribution systems shall be adjusted in terms of the index for Work Group 160 Electrical Installation. In case of uninterruptible power supplies, elevators, escalators and hoists, generating sets, motor-alternator sets and intercommunication systems shall be in accordance with Work Group 170			
	3) With reference to Work Group 190 a proportion of the value related preliminaries pro rata to the amount of work excluded from adjustment, shall be excluded from Contract Price Adjustment Provisions, if Option A has been selected for the adjustment of preliminaries			
	4) Further to clause 3.4.4 of the CPAP Indices Application Manual, the listing of additional items for exclusion by Tenders, will not be permitted			
	5) Where V results in a negative amount after application of the formula in clause 8.3 of the CPAP Indices Application Manual the factor of 0,55 shall be substituted by 1,45			
	Alternative Indices: Not Applicable			
42.4.7	Details of changes made to the provisions of JBCC standard documentation			
[3.10]	Clause 1.1			
	COMMENCEMENT DATE – means the date that the agreement, made in terms of the Offer and Acceptance, comes into effect.			
	CONSTRUCTION GUARANTEE – means a guarantee at call obtained by the contractor from an institution approved by the employer in terms of the employer's construction guarantee form as selected in the schedule.			
	CONSTRUCTION PERIOD – means the period commencing on the date that possession of the site is given to the contractor and ending on the date of practical completion.			
	CORRUPT PRACTICE – means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.			
	FRAUDULENT PRACTICE – means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any Tender, and includes collusive practice among Tenders (prior to and after the Tender submission) designed to establish Tender prices at artificial non-competitive levels and to deprive the Tender of the benefits of free and open competition.			
	 INTEREST – the interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be in terms of the legislation of the Republic of South Africa, and in particular: (a) in respect of interest owed by the employer, the interest rate as determined by the Minister of Justice and Constitutional Development from time to time, in terms of section 1(2) of the Prescribed Rate of Interest Act, 1975 (Act No. 55 of 1975), will apply; and 			
	(b) in respect of interest owed to the employer , the interest rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply			

SECURITY – means the form of **security** provided by the **employer** or **contractor**, as stated in the **schedule**, from which the **contractor** or **employer** may recover expenses or loss.

- 1.6 Any notice given may be delivered by hand, sent by prepaid registered post or telefax. Notice shall be presumed to have been given when:
- 1.6.4 No clause
- 3.2.1 A **construction guarantee** in terms of 14.0, where so elected in his RFQ.
- 3.7 Add at the end thereof:

The **contractor** shall supply and keep a copy of the **JBCC** Series 2000 Principal Building Agreement and Preliminaries applicable to this contract on the **site**, to which the **employer**, **principal agent** and **agents** shall have access to at all times.

- 3.10 Replace the second reference to "principal agent" with the word "employer"
- 4.3 No clause
- 5.1.2 under clause 41- Include reference to 32.6.3; 34.3 and 34.4 in terms of which the employer has retained its authority and has not given a mandate to the **principal agent** and in terms of which the employer shall sign all documents
- 10.5 Add the following as 10.5

Damage to the works

- a) Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary
- b) The contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works
- c) The **employer** shall carry the risk of damage to or destruction of the **works** and materials paid for by the **employer** that is the result of the excepted risks as set out in 10.6
- d) Where the **employer** bears the risk in terms of this contract, the **contractor** shall, if requested to do so, reinstate any damage or destroyed portions of the **works** and the costs of such reinstatement shall be measured and valued in terms of 32.0 hereof
- 10.6 Add the following as 10.6

Injury to Persons or loss of or damage to Properties

- a) The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the works unless due to any act or neglect of any person for whose actions the employer is legally liable
- b) The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable, or immovable or personal property or property contiguous to the site, whether belonging to or under the control of the employer or any other body or person, arising out of or in the course of or by reason of the execution of the works unless due to any act or neglect of any person for whose actions the employer is legally liable

- c) The contractor shall upon receiving a contract instruction from the principal agent cause the same to be made good in a perfect and workmanlike manner at his own cost and in default thereof the employer shall be entitled to cause it to be made good and to recover the cost thereof from the contractor or to deduct the same from amounts due to the contractor.
- d) The **contractor** shall be responsible for the protection and safety of such portions of the premises placed under his control by the **employer** for the purpose of executing the **works** until the issue of the **certificate of practical completion.**
- e) Where the execution of the **works** involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the **contractor**, shall and will remain adequately insured or insured against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the **works** has been completed
- f) The **contractor** shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the **works**

10.7 Add the following as 10.7

HIGH RISK INSURANCE

In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject to highly unstable subsurface conditions that might result in catastrophic ground movement evident by sinkhole or doline formation the following will apply:

10.7.1 Damage to the works

The **contractor** shall, from the **commencement date** of the **works** until the date of the **certificate of practical completion**, bear the full risk of and hereby indemnifies and holds harmless the **employer** against any damage to and/or destruction of the **works** consequent upon a catastrophic ground movement as mentioned above. The **contractor s**hall take such precautions and **security** measures and other steps for the protection of the **works** as he may deem necessary

When so instructed to do so by the **principal agent**, the **contractor** shall proceed immediately to remove and/or dispose of any debris arising from damage to or destruction of the **works** and to rebuild, restore, replace and/or repair the **works**, at the **contractor's** own costs

10.7.2 Injury to persons or loss of or damage to property

The **contractor** shall be liable for and hereby indemnifies and holds harmless the **employer** against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of or caused by a catastrophic ground movement as mentioned above

The **contractor** shall be liable for and hereby indemnifies the **employer** against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable, or immovable or personal property or property contiguous to the site, whether belonging to or under the control of the **employer** or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract

10.7.3 It is the responsibility of the contractor to ensure that he has adequate insurance to cover his risk and liability as mentioned in 10.7.1 and 10.7.2. Without limiting the contractor's obligations in terms of the contract, the contractor shall, within twenty one (21) calendar days of the commencement date but before commencement of the works, submit to the employer proof of such insurance policy, if requested to do so

- 10.7.4 The employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be recovered from the contractor or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered one indivisible whole
- 14.0 Replace the entire clause 14.0 with the following:

14.0 **SECURITY**

- 14.1 In respect of contracts with a **contract sum** up to R1 million, the **security** to be submitted by the **contractor** to the **employer** will be as a payment reduction of five percent (5%) of the value certified in the **payment certificate** (excluding VAT)
- 14.1.1 The payment reduction of the value certified in a **payment certificate** shall be mutatis mutandi in terms of 31.8(A)
- 14.1.2 The **employer** shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the **employer** complies with the provisions of 33.4 in which event the **employer's** entitlement shall take precedence over his obligations to refund the payment reduction **security** or portions thereof to the **contractor**
- In respect of contracts with a **contract sum** above R1 million, the **contractor** shall have the right to select the **security** to be provided in terms of 14.3, 14.4, 14.5, 14.6, or 14.7 as stated in the schedule. Such **security** shall be provided to the **employer** within fourteen (14) calendar days from **commencement date**. Should the **contractor** fail to select the **security** to be provided or should the **contractor** fail to provide the **employer** with the selected **security** within fourteen (14) calendar days from **commencement date**, the **security** in terms of 14.7 shall be deemed to have been selected.
- 14.3 Where the **security** as a cash deposit of ten percent (10%) of the **contract sum** (excluding VAT) has been selected:
- 14.3.1 The **contractor** shall furnish the **employer** with a cash deposit equal in value to ten percent (10%) of the **contract sum** (excluding VAT) within fourteen (14) calendar days from **commencement date**
- 14.3.2 Within fourteen (14) calendar days of the date of **practical completion** of the **works** the **employer** shall reduce the cash deposit to an amount equal to three percent (3%) of the contract value (excluding VAT), and refund the balance to the **contractor**
- 14.3.3 Within fourteen (14) calendar days of the date of **final completion** of the **works** the **employer** shall reduce the cash deposit to an amount equal to one percent (1%) of the contract value (excluding VAT) and refund the balance to the **contractor**
- 14.3.4 On the date of payment of the amount in the final **payment certificate**, the **employer** shall refund the remainder of the cash deposit to the **contractor**
- 14.3.5 The **employer** shall be entitled to recover expense and loss from the cash deposit in terms of 33.0 provided that the **employer** complies with the provisions of 33.4 in which event the **employer's** entitlement shall take precedence over his obligations to refund the cash deposit **security** or portions thereof to the **contractor**
- 14.3.6 The parties expressly agree that neither the **employer** nor the **contractor** shall be entitled to cede the rights to the deposit to any third party
- 14.4 Where **security** as a variable **construction guarantee** of ten percent (10%) of the **contract sum** (excluding VAT) has been selected: **NOT APPLICABLE**

- 14.4.1 The **contractor** shall furnish the **employer** with an acceptable variable **construction guarantee** equal in value to ten percent (10%) of the **contract sum** (excluding VAT) within fourteen (14) calendar days from **commencement date**
- 14.4.2 The variable **construction guarantee** shall reduce and expire in terms of the Variable **Construction guarantee** form included in the invitation to Tender
- 14.4.3 The **employer** shall return the variable **construction guarantee** to the **contractor** within fourteen (14) calendar days of it expiring
- 14.4.4 Where the **employer** has a right of recovery against the **contractor** in terms of 33.0, the **employer** shall issue a written demand in terms of the variable **construction guarantee**
- Where **security** as a fixed **construction guarantee** of five percent (5%) of the **contract sum** (excluding VAT) and a five percent (5%) payment reduction of the value certified in the **payment certificate** (excluding VAT) has been selected:
- 14.5.1 The **contractor** shall furnish a fixed **construction guarantee** to the **employer** equal in value to five percent (5%) of the **contract sum** (excluding VAT) within fourteen (14) calendar days from **commencement date**
- 14.5.2 The fixed **construction guarantee** shall come into force on the date of issue and shall expire on the date of the last **certificate of practical completion**
- 14.5.3 The **employer** shall return the fixed **construction guarantee** to the **contractor** within fourteen (14) calendar days of it expiring
- 14.5.4 The payment reduction of the value certified in a **payment certificate** shall be in terms of 31.8(A) and 34.8
- 14.5.5 Where the **employer** has a right of recovery against the **contractor** in terms of 33.0, the **employer** shall be entitled to issue a written demand in terms of the fixed **construction guarantee** or may recover from the payment reduction or may do both
- Where **security** as a cash deposit of five percent (5%) of the **contract sum** (excluding VAT) and a payment reduction of five percent (5%) of the value certified in the **payment certificate** (excluding VAT) has been selected:
- 14.6.1 The **contractor** shall furnish the **employer** with a cash deposit equal in value to five percent (5%) of the **contract sum** (excluding VAT) within fourteen (14) calendar days from **commencement date**
- 14.6.2 Within twenty-one (21) calendar days of the date of **practical completion** of the **works** the **employer** shall refund the cash deposit in total to the **contractor**
- 14.6.3 The payment reduction of the value certified in a **payment certificate** shall be mutatis mutandi in terms of 31.8(A)
- 14.6.4 Where the **employer** has a right of recovery against the **contractor** in terms of 33.0, the **employer** may issue a written notice in terms of 33.4 or may recover from the payment reduction or may do both
- 14.7 Where **security** as a payment reduction of ten percent (10%) of the value certified in the **payment certificate** (excluding VAT) has been selected:
- 14.7.1 The payment reduction of the value certified in a **payment certificate** shall be mutatis mutandi in terms of 31.8(B)
- 14.7.2 The **employer** shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the **employer** complies with the provisions of 33.4 in which event the **employer's** entitlement shall take precedence over his obligations to refund the payment reduction or portions thereof to the **contractor**

- 14.8 Payments made by the guarantor to the **employer** in terms of the fixed or variable **construction guarantee** shall not prejudice the rights of the **employer** or **contractor** in terms of this agreement
- 14.9 Should the **contractor** fail to furnish the **security** in terms of 14.2 the **employer**, in his sole discretion, and without notification to the **contractor**, is entitled to change the **contractor's** selected form of **security** to that of a ten percent (10%) payment reduction of the value certified in the **payment certificate** (excluding VAT), whereafter 14.7 shall be applicable
- 15.1.1 No clause
- 15.1.4 Add 15.1.4 as follows:

An acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), within fourteen (14) calendar days of **commencement date.**

The abovementioned plan shall also address all additional requirements with regard to the Coronavirus pandemic in terms of all Covid-19 legislation, regulations and guidelines as an additional safe work procedure on site.

15.2.1 Under 41: Amend to read as follows:

"Give the **contractor** possession of the site within five (5) working days of the **contractor** complying with the terms of 15.1.2 and 15.1.4

- 17.1.11 Delete the words "and the appointment of nominated and selected subcontractors"
- 20.1.3 No clause
- 21.0 No clause
- 29.2.5 No clause
- 31.5.2 Security adjustments in terms of 14.0 and 31.8
- 31.1.4 Add 15.1.4 as follows:
- 31.6 The value of materials and goods in terms of 31.4.2 shall be included in the value certified only where, to the satisfaction of the principal agent, the materials and goods are:
- 31.6.5 Add 31.6.5 as follows:

Covered by an advance payment guarantee or such other security as may be accepted by the employer where stored off the site. Standard JBCC Guarantee wording would be applicable.

- 31.8 Amend as follows:
- 31.8(A) Where a **security** is selected in terms of 14.1; 14.5 or 14.6, the value of the **works** in terms of 31.4.1 and of the **materials and goods** in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage adjustments:
- 31.8(A).1 Ninety-five percent (95%) of such value in interim **payment certificates** issued up to the date of **practical completion**
- 31.8.(A).2 Ninety-seven percent (97%) of such value in interim **payment** certificates issued on the date of **practical completion** and up to but excluding the date of **final completion**
- 31.8(A).3 Ninety-nine percent (99%) of such value in interim **payment certificates** issued on the date of **final completion** and up to but excluding the final **payment certificate** in terms of 34.6

31.8(A).	.4	One hundred percent (100%) of such value in the final payment certificate in terms of 34.6 except where the amount certified is in favour of the employer . In such an event the payment reduction shall remain at the adjustment level applicable to the final payment certificate .
31.8(B)		Where security is a payment reduction in term of 14.7 has been selected the value of the works in terms of 31.4.1 and materials and goods in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage adjustments:
31.8(B).	.1	Ninety percent (90%) of such value in interim payment certificates issued up to the date of practical completion
31.8(B).	.2	Ninety-seven percent (97%) of such value in interim payment certificates issued on the date of practical completion and up to but excluding the date of final completion
31.8(B).	.3	Ninety-nine percent (99%) of such value in interim payment certificates issued on the date of final completion and up to but excluding the final payment certificate in terms of 34.6
31.8(B).	.4	One hundred percent (100%) of such value in the final payment certificate in terms of 34.6 except were the amount certified is in favour of the employer . In such an event the payment reduction shall remain at the adjustment level applicable to the final payment certificate
31.9	Contra shall I tax cle	ce "twenty-one (21) calendar days" with "thirty (30) calendar days". Should the actor's tax clearance certificate expire during the contract period, the Employer be entitled to withhold payment without incurring any liability for interest, until a valid earance certificate is submitted to the Employer, at which point, upon that date, the 30) day period for due date of payment of the invoice shall commence.
31.12		e the following: "Payment shall be subject to the employer giving the actor a tax invoice for the amount due."
32.5.1 32.5.4 and 32.5.7		he following to the end of each of these clauses: "due to no fault of the actor"
32.12	Repla	ace "contractor" with "employer"
33.2	Add tl	ne following clauses 33.2.9 to 33.2.13:
33.2.9		ontractor's failure or neglect to commence with the works on the dates cribed in the contract
33.2.10	the co	ontractor's failure or neglect to proceed with the works in terms of the act
33.2.11		ontractor's failure or neglect for any reason to complete the works in dance with the contract
33.2.12		contractor's refusal or neglect to comply strictly with any of the conditions of act or any contract instructions and/or orders in writing given in terms of the act
33.2.13		ontractor's estate being sequestrated, liquidated or surrendered in terms of solvency laws in force within the Republic of South Africa
34.13	"subje	ace "seven (7) calendar days" with "thirty (30) calendar days" and delete the words: ect to the employer giving the contractor a tax invoice for the amount due" er PPPFA
 		1 0

	36.3 Remove reference to "No clause", and replace "principal agent" with "employer"
	36.7 Add the following: "Notwithstanding any clause to the contrary, on cancellation of this 37.5 this agreement either by the employer or the contractor ; or for any reason whatsoever and whatsoever, the contractor shall on written instruction, discontinue with the works on a 38.7 date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever"
	37.3.5 Replace "ninety (90)" with "one hundred and twenty (120) and 38.5.4
	39.3.5 Add the following words at the end thereof: :"within one hundred and twenty (120) working days of completion of such report"
	40.2.2 under clause 41 – Replace "one (1) year" with "three (3) years"
	40.6 under clause 41 – Remove reference to no clause
	40.7.1 Change "(10)" to "(15)"
	Add the following to the end thereof:
	Whether or not mediation resolves the dispute, the parties shall bear their own costs concerning the mediation and equally share the costs of the mediator and related costs.
42.0	PART 2: CONTRACT DATA PROVIDED BY THE CONTRACTOR
42.0.1	The successful contractor must have a built environment professional on his staff or he must employ one for the duration of the contract.
42.0.2	All RFQs shall remain valid for a period of one hundred and twenty (120) calendar days after the REQUEST FOR QUOTATION closing date.
42.0.3	The successful Tender will be required to submit an Approved Health and Safety File within fourteen (14) calendar days upon receipt of the letter of award.
42.0.4	The successful Tender will be required to submit a letter of good standing from the compensation commission or FEMA within fourteen (14) calendar days upon receipt of the letter of award.
42.0.5	The successful Tender will be required to submit a construction program and contractor's cash flow within twenty one (21) calendar days upon receipt of the letter of award.
42.0.6	At least thirty percent (30%) of the total labour force employed during the execution of the works , shall be from the local community.
42.0.7	Labour rates to be in line with National Minimum Wage Act.
	POST-RFQ INFORMATION
42.5	CONTRACT DETAILS
42.5.1	Contractor:
	Postal address:

	Tel: E-mail:				
	TAX / VAT Registration No:				
	Physical address:				
42.5.2	The accepted contract sum inclusive of tax is				
	R				
	Amount in words:				
42.5.3 [31.3]	The latest day of the month for the issue of an interim payment certificate :				
42.5.4 [32.12]	The preliminaries amounts shall be paid in terms of: Alternative A 🖂 Alternative	ative B 🗌			
42.5.5 [32.12]	The preliminaries amounts shall be adjusted in terms of: Alternative A 🖂 Alt	ernative B 🗌			
42.5.7 [14]	The security to be provided by the contractor :				
[]	(a) in respect of contracts up to R1 million, the contractor will provide secur	ity in terms of 14.1			
	(b) in respect of contracts above R1 million, the contractor will provide, as s following:	ecurity, one of the			
	(1) cash deposit of 10% of the contract sum (excluding VAT)	Yes No			
	(2) payment reduction of 10% of the value certified in the payment certificate (excluding VAT)	Yes No			
	(3) cash deposit of 5% of the contract sum (excluding VAT) and a payment reduction of 5% of the value certified in the payment certificate (excluding VAT)	Yes No			
	(4) fixed construction guarantee of 5% of the contract sum (excluding VAT) and a payment reduction of 5% of the value certified in the payment certificate (excluding VAT)	Yes No No			
	NB: Guarantees submitted must be issued by either an insurance compain terms of the Short-Term Insurance Act, 1998 (Act 35 of 1998) or by a bin terms of the Banks Act, 1990 (Act 94 of 1990) on the pro-forma referre alterations or amendments of the wording of the pro-forma will be accept	oank duly registered d to above. No oted.			
42.5.8 [29.7.2]	The annual building holiday period after the commencement of the construction from to	on period:			

	OCUMENTS		
.1 <u>C</u>	ontract documents marked a	and annexed hereto:	
F	Priced bills of quantities:	Yes 🗌 No 🗌	Document marked as
L	_ump sum document:	Yes 🗌 No 🗌	Document marked as
	Guarantees:	Yes No No	Document marked as
	Contract drawings:	Yes 🗌 No 🗌	Document marked as
	Other documents	Yes 🗌 No 🗌	(attach additional pages if more space is required
I			
	SIGNATURES OF THE	CONTRACTING PA	ARTIES
	Thus done and signed a		
	Thus done and signed a		on
	Thus done and signed a		for and behalf of the Employer who by signature hereof warrants
	Thus done and signed a	nt	for and behalf of the Employer who by signature hereof warrants authorization hereto
	Thus done and signed a Name of signatory Capacity of signatory Thus done and signed a	nt	for and behalf of the Employer who by signature hereof warrants authorization hereto as Witness on
	Thus done and signed a Name of signatory Capacity of signatory Thus done and signed a Name of signatory	nt	for and behalf of the Employer who by signature hereof warrants authorization hereto
	Thus done and signed a Name of signatory Capacity of signatory Thus done and signed a	nt	for and behalf of the Employer who by signature hereof warrants authorization hereto as Witness on for and behalf of the Contractor who by signature hereof warrants

C1.3 Form of Guarantee

C 1.3.1: FIXED CONSTRUCTION GUARANTEE - JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

	(here	einafter referred to as the
REQI	(here tractor") and the Eastern Cape Department of Education (hereinafter DUEST FOR QUOTATION No: 2025/05/1165 for the APPOINTMENT OF MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL (hereinafter	A CONTRACTOR FOR REPAIRS
	in the amount of R, (
) (amount in words)
	(hereinafter referred to as the contract sum excluding VAT.)	
	I/We,	
	in my/our capacity as	and hereby
	representing	(hereinafter
	referred to as the guarantor") advise that the guarantor hold at the	employer's disposal the sum of
	R ()
	(amount in words) being 5% of the contract sum (excluding VAT), fo	or the due fulfilment of the contract.

- 2. The **guarantor** hereby renounces the benefits of the exceptions non numeratae pecunia, non causa debiti; excussionis et divisionis; and all other exceptions which could be pleaded against the enforcement of this guarantee, with the meaning and effect whereof i/we declare myself/ourselves to be conversant, and undertake to pay the **employer** the amount guaranteed, during the period when the claim is received by the **guarantor**, on receipt of a written demand from the **employer** to do so, and which demand the **employer** may make if the **employer** has a right of recovery against the **contractor** in terms of 33.0 of the contract.
- 3. Subject to the above, but without in any way detracting from the **employer's** rights to adopt any of the procedures provided for in the contract, the said demand can be made by the **employer**, at any stage prior to the expiry of this guarantee.
- 4. The amount paid by the **guarantor** in terms of this guarantee may be retained by the **employer** on condition that upon the issue of the last final **payment certificate**, the **employer** shall account to the **guarantor** showing how this amount has been expended and refund any balance due to the **guarantor**.
- 5. The **employer** shall have the absolute right to arrange his affairs with the **contractor** in any manner which the **employer** deems fit and the **guarantor** shall not have the right to claim his release on account of any conduct alleged to be prejudicial to the **guarantor**. Without derogating from the aforegoing, any compromise, extension of the **construction period**, indulgence, release or variation of the **contractor's** obligation shall not affect the validity of this guarantee.
- 6. This undertaking is neither negotiable nor transferable, and
 - a) must be surrendered to the **guarantor** at the time when the **employer** accounts to the **guarantor** in terms of clause 4 above, or
 - b) shall lapse on the date of the last certificate of practical completion; and
 - c) shall not be interpreted as extending the **guarantor's** liability to anything more than payment of the amount guaranteed.

SIGNED	AT	ON THIS	DAY OF	20
AS WITN	NESS			
1				
2				
By and o	on behalf of			
(insert tl	he name and physical a	ddress of the guaranto	r)	
NAME: _				
CAPACI (duly aut	TY:horized thereto by resolu	tion attached marked An	nexure A)	
DATE: _				
A.	No alterations and/or	additions of the wording	of this form will be accep	eted.
B.			e clearly indicated and wi ses arising from this guar	ll be regarded as the guarantor's antee.
C.	This GUARANTEE m			

Part 3: Returnable Schedules/Documents

T2.1 List of Returnable Documents

2.1: LIST OF RETURNABLE DOCUMENTS

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL		
Principal Agent:	Eastern Cape Province Department of Education	RFQ No:	2025/05/1165

RETURNABLE DOCUMENTS REQUIRED FOR TENDEER EVALUATION PURPOSES (Insert a tick in the "Returnable document" column to indicate which documents must be returned with the RFQ)

RFQ Document Name	Number of pages issued	Returnable Document
Declaration of Interest (SBD4)	3 Pages	⊠ Yes □ No
Preference points claim form in terms of Preferential Procurement Regulations 2022 (SBD 6.1)	6 Pages	⊠ Yes □ No
Certificate of Authority for Signatory (T2.2.1)	1 Page	⊠ Yes □ No
Certificate of Authority for Joint Ventures (T2.2.2) (if applicable)	1 Page	⊠ Yes □ No
Schedule of Proposed Subcontractors (T2.2.3)	1 Page	☐ Yes ☒ No
Final Summary Page of Bills of Quantities (C1.1a)	1 Page	⊠Yes □ No
Completed Project Reference Forms (T2.2.13)	6 Pages	☐Yes ⊠ No

2. OTHER DOCUMENTS REQUIRED FOR REQUEST FOR QUOTATION EVALUATION PURPOSES

RFQ Document Name	Number of pages issued	Returnable Document
Site Inspection Certificate (T2.2.4)	1 Page	☐ Yes ☒ No
Capacity of the Tender (T2.2.6)	1 Page	⊠ Yes □ No
Relevant Project Experience - Completed Projects (T2.2.7)	1 Page	☐ Yes ⊠ No
Relevant Project Experience - Current Projects (T2.2.8)	1 Page	☐ Yes ⊠ No
CIDB Grading Certificate (T2.2.11)	1 Page	⊠ Yes □ No
Letter of Good Standing from Compensation Fund (T2.2.12)	1 Page	⊠ Yes □ No
Proof of Locality of Head Office (T2.2.12)	1 Page	⊠ Yes □ No

3. RETURNABLE DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

RFQ Document Name	Number of pages issued	Returnable Document
Record of Addenda to REQUEST FOR QUOTATION Documents (T2.2.5)	1 Page	⊠ Yes □ No
Schedule of Plant and Equipment (T2.2.9)	1 Page	☐ Yes ⊠ No
Compulsory Enterprise Questionnaire (T2.2.10)	1 Page	⊠ Yes □ No

4. OTHER DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

RFQ Document Name	Number of pages issued	Returnable Document
Form of Offer and Acceptance (C1.1)	3 Pages	⊠ Yes □ No
Contract Data (C1.2)	14 Pages	⊠ Yes □ No
Applicable form of Guarantee (C1.3)	4 Pages	☐ Yes ⊠ No
Priced Bills of Quantities including Preliminaries (C2.2)	132 Pages	⊠Yes □ No

T2.2 Returnable schedules

SBD 4: TENDER'S DISCLOSURE

TENDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to RFQ. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the Tender to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the RFQ process.

2	Tan	dor	'n	dec	ara	tion
Z .	1611	uei		ueu	ala	ион

2.3

- 2.1 Is the Tender, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

Do you, or any person connected with the Tender, have a relationship with any person who is employed by the procuring institution? YES/NO
If so, furnish particulars:

Does the Tender or any of its directors / trustees / shareholders / members / partners or

56

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are Tendering for this contract?

YES/NO

2.3.1	If so, furnish particulars:	
3 [CLARATION	
	I, the undersigned, (name)submitting the accompanying RFQ, do hereby make the following statements that I cert to be true and complete in every respect:	

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying RFQ will be disqualified if this disclosure is found not to be true and complete in every respect:
- 3.3 The Tender has arrived at the accompanying RFQ independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive Tendering.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the RFQ, Tendering with the intention not to win the RFQ and conditions or delivery particulars of the products or services to which this RFQ invitation relates.
- 3.5 The terms of the accompanying RFQ have not been, and will not be, disclosed by the Tender, directly or indirectly, to any competitor, prior to the date and time of the official RFQ opening or of the awarding of the contract.
- 3.6 There have been no consultations, communications, agreements or arrangements made by the Tender with any official of the procuring institution in relation to this procurement process prior to and during the Tendering process except to provide clarification on the RFQ submitted where so required by the institution; and the Tender was not involved in the drafting of the specifications or terms of reference for this RFQ.
- 3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to RFQs and contracts, RFQs that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of **5**% contract.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE RFQ OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON ENHANCING COMPLIANCE, TRANSPARENCY AND ACCOUNTABILITY IN SUPPLY CHAIN MANAGEMENT SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of Tender

SBD 5 : The National Industrial Participation Programme

This document must be signed and submitted together with your RFQ

THE NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME

INTRODUCTION

The National Industrial Participation (NIP) Programme, which is applicable to all government procurement contracts that have an imported content, became effective on the 1 September 1996. The NIP policy and guidelines were fully endorsed by Cabinet on 30 April 1997. In terms of the Cabinet decision, all state and parastatal purchases / lease contracts (for goods, works and services) entered into after this date, are subject to the NIP requirements. NIP is obligatory and therefore must be complied with. The Industrial Participation Secretariat (IPS) of the Department of Trade and Industry (DTI) is charged with the responsibility of administering the programme.

1 PILLARS OF PROGRAMME

- 1.1 The NIP obligation is benchmarked on the imported content of the contract. Any contract having an imported content equal to or exceeding US\$ 10 million or other currency equivalent to US\$ 10 million will have a NIP obligation. This threshold of US\$ 10 million can be reached as follows:
 - (a) Any single contract with imported content exceeding US\$10 million.

or

(b) Multiple contracts for the same goods, works or services each with imported content exceeding US\$3 million awarded to one seller over a 2 year period which in total exceeds US\$10 million.

or

(c) A contract with a renewable option clause, where should the option be exercised the total value of the imported content will exceed US\$10 million.

or

- (d) Multiple suppliers of the same goods, works or services under the same contract, where the value of the imported content of each allocation is equal to or exceeds US\$ 3 million worth of goods, works or services to the same government institution, which in total over a two (2) year period exceeds US\$10 million.
- 1.2 The NIP obligation applicable to suppliers in respect of sub-paragraphs 1.1 (a) to 1.1 (c) above will amount to 30 % of the imported content whilst suppliers in respect of paragraph 1.1 (d) shall incur 30% of the total NIP obligation on a *pro-rata* basis.
- 1.3 To satisfy the NIP obligation, the DTI would negotiate and conclude agreements such as investments, joint ventures, sub-contracting, licensee production, export promotion, sourcing arrangements and research and development (R&D) with partners or suppliers.

1.4 A period of seven years has been identified as the time frame within which to discharge the obligation.

2 REQUIREMENTS OF THE DEPARTMENT OF TRADE AND

- 2.1 In order to ensure effective implementation of the programme, successful Tenders (contractors) are required to, immediately after the award of a contract that is in excess of **R10 million** (ten million Rands), submit details of such a contract to the DTI for reporting purposes.
- 2.2 The purpose for reporting details of contracts in excess of the amount of R10 million (ten million Rands) is to cater for multiple contracts for the same goods, works or services; renewable contracts and multiple suppliers for the same goods, works or services under the same contract as provided for in paragraphs 1.1.(b) to 1.1. (d) above.

3 RFQ SUBMISSION AND CONTRACT REPORTING REQUIREMENTS OF TENDERS AND SUCCESSFUL TENDERS (CONTRACTORS)

- 3.1 Tenders are required to sign and submit this Standard Tendering Document (SBD 5) together with the RFQ on the closing date and time.
- 3.2 In order to accommodate multiple contracts for the same goods, works or services; renewable contracts and multiple suppliers for the same goods, works or services under the same contract as indicated in sub-paragraphs 1.1 (b) to 1.1 (d) above and to enable the DTI in determining the NIP obligation, successful Tenders (contractors) are required, immediately after being officially notified about any successful RFQ with a value in excess of R10 million (ten million Rands), to contact and furnish the DTI with the following information:
 - RFQ / contract number.
 - Description of the goods, works or services.
 - Date on which the contract was accepted.
 - Name, address and contact details of the government institution.
 - Value of the contract.
 - Imported content of the contract, if possible.
- The information required in paragraph 3.2 above must be sent to the Department of Trade and Industry, Private Bag X 84, Pretoria, 0001 for the attention of Mr Elias Malapane within five (5) working days after award of the contract. Mr Malapane may be contacted on telephone (012) 394 1401, facsimile (012) 394 2401 or e-mail at Elias@thedti.gov.za for further details about the programme.

4 PROCESS TO SATISFY THE NIP OBLIGATION

- 4.1 Once the successful Tender (contractor) has made contact with and furnished the DTI with the information required, the following steps will be followed:
 - a. the contractor and the DTI will determine the NIP obligation;
 - b. the contractor and the DTI will sign the NIP obligation agreement; 61

- c. the contractor will submit a performance guarantee to the DTI;
- d. the contractor will submit a business concept for consideration and approval by the DTI;
- e. upon approval of the business concept by the DTI, the contractor will submit detailed business plans outlining the business concepts;
- f. the contractor will implement the business plans; and
- g. the contractor will submit bi-annual progress reports on approved plans to the DTI.
- 4.1 The NIP obligation agreement is between the DTI and the successful Tender (contractor) and, therefore, does not involve the purchasing institution.

RFQ number	Closing date:
Name of RFQder Postal address	
Signature	Name (in print)
Date	

Js475wc

SBD 6.1: Preference Points Claim Form

SBD 6.1 PREFERENCE POINTS CLAIM FORM

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of RFQ invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

 $Ps = 80\left(1-rac{Pt-P\,min}{P\,min}
ight)$ or $Ps = 90\left(1-rac{Pt-P\,min}{P\,min}
ight)$

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + rac{Pt - P\,max}{P\,max}
ight)$$
 or $Ps = 90\left(1 + rac{Pt - P\,max}{P\,max}
ight)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Historically disadvantaged individuals	2	4		
Persons with disabilities	1	2		
Promotion of Youth	1	3		
Woman Participation	2	3		
Enterprises located in the Eastern Cape Province	4	8		

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm	
4.4.	Company registration number:	
4.5.	TYPE OF COMPANY/ FIRM	
	 □ Partnership/Joint Venture / Consortium □ One-person business/sole propriety □ Close corporation □ Public Company □ Personal Liability Company □ (Pty) Limited □ Non-Profit Company □ State Owned Company [TICK APPLICABLE BOX] 	

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;

- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	

T2.2.1 Certificate of Authority for Signatory

T2.2.1: CERTIFICATE OF AUTHORITY FOR SIGNATORY

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

NOTE: Tenders can use this form or attach a separate Letter of Authority for Signatory
Signatory for companies shall confirm their authority hereto by attaching a duly signed and dated copy of the relevant resolution of the board of directors to this form on the company's letterhead.
"By resolution of the board of directors passed at a meeting held on
Mr/Ms, whose signature appears below, has been duly authorised to
sign all documents in connection with the Tender for Contract No.
and any Contract which may arise there from on behalf of (Block Capitals)
SIGNED ON BEHALF OF THE COMPANY:
IN HIS/HER CAPACITY AS:
DATE:
SIGNATURE OF SIGNATORY:
WITNESSES:
1 SIGNATURE:
2 SIGNATURE:

T2.2.2 Certificate of Authority for Joint Ventures

T2.2.2: CERTIFICATE OF AUTHORITY FOR JOINT VENTURES

This returnable schedule is to be completed by joint ventures.

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

We, the undersigned, are submitting this REQUEST FOR QUOTATION in Joint Venture and hereby authorise Mr/Ms _____, of the company _____ ____, acting in the capacity of lead partner, to sign all documents in connection with the REQUEST FOR QUOTATION and any contract resulting from it on our behalf. **Duly Authorised Signatory** Name of Firm Address Signature: Lead Partner Name:_____ Designation:____ Signature: Name:_____ Designation:_____ Signature: Name:_____ Designation:_____ Signature: _____ Name:_____

Designation:_____

T2.2.4 Site Inspection Certificate

T2.2.4: SITE INSPECTION CERTIFICATE

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

I/We have visited the site for the above-mentioned works at the date specified below.

I/We have thoroughly studied the site, plans and contract documents and I/We have brought myself/ourselves fully conversant with all aspects which could possibly influence the construction of the works.

I/We further certify that I/We am/are satisfied with the description of the works and the explanation given to me/us by the Representative/Agent at the inspection and I/We fully understand the extent of the work to be done as specified and implied for the execution of this contract.

Date of Inspection:	
Time of Inspection:	
Name of Tenderer	
Signature of Tender	
Signature of Representative/Agent	
Date	

T2.2.5 Record of Addenda to REQUEST FOR QUOTATION Documents

T2.2.5: RECORD OF ADDENDA TO RFQ DOCUMENTS

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2005/05/1165

\\/.	We confirm that the fallowing accomplications are should form the Fig. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.				
QUOTA	ATION offer, amending the RE ATION offer:	nications received from the Employer before the submission of this REQUEST FOR QUEST FOR QUOTATION documents, have been taken into account in this REQUEST FOR			
	Date	Title or Details			
1.					
2.					
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
Attach	additional pages if more space	is required.			
	-				
	Signed	Date			
	Name	Position			
	Tender				

T2.2.6 Capacity of Tender

T2.2.6: CAPACITY OF THE TENDER

ELUXOLWENI PRE-SCHOOL

Project title:

APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT

REQUEST QUOTATION	REQUEST FOR QUOTATION No: 2025/05/1165					
WORK CAPACITY: (The Tender is requested to furnish the following capacity particulars and to attach additional pages if more space is required. Details of project team including CV, qualifications and proof of registration completed for each individual to be provided by Tender. Failure to furnish the particulars may result in the RFQ being disregarded.)						
Artisans and E	Employees	s: (Artisans and Employ	vees to be, or	are, employed for th	nis project)	
Quantity / No. of Resources		es of Employee - Key el (part of Business se)		ofessional istration No.	Date of Employment	
	Site Age	nt				
	Project N	<i>l</i> lanager				
	Foreman	1				
		Control & Safety Construction Cor				
	Artisans					
	Unskilled	d employees				
	Others					
					enterprise, confirms that the content of this of my knowledge both true and correct.	
Signed:			Date:			
Name:			Position:			
Tender:						

T2.2.7	Relevant	Project I	Experienc	e - Comp	leted Pro	jects

T2.2.7: RELEVANT PROJECT EXPERIENCE - COMPLETED PROJECTS

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

Tenders must submit a max one-page description of at least three projects successfully completed.

Attach a Completion Certificate for each of the project provided.

The description of each project must include the following information:

- 1. Essential introductory information:
 - 1.1. Name of project.
 - 1.2. Name of client.

Name

Tender

- 1.3. Contact details of client.
- 1.4. Contact details (including telephone numbers and email addresses) of currently contactable references.
- 1.5. The period during which the project was performed, and also, if this is different, the period during which the Tender's team members were contracted.
- 1.6. Cost of works and/or contract value (making it clear in broad terms what this cost/value purchased, and to what extent (if any) this cost/value was part of a larger project budget or programme budget).

NO.	NAME OF PROJECT	NAME OF CLIENT	CONTACT DETAILS OF CLIENT	PROJECT VALUE	DATE COMPLETED
1					
2		-xamp	le only	/	
3					

Attach a separate page to address this issue (the above table is just for reference purposes).

schedule that presented by the Tender are within my personal knowledge and are to the best of my knowledge both true and correct.				
Signed		Date		

Position

T2.2.8 Relevant Project Experience - Current	Projects
--	-----------------

T2.2.8: RELEVANT PROJECT EXPERIENCE - CURRENT PROJECTS

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

Tenders must submit a max one-page description of at least three projects under construction/ on hold/ just handed over/ towards completion (if they exist).

Attach an Appointment letter for each of the project provided.

The description of each project must include the following information:

- 2. Essential introductory information:
 - 2.1. Name of project.
 - 2.2. Name of client.
 - 2.3. Contact details of client.
 - 2.4. Contact details (including telephone numbers and email addresses) of currently contactable references.
 - 2.5. The period during which the project was performed, and also, if this is different, the period during which the Tender's team members were contracted.
 - 2.6. Cost of works and/or contract value (making it clear in broad terms what this cost/value purchased, and to what extent (if any) this cost/value was part of a larger project budget or programme budget).

NO.	NAME OF PROJECT	NAME OF CLIENT	CONTACT DETAILS OF CLIENT	CONTACT DETAILS OF REFERENCES	PROJECT VALUE	STAGE OF PROJECT
1		Ex	Pho I			
2			ample	e onl	V	
3				- 77	y	

Attach a separate page to address this issue (the above table is just for reference purposes).

The undersigned, who warrants that she/ he is duly authorised to do so on behalf of the enterprise, confirms that the content of this schedule that presented by the Tender are within my personal knowledge and are to the best of my knowledge both true and correct.

Signed	Date
Name	Positi
	on
Tender	

T2.2.9 Schedule of Plant & Equipment

T2.2.9: SCHEDULE OF PLANT AND EQUIPMENT

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL				
REQUEST FOR QUOTATION No:	2025/05/1165				
	of major items of relevant equipment that I/we presently own or lease and will have available acquire or hire for this contract if my/our RFQ is accepted.				
(a) Details of maj	or equipment that is owned by and immediately available for this contract.				
Quantity	Description, size, capacity, etc.				
Attach additional page	es if more space is required.				
(b) Details of major	equipment that will be hired, or acquired for this contract if my/our RFQ is acceptable.				
Quantity	Description, size, capacity, etc.				
Attach additional page	es if more space is required.				
Signed	Date				
Name	Position				

T2.2.10 Compulsory Enterprise Questionnaire

T2.2.10: COMPULSORY ENTERPRISE QUESTIONNAIRE

12.	.2.10	. COM	PULSUKI		ISE QUESTIONNAIRE	
Project title:		APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL				
REQUEST FOR QUOTATION NO		2025/05/1165				
	<u> </u>					
				of a joint vent	ure, separate enterprise questionnaires i	n respect of each
partner must be co	mpleted	d and subm	itted.			
Section 1: Name						
Section 2: VAT re						
Section 3: CIDB r		tion numbe	er, if any:			
Section 4: CSD no	umber:					
Section 5: Particu	ulars of	sole propr	ietors and partner	rs in partnersh	ips:	7
Name*			Identity number	•	Personal income tax number*	
*Complete only if s	sole proj	prietor or pa	artnership and attac	ch separate pag	e if more than 3 partners	J
Section 6: Particu	ulars of	companies	s and close corpo	rations		
Company registrat	ion num	ıber:				
Close corporation	number	:				
Tax reference num	nber:					
Section 7: SBD4 QUOTATION requ		-	al Treasury must	be completed	for each Tender and be attached as a	REQUEST FOR
Section 8: SBD6 QUOTATION requ		-	al Treasury must	be completed	for each Tender and be attached as a	REQUEST FOR
The undersigned,	who wa	rrants that h	e / she is duly auth	orised to do so	on behalf of the enterprise:	
i) authorizes the	employ	er to verify t	he Tenders tax cle	arance status f	om the South African Revenue Services	that it is in order;
•					any partner, manager, director or other p	-
		-			irs on the Register of Tender Defaulters es	stablished in terms
	of the Prevention and Combating of Corrupt Activities Act of 2004;					
	enterprise appears, has within the last five years been convicted of fraud or corruption;					
•	 confirms that I / we are not associated, linked or involved with any other Tendering entities submitting REQUEST FOR QUOTATION offers and have no other relationship with any of the Tenders or those responsible for compiling the scope of work 					
that could cause or be interpreted as a conflict of interest; and						
v) confirms that the correct.) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and					
Signed Date						
Name				Position		
Enterprise name				<u> </u>		

T2.2.11	CIDB Grading	Certificate / P	Proof of Regist	ration
- . •	3.2.2 3.44g			

T2.2.11: CIDB GRADING CERTIFICATE/PROOF OF REGISTRATION

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

Tenders are required to submit with their REQUEST FOR QUOTATION:

A Certificate of Contractor Registration issued by the Construction Industry Development Board.

NOTE: PROOF OF CIDB GRADING TO BE ATTACHED TO THIS PAGE BY TENDER

IN THE CASE OF A JOINT VENTURE, SEPARATE CERTIFICATES IN RESPECT OF EACH PARTNER MUST BE SUBMITTED

T2.2.12 Other certificates, etc.

T2.2.12: OTHER CERTIFICATES, ETC TO BE PROVIDED BY TENDER

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

Tenders are required to submit with their REQUEST FOR QUOTATION:

- Letter of Good Standing from Compensation Fund or a licensed insurer as contemplated in the Compensation for Occupational Injuries and Diseases Act 1993
- Proof of locality of head office by way of certified copy of municipal account or lease agreement

NOTE: CERTIFICATES, ETC TO BE ATTACHED TO THE RELEVANT PAGE HEREAFTER

Insert Letter of Good Standing from Compensation Fund

Insert Certified Copy of Municipal Account or Lease Agreement

PROJECT REFERENCE RETURNABLE 1 OF 3

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

NOTE: This returnable document must be completed by the person who was the principal agent on a construction project of similar value and complexity that was completed successfully by the Tender.

I,			(name a	nd surname)	of	
			(compar	ny name) de	clare	
that I was the principal agent on the	following bu	uilding constru	uction projec	t successfull	у	
executed by			(na	nme of Tend	er):	
Project name:						
Project location:						
Construction period:						
Contract value:						
A. Please evaluate the performance principal agent, by inserting "Yes" in	of the Ten	der on the ab	ovementione	ed project, c	n which you v	were
<u> </u>	Very Poor	Poor	Fair	Good	Excellent	
	1	2	3	4	5	
Project performance / time management / programming						
2. Quality of workmanship						
3. Resources: Personnel						
4. Resources: Plant						
5. Financial management / payment of subcontractors / cash flow, etc						
3. Would you consider / recommend	this Tender	again:				
YES NO						
C. Any other comments:						

D. My contact details are:				
Telephone:	Cellphone:	Fax:	:	
E-mail:				
Thus signed at	on this	day of	20	
Signature of principal agent		COMPANY S	ГАМР	
NOTE:				
If reference cannot be verified to respond to a written request				s/her part
Name of Tender				_
Signature of Tender		Date		

PROJECT REFERENCE RETURNABLE 2 OF 3

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2005/05/1165

NOTE: This returnable document must be completed by the person who was the principal

		(name aı	_ (name and surname) of						
executed by				(compan	y name) ded	clare			
Project location: Completion date: Construction period: Completion date: Contract value: A. Please evaluate the performance of the Tender on the abovementioned project, on which you variety principal agent, by inserting "Yes" in the relevant box below: Very	that I was the principal agent on the	e following bu	ilding constru	ction projec	t successfull	у			
Project location: Construction period: Contract value: A. Please evaluate the performance of the Tender on the abovementioned project, on which you variety agent, by inserting "Yes" in the relevant box below: Very Poor Fair Good Excellent Poor 1 2 3 4 5 1. Project performance / time management / programming 2. Quality of workmanship 3. Resources: Personnel 4. Resources: Plant 5. Financial management / payment of subcontractors /	executed by			(na	me of Tende	er):			
Construction period: Completion date: Contract value: A. Please evaluate the performance of the Tender on the abovementioned project, on which you variety principal agent, by inserting "Yes" in the relevant box below: Very	Project name:								
A. Please evaluate the performance of the Tender on the abovementioned project, on which you verificipal agent, by inserting "Yes" in the relevant box below: Very	Project location:								
A. Please evaluate the performance of the Tender on the abovementioned project, on which you reprincipal agent, by inserting "Yes" in the relevant box below: Very Poor Fair Good Excellent	Construction period:	(Completion da	ate:					
principal agent, by inserting "Yes" in the relevant box below: Very Poor Fair Good Excellent	Contract value:								
Poor 1 2 3 4 5 1. Project performance / time management / programming 2. Quality of workmanship 3. Resources: Personnel 4. Resources: Plant 5. Financial management / payment of subcontractors /	-	the relevant	box below:						
1. Project performance / time management / programming 2. Quality of workmanship 3. Resources: Personnel 4. Resources: Plant 5. Financial management / payment of subcontractors /		1	Poor	Fair	Good	Excellent			
management / programming 2. Quality of workmanship 3. Resources: Personnel 4. Resources: Plant 5. Financial management / payment of subcontractors /	1 Project performance / time	1	2	3	4	5			
3. Resources: Personnel 4. Resources: Plant 5. Financial management / payment of subcontractors /									
4. Resources: Plant 5. Financial management / payment of subcontractors /	2. Quality of workmanship								
5. Financial management / payment of subcontractors /	3. Resources: Personnel								
payment of subcontractors /	4. Resources: Plant								
cash flow, etc									
B. Would you consider / recommend this Tender again: YES NO									

D. My contact details are:				
Telephone:	Cellphone:	Fax:		
E-mail:				
Thus signed at	on this	day of	20	
Signature of principal agent		COMPANY ST	АМР	
NOTE:				
If reference cannot be verified to respond to a written reques				her part
Name of Tender				-
Signature of Tender		Date		

PROJECT REFERENCE RETURNABLE 3 OF 3

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

NOTE: TI	his returnable document must be completed by the person who was the princip	oal
agent on	an construction project of similar value and complexity that was completed	
successfu	ally by the Tender.	

(compan	t successfull	у
(na	me of Tend	-
		er):
on date:		
w:	ed project, c	
	Good	Excellent
3	4	5
)	ow:	Fair Good

D. My contact details are:				
Telephone: Cell	phone:	Fax	:	
E-mail:				
Thus signed at	on this	day of	20	
Signature of principal agent		COMPANY S	TAMP	
NOTE:				
If reference cannot be verified due to the to respond to a written request to do so,				/her part
Name of Tender				
Signature of Tender		Date		

THE CONTRACT

Part 4: Scope of Work

C3.1 Scope of work

C3.1: SCOPE OF WORKS – JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

C3. Scope of Works

- 1. GENERAL
 - a) EXTENT OF THE WORKS

The work comprises of:

- Construction of new ECD Centre
- b) ORDER OF THE WORKS

Commencement of the works after handover, daily progress and completion of the works is critical to the success of the programme and will thus be closely and strictly monitored. Decisive action will be taken against any potential risks that could lead to time over run on the contract period. The Tender is to take specific notice of this, most especially to the penalty clause.

c) BUILDING OCCUPIED

Yes

d) ACCESS - Gravel Road

C3.2 Health and Safety Specification

C3.4 Contractors Reports

CONTRACTOR MONTHLY REPORT

PART 1

Project No:	Project Name:
Contract No:	
Contractor Name:	
Claim No:	For Period Ending:
Date of Report:	

The Contractors monthly report comprises an integral part of the Contractors payment claim and processing of the payment claim is not permitted without this report also being submitted i.e.

"NO REPORT - NO PAYMENT".

Attachments:

Part 2: Overall Project Worker Schedule: Schedule of all local labourers

employed since the start of the project

Part 3: Weekly Task Wage Register

Part 4: Local Labour Schedule

Part 5: Beneficiary List (certified copy of ID's)

Additional Requirements:

- When contractor recruit local labourers, they must produce a 13 digit identity document and a certified copy of the ID must be forwarded to the DRPW Regional EPWP representative
- 2. That at least one disabled person be recruited and employed on the project and reported as such
- 3. A daily attendance register should be kept on site
- 4. Each beneficiary must **sign** the payment sheet, as proof that they have been paid.
- 5. At the bottom of the contractors report, the site agent or CLO or contractor must sign the document as proof that the people indicated have worked the number of days
- 6. Employment of local labourers should constitute the following:
 - a. 55% women
 - b. 55% young people
 - c. the minimum wage rate to be paid is in accordance with the National Minimum Wage Act, 1 March 2024 of the latest Published Act.

Nar		kers employed at any					tered	in th	ne tal	ole be					of			the
No.		Identity Number	Month Worker Started	Age	Tick if Yes								Place a tick in the box which corresponds to the Gender and Age of the Worker			d ·		
					ad of with s			þ					al		men		Men	
					Female Head of Household with Dependants	Disabled	Labourer	Semi-Skilled	Skilled	Supervisor	Clerical	Managerial	Professiona	Over 35 yrs 2A	35 yrs & under 2B	Over 35 yrs 2C	35 yrs & under 2D	
																		Total No. o
Totals for this sheet Totals from previous sheet		et																workers Employed on the Project
Total	s carried forward														II.			
		R TARGETS TO BE A	ACHIEVED W	/ITH RE	(A)					(F))		(J) n = 55% ;	(K) Youth =	(L) = 55%;	^(M) Disabled =	(N) = (J+h

WEEKLY TASK WAGE REGISTER (local labourers only)	Contract No:	PART 3
--	--------------	--------

Project No Project Name: Week							ek E	nding:		Sheet:	of		
Entrie	intries in this portion to be completed by Foreman						Entries in this portion to be Completed by Contractor						
		Day Tasks Worked									Payn	nent	
No.	Name of local worker	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Total DAY TASKS worked this week	Rate per DAY TASK	Total Payment due to Worker	Workers signature on receipt of Payment	Date Payment Received by Worker
		1											
		1											
		-											
		1											
Totals	This Sheet												
	Brought Forward From previous Sheet					•							
Totals	Carried Forward												

No.	Week Ending	Total Day Tasks / Person Days Worked	Total Amount Paid			
		(Total of (A) from Form 4 for each week)	(Total of (B) from Form 4 for each week)			
1 2			R R			
3 4 5			R R			
6 7			R R			
8 9 Total			R R	Transfer to 2 ir	stable below	
			R		Table below	
	-	-	Local Labour to dar rom previous claim)	te R		
. Amour	t Spent on Local La	bour this month	(From Total above)	R		
. Total A	mount Spent on Lo	cal Labour to da	te (3)=(1+2)	R		
3. L	ocal Labour Sch	edule		<u> </u>		
	ary of Local La	·	oyed		No. of local workers who worked on the project to date (From Part 2)	% of Total
	refer to Columns in					
	o. of individual loca		100%			
10. How r D)	many of the Total No many of the Total No		n (35 yrs and under) (C	olumn B &		
		or and local troin	on (ooranni) () b,			
11. How r					<u> </u>	11
11. How r		unt Spent on	Material to Date		<u></u>	

Date of Report:

Project Name:

For Period Ending:

PART 4

LOCAL LABOUR AND MATERIAL SCHEDULE

Contractor Name:

Contract No:

Project No:

Claim No:

1. Material from Local Mu	unicipality									
2. Material from Local Di	. Material from Local District Municipality									
3. Material from Outside	the Eastern Cape									
4. Material from other ar		ern Cape								
Total Material										
Total material as percent		kpenditure								
Total as percentage of contractor budget										
Training of Local \	Workers									
Catogory of training	Name of course	No. trained	Days trained	Comments on						
				progress						
(a) Technical training	Bricklaying									
for implementation	Carpentry									
	Plumbing									
	Fencing									
	Plastering									
	Painting									
	House Building									
	Handyman									
	Electrical									
(b) Institutional training										
for local management										
beyond construction										
(c) Technical training										
for OMM										

NOTE: LOCAL LABOUR TARGETS TO BE ACHIEVED WITH REGARD TO EPWP RELATED WORKS: Women = 55%; Youth = 55%; Disabled = 2%

(d) Institutional training

for implementation
(e) HIV/ Aids etc.

Other – Please specify

Total

Completed by:			
Name	Signature	Capacity	Date

Part 5: Pricing Data

C2.1 Pricing Instructions

C2.1: PRICING INSTRUCTIONS JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

1. BILLS OF QUANTITIES

The **bills of quantities** forms part of and must be read and priced in conjunction with all the other documents forming part of the **contract documents**, the Standard Conditions of RFQ, Conditions of Contract, Specifications, Drawings and all other relevant documentation.

2. VALUE ADDED TAX

The RFQ price must include for Value Added Tax (VAT). All rates, provisional sums, etc. in the **bills of quantities** must however be net (exclusive of VAT) with VAT calculated and added to the Total Value thereof in the Final Summary.

3. PREVIOUS WORK

The Tender is to acquaint themselves with the site thoroughly before pricing. Adjustment of prices will not be entertained after the award of the contract.

C2.2 Preliminaries / Bill of Quantities / Final Summary

Part 6: Site Information

C4 Site Information

C4: SITE INFORMATION - JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 4.1 of March 2005)

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

C4 Site Information – Existing operational education facilities

GPS CO-ORDINATES					
GIS_Longitude	GIS_Latitude				

1. GROUND CONDITIONS

Geotech information not available. This is an existing site.

2. UNDERGROUND SERVICES

There are unidentifiable underground services traversing the area of works, care would need to be taken during excavations.

3. ADJACENT BUILDINGS

No adjacent buildings could be affected by the construction. No particular precautions have been identified by the Engineer for the protection of this structure.

4. ENVIRONMENTAL ISSUES

None

C5 Drawings

C5.1: DRAWINGS

Project title:	APPOINTMENT OF A CONTRACTOR FOR REPAIRS AND MAINTANANCE WORK AT ELUXOLWENI PRE-SCHOOL
REQUEST FOR QUOTATION No:	2025/05/1165

Drawing tile	Drawing number	Print date	Rev No.

REPAIRS AND MAINTENANCE AT: ELUXOLWENI PRE-SCHOOL, MT FLETCHER

JOE GQABI EDUCATION DISTRICT

DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
SECTION NO. 1				
BILL NO.1				
PRELIMINARIES				
MEANING OF TERMS "TENDER / TENDERER"				
Any reference to the words "Tender" or "Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"				
PRELIMINARIES				
The JBCC Preliminaries Code 2103, May 2005 edition for use with the JBCC Principal Building Agreement Edition 4.1 Code 2101, March 2005 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the ract such modifications or corrections as are necessary are given under each relevant clause. Where an item is not relevant to this specific ract such item is marked. "N/A" signifying "Not Applicable".				
A11 LIABILITY INSURANCES				
Clause 11.0				
Fixed: Value related: Time related:	Item	1,00		
A14 SECURITY				
Clause 14.0				
Fixed: Value related: Time related: A18 SETTING OUT OF THE WORKS Clause 18.0	Item	1,00		
Fixed: Value related:Time related:	Item	1,00		
B2.0 DOCUMENTS				
B2.5 Priced documents				

B4.0 MANAGEMENT OF CONTRACT				
B4.1 Management of the works				
Fixed: Value related:Time related:	Item	1,00		
B4.2 Programme for the works				
Fixed: Value related:Time related:	Item	1,00		
B4.3 Progress meetings				
Fixed: Value related:Time related:	Item	1,00		
B4.4 Technical meetings				
Fixed: Value related:Time related:	Item	1,00		
B6.0 TEMPORARY WORKS AND PLANT				
B6.4 Plant, equipment, sheds and offices				
Fixed: Value related:Time related:	Item	1,00		
B6.5 Main notice board				
Fixed: Value related:Time related:	Item	1,00		
C10 HIV/AIDS AWARENESS				
C10.1 Awareness champion				
Fixed: Value related:Time related:	Item	1,00		
				l

SPECIFIC PRELIMINARIES				
Site instructions Instructions issin triplicate in a site instruction to on site by the contractor F:	book which is to be maintained	Item	1,00	
shall deliver same to the princip completion of the contract. The workmanship, materials and ins specified period from the date of defects that may arise during the made good at the expense of the and/or doing the work, upon wri	nip are called for, the contractor addressed to the employer, erials and/or doing the work and bal agent on the certified warranty shall state that stallation are warranteed for a of final completion and that any he specified period shall be the firm supplying the materials effect that work is damaged by defects and in which case the hall rest entirely with the	Item	1,00	
C11OCCUPATIONAL HEALTH				
Health and Safety Act, 1993 (Adord the ractor to thoroughly study	sissued under the Occupational ct No. 85 of 1993). It is required the Health and Safety			
be incorporated under this Sect	The ractor must take note that			
	partial or total non-compliance, ding the provisions of clause clause to the rary, reserves the			
including interest, due to such of	of of compliance. The ractor pensation of whatsoever nature,			
Regulations and Health and Sa this clause and it is explicitly po of the aforementioned are deen	fety Specification is made under inted out that all requirements ned to be priced hereunder and			
no additional claims in this rega Fixed: Value relat related:		Item	1,00	

Bill No 2

ALTERATIONS

TRADE PREAMBLES

Trade Preambles:

For Trade Preambles refer to 'Model Preambles for Trades' (2008 edition) for the full descriptions of material to be used and work to be done in this Bill

SUPPLEMENTARY PREAMBLES

Proprietary items or materials:

Proprietary items or materials where specified are to be of the brand specified - or other approved - by the Principal Agent.

Supplementary Preambles:

Prices are to include for carting away from site all materials not specifically mentioned as being stored on site for re-use or handed over to the Employer and all rubish, debris, etc., arising from the alterations, etc., and for making good all work damaged or disturbed to the approval of the Principal Agent.

View site

Before submitting his tender the contractor shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained

Explosives

No explosives whatsoever may be used for demolition purposes unless otherwise stated

General

The contractor shall carry out the whole of the works with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent

Water supply pipes and other piping that may be encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings, to the satisfaction of the principal agent

Doors, fanlights, fittings, frames, linings, etc. which are to be reused shall be thoroughly overhauled before refixing including taking off, easing and rehanging, cramping up, re-wedging as required and making good cramps, dowels, etc., and easing, oiling, adjusting and repairing ironmongery as necessary, replacing any glass damaged in removal or subsequently and stopping up all nail and screw holes with tinted plastic wood to match timber, unless otherwise described. Re-painting or revarnishing is given separately

Prices for taking out of doors, windows, etc. shall include for removal of all beads, architraves, ironmongery, etc.

Prices for taking out and removing doors and frames shall include for removing door stops, cabin hooks, etc. and making good floor and wall finishes to match existing

With regard to building up of openings in existing walls, cement screeds and pavings, granolithic, tops of walls, etc., shall be levelled and prepared for raising of brickwork

Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary

The contractor will be required to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc.)

National treasury designated sectors instructions:

Only locally produced or locally manufactured products and components for construction with a stipulated mimimum thresholds as set out in the National Treasury Designated Sectors must be complied with and the tenderers must complete returnable documents (Annexure F) Declatation Certificate For Local Production and content For Designated Sectors SBD 6.2 included in Voulme 1 of these tender/ contract documents documents.

Tenderers/ contractors are to ensure they are conversant the the National Treasury Designated Sector legislation and ensure their pricing complies with it. No claims in respect of the National Treasury Designated Sectors legislation will be entertained.

REMOVAL OF EXISTING WORK

Carfully taking out and removing timber doors from steel door frames to remain, to facilitate installation of new door: (New door elsewhere measured)

Timber single door size 0,9m x 2,10m high overall.

Glazed steel window size 1030 x 900mm high overall from 320mm hollow brick wail. Taking out and removing sundry joinery work, fittings, etc: Kitchen floor cupboad on plan with on leg size 1910 x 530 x 880mm high and other leg 1210 x 530 x 880mm high. No 1 Taking down and removing roofs, floors, panelling, ceilings, partitions, etc: Corrugated roof covering m2 75 Taking out/off and removing ironmongery: Door hinge from door frame. Mortice lockset from door. Taking up and removing floor coverings, vinyl floor coverings, carpets, etc. and preparing screeds for new floor coverings: Vinyl tile floor covering. Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. External plaster from walls, (Provisional) m2 14 Internal plaster from walls, (Provisional) m2 95 PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: Sub-Total		Taking out and removing doors, windows, etc including thresholds, sills, etc for new similar doors, windows, etc and making good plaster on both sides and into reveals (new doors, windows, etc elsewhere measured):				
Kitchen floor cupboad on plan with on leg size 1910 x 530 x 880mm high and other leg 1210 x 530 x 880mm high. Taking down and removing roofs, floors, panelling, ceilings, partitions, etc: Corrugated roof covering m2 75 Taking out/off and removing ironmongery: Door hinge from door frame. No 4 Mortice lockset from door. No 4 Taking up and removing floor coverings, vinyl floor coverings, carpets, etc. and preparing screeds for new floor coverings: Vinyl tile floor covering. m2 78 Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. External plaster from walls, (Provisional) m2 14 Internal plaster from walls, (Provisional) m2 95 PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with "Paveilite" or equal approved self leveling screed. m2 6 MAKING GOOD OF FINISHES, ETC Making good screed with "Pavelite" or equal approved self leveling screed in strict accordance with the manufacturers instructions: m2 6	2		No	4		
3 880mm high and other leg 1210 x 530 x 880mm high. Taking down and removing roofs, floors, panelling, ceilings, partitions, etc: Corrugated roof covering Taking out/off and removing ironmongery: Door hinge from door frame. No 4 Mortice lockset from door. Taking up and removing floor coverings, vinyl floor coverings, carpets, etc. and preparing screeds for new floor coverings: Vinyl tile floor covering. Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, lile finishes, etc. External plaster from walls, (Provisional) Internal plaster from walls, (Provisional) PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with "Pavelite" or equal approved self leveling screed in strict accordance with the manufacturers instructions: m2 6		Taking out and removing sundry joinery work, fittings, etc:				
partitions, etc: Corrugated roof covering Taking out/off and removing ironmongery: Door hinge from door frame. Mortice lockset from door. Taking up and removing floor coverings, vinyl floor coverings, carpets, etc. and preparing screeds for new floor coverings: Vinyl tile floor covering. Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. External plaster from walls, (Provisional) PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: m2 6	3		No	1		
Corrugated roof covering Taking out/off and removing ironmongery: Door hinge from door frame. Mortice lockset from door. Taking up and removing floor coverings, vinyl floor coverings, carpets, etc. and preparing screeds for new floor coverings: Vinyl tile floor covering. Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. External plaster from walls, (Provisional) PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. 75 No 4 4 75 No 4 4 78 78 78 78 78 78 78 78 7	4					
Door hinge from door frame. Mortice lockset from door. Taking up and removing floor coverings, vinyl floor coverings, carpets, etc. and preparing screeds for new floor coverings: Vinyl tile floor covering. Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. External plaster from walls, (Provisional) Internal plaster from walls, (Provisional) PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. No 4 A 4 B A 6 MORTICE INCOMPTINISHES PTB A B B B B B B B B B B B B	4	Corrugated roof covering	m2	75		
Mortice lockset from door. Taking up and removing floor coverings, vinyl floor coverings, carpets, etc. and preparing screeds for new floor coverings: Vinyl tile floor covering. Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. External plaster from walls, (Provisional) Internal plaster from walls, (Provisional) PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: m2 6		Taking out/off and removing ironmongery:				
Taking up and removing floor coverings, vinyl floor coverings, carpets, etc. and preparing screeds for new floor coverings: 7 Vinyl tile floor covering. Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. 8 External plaster from walls, (Provisional) 9 Internal plaster from walls, (Provisional) PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. m2 6	5	Door hinge from door frame.	No	4		
carpets, etc. and preparing screeds for new floor coverings: 7 Vinyl tile floor covering. Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. 8 External plaster from walls, (Provisional) 9 Internal plaster from walls, (Provisional) PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. m2 6	6	Mortice lockset from door.	No	4		
Hacking up/off and removing granolithic, screeds, plaster, etc. from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. 8 External plaster from walls, (Provisional) m2 14 9 Internal plaster from walls, (Provisional) m2 95 PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. m2 6 MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: m2 6						
from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc. 8 External plaster from walls, (Provisional) m2 14 9 Internal plaster from walls, (Provisional) m2 95 PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. m2 6 MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: m2 6	7	Vinyl tile floor covering.	m2	78		
9 Internal plaster from walls, (Provisional) m2 95 PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. m2 6 MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. m2 6		from concrete or brickwork and preparing surfaces for new				
PREPARATORY WORK TO EXISTING SURFACES Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. m2 6	8	External plaster from walls, (Provisional)	m2	14		
Preparatory work: Making good defects in existing 25mm thick screeded floors with 'Pavelite' or equal approved self leveling screed. MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. m2 6	9	Internal plaster from walls, (Provisional)	m2	95		
with 'Pavelite' or equal approved self leveling screed. MAKING GOOD OF FINISHES, ETC Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. m2 6						
Making good screed with 'Pavelite' or equal approved self leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. m2 6	10		m2	6		
leveling screed in strict accordance with the manufacturers instructions: 11 Floors in patches. m2 6		MAKING GOOD OF FINISHES, ETC				
		leveling screed in strict accordance with the manufacturers				
NID-10001	11		m2	6		

EARTHWORKS			
EARTHWORKS			
MODEL PREAMBLES			
The tenderer is referred to the "General Preambles for Trades 2005" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed to have been included in all relevant rates.			
SUPPLEMENTARY PREAMBLES			
Proprietary products in descriptions:			
Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent. Nature of material to be excavated: The material to be excavated is assumed to be predominantly of a composition that will allow excavation in "earth" as specified, but including a percentage of excavation in "soft rock" and "hard rock".			
Carting away of excavated material: Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations, or alternatively, from stock piles situated on the building site. Dewatering of excavations:			
The Contractor shall allow for removing seepage and other water from subterranean sources from the excavations by pumping, baling or otherwise. Accurate records of all such dewatering shall be kept to determine the total volume of water so removed and a clear distinction shall be made between water from subterranean sources and other water Density testing on filling:			
Rates for filling, etc. shall include for all density and soil type testing to prove that the specified compaction is achieved. When additional testing is done on instruction of the Principal Agent and these tests are successful, they will be paid for additionally.			
Imported fill: "Filling and bedding to trenches etc. to be in compliance with SABS 1200 DB and LB respectively" Classification of excavated material			
BULK EARTHWORKS, PLATFORMS, CUT-OFF DRAINS, ETC			
Clearing of site:			
Clear site of grass, weeds, shrubs, trees (≤200mm girth), debris, grub up roots, and cart away all vegetation and debris.	m²	9,0	
Remove topsoil and vegetation to 150mm depth and stockpile on site as directed.	m²	9,0	
Excavate in open face not exceeding 2m deep, deposit on site as filling, compacted to 98% Mod AASHTO density.	m³	1,8	

12	Sub-Total Carried to Final Summary		'		
12	Allow for all required compliance with Engineer's direction and quality control standards.	Item	1		
11	Conduct in-situ dry density tests on compacted fill. (Tests)	No			
10	Compact ground surfaces under roads, including scarifying to 150mm, breakdown of oversize material and recompacting to 93% Mod AASHTO.	m²	0,45		
9	Supply and place G7 subgrade material under pavings compacted to 95% Mod AASHTO density.	m³	9,00		
8	Keep excavations free of water, including all necessary measures.	Item	0,90		
7	Extra over for carting away surplus material to dumping site located by contractor.	m³	1,00		
6	Extra over excavation in hard rock.	m³	0,75		
5	Extra over excavation in soft rock.	m³	0,15		
4	Excavate in open face to reduce levels, deposit on site as filling, and compact as required.	m³	0,30		

BILL NO. 4			
CONCRETE, FORMWORK AND REINFORCEMENT Trade Preambles:			
For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill			
SUPPLEMENTARY PREAMBLES			
Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior approval from the architect.			
Cost of tests:			
The costs of making, storing and testing of concrete test cubes as required under clause 7 'Tests' of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the Architect. The testing shall be undertaken by an independent firm or institution nominated by the Contractor to the approval of the Architect. (Test cubes are measured separately).			
Surface blinding under footings and bases using 15MPa/19mm concrete.	m³	0,45	
Cast 30MPa/20mm reinforced concrete surface bed on waterproofing membrane.	m³	0,9	
Make and test set of three 150x150x150mm concrete strength test cubes (Provisional).	Set	1	
Wood float finish to top surface of concrete surface beds and slabs.	m²	9	
Power float finish to top surface of concrete surface beds, etc.	m²	9	
Provide vertical construction joints through surface beds not exceeding 300mm thick with cement slurry to one face.	m	6	
10mm Joints not exceeding 300mm high (Provisional).	m	6	
Provide saw cut joints 40 x 3mm in top of concrete surface bed.	m	6	
Steel reinforcement to structural concrete work (Provisional).	Ton	0,075	
REINFORCED CONCRETE			
25Mpa/19mm Concrete			
Ramps to falls. (Labour Intensive)	m3	1	
Aprons	m3	3	

	TEST BLOCKS				
	Test blocks:				
12	Making and testing set of three 150 x 150 x 150mm concrete strength test cubes (Provisional).	Sets	2,0		
	FINISHING TOP SURFACE OF CONCRETE				
	Finishing top surfaces of concrete smooth with a wood float:				
13	Surface beds, slabs, etc to falls.	m2	25		
	ROUGH FORMWORK (DEGREE OF ACCURACY II) (CPAP Work Group No 111)				
	Rough Formwork to Sides:				
14	Edges exceeding 300mm high.	m2	2		
	REINFORCEMENT (PROVISIONAL)				
	Fabric reinforcement:				
15	Type 193 fabric reinforcement in concrete surface beds, slabs, etc.	m2	44		
16	REF. 617 fabric reinforcement slabs, footings, etc. in concrete surface beds.	m²	9		
	Sub-Total				

BILL NO. 5 MASONRY MODEL PREAMBLES The tenderer is referred to the "General Preambles for Trades 2017" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed to have been included in all relevant rates. SUPPLEMENTARY PREAMBLES Proprietary products in descriptions: Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent. Sizes in descriptions: Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick. Face bricks: Bricks shall be ordered timeously to obtain uniformity in size and colour. Pointing: Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, and cleaning etc. Samples, etc: Rates for brickwork, faced brickwork, etc shall include for all required samples. Concrete masonry units: Blocks are to be either solid or hollow modular dense concrete masonry units having a compressive strength of 7 MPa Wall ties for blockwork: Wall ties shall be polypropylene "Permaties" complying with BS 76377. Ties for hollow walls shall be of sufficient length to allow not less than 75mm of each end to be built into the blockwork. Ties are to be spaced at intervals of not more than 1m in the horizontal direction and not more than 400mm staggered in the vertical direction except at openings, vertical joints or ends of walls where they are to be placed vertically above each other Blockwork: Blockwork shall comply with SABS 0145 "Concrete Masonry Construction"

tomm and pointed on exposed surfaces. Cavities of hollow walls shall be kept free or morat droppings or other undesirable matter. Every second perpend of the bottom course of the external skin of hollow walls shall be left open as a weep hole. Standard complementary blocks: Descriptions of blockwork shall be deemed to include standard complementary blocks such as corner, threequarter, half and quarter blocks required in the construction of corners, reveals, jambs, ends, etc to solid and hollow walls and for bonding as necessary. BRICKWORK IN FOUNDATIONS (PROVISIONAL) Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar. half brick valls. Brickwork in foundations using NFX bricks in Class I mortar. half brick valls. Brickwork in superstructure using NFP bricks in Class II mortar, half brick valls. Brickwork in superstructure using NFP bricks in Class II mortar, half brick valls. Brickwork in superstructure using NFP bricks in Class II mortar, one brick valls. Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. Brickwork in superstructure using NFP bricks in Class II mortar, one brick valls. Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. Brickwork wall beam filling around roof timbers and cuttingfitting rooling. Brickwork reinforcement: 115mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in brickwork reinforcement in 24 bricks built into wall. Turning pieces: 200mm wide to lintels, lengths \$3m, incl. leng supports. Turning pieces: 200mm wide to lintels, built in brickwork. Turning pieces: 200mm wide to lintels, built in brickwork. Fair raking cutting to brickwork. Fair raking cutting to brickwork. Fibro-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.		Surfaces shall have joints raked out to a depth of at least		l		J
Standard complementary blocks: Descriptions of blockwork shall be deemed to include standard complementary blocks such as corner, threequarter, half and quarter blocks required in the construction of corners, reveals, jambs, ends, etc to solid and hollow walls and for bonding as necessary BRICKWORK IN FOUNDATIONS (PROVISIONAL) Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar: 1 Brickwork in foundations using NFX bricks in Class I mortar, one brick walls. 3 Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. 4 Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. 5 Done brick walls beam filling around roof timbers and cutting/fitting roofing. 6 Brickwork reinforcement: 115mm wide reinforcement in walls. 7 Brickwork reinforcement: 230mm wide reinforcement in walls. 8 Brickwork reinforcement: 230mm wide reinforcement in walls. 9 Brickwork reinforcement: 230mm wide reinforcement in toundations. 9 Into X75mm prestressed concrete lintels, lengths ≤3m, incl. temp supports. 10 Turning pieces: 200mm wide to lintels, built in brickwork. 11 Gsbvanized roof tie 1600mm long, fixed into brickwork/concrete. 12 29 x 152mm vermin proof air bricks built into wall. 13 Fair raking outting to brickwork. 14 Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs. 15 Into X 15mm, with fixing lugs. 16 Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.		10mm and pointed on exposed surfaces. Cavities of hollow walls shall be kept free of mortar droppings or other undesirable matter. Every second perpend of the bottom course of the external skin of hollow walls shall be left open as				
Descriptions of blockwork shall be deemed to include standard complementary blocks such as corner, threequatter, half and quarter blocks required in the construction of corners, reveals, jambs, ends, etc to solid and hollow walls and for bonding as necessary BRICKWORK IN FOUNDATIONS (PROVISIONAL) Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar: 1 Brickwork in foundations using NFX bricks in Class I mortar, half brick walls. 2 Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. 3 Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. 4 Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. 5 One brick walls beam filling around roof timbers and cutting/fitting roofing. 6 Brickwork reinforcement: 115mm wide reinforcement in walls. 7 Brickwork reinforcement: 230mm wide reinforcement in walls. 8 Brickwork reinforcement: 230mm wide reinforcement in walls. 9 115 x 75mm prestressed concrete lintels, lengths ≤3m, incl. temp supports. 10 Turning pieces: 200mm wide to lintels, built in brickwork. 11 Galvanized roof tie 1600mm long, fixed into brickwork/concrete. 12 29 x 152mm vermin proof air bricks built into wall. 13 Fair raking cutting to brickwork. 14 Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.						
complementary blocks such as corner, threequarter, half and quarter blocks required in the construction of corners, reveals, jambs, ends, etc to solid and hollow walls and for bonding as necessary BRICKWORK IN FOUNDATIONS (PROVISIONAL) Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar: 1 Brickwork in foundations using NFX bricks in Class I mortar, half brick walls. 2 Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. 3 Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. 4 Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. 5 One brick wall beam filling around roof timbers and cutting/fitting roofing. 6 Brickwork reinforcement: 115mm wide reinforcement in walls. 7 Brickwork reinforcement: 230mm wide reinforcement in walls. 8 Brickwork reinforcement: 230mm wide reinforcement in walls. 9 Brickwork reinforcement: 230mm wide reinforcement in walls. 10 Turning pieces: 200mm wide to lintels, lengths ≤3m, incl. temp supports. 11 Galvanized roof tie 1600mm long, fixed into brickwork/concrete. 12 29 x 152mm vermin proof air bricks built into wall. No 1 Fair raking cutting to brickwork. 14 Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.						
Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar: 1 Brickwork in foundations using NFX bricks in Class I mortar, half brick walls. 2 Brickwork in foundations using NFX bricks in Class I mortar, one brick walls. 3 Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. 4 Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. 5 One brick wall beam filling around roof timbers and cutting/fitting roofing. 6 Brickwork reinforcement: 115mm wide reinforcement in walls. 7 Brickwork reinforcement: 230mm wide reinforcement in walls. 8 Brickwork reinforcement: 230mm wide reinforcement in malls. 9 Brickwork reinforcement: 230mm wide reinforcement in walls. 9 Turning pieces: 200mm wide to lintels, built in brickwork. 10 Turning pieces: 200mm wide to lintels, built in brickwork. 11 Galvanized roof tie 1600mm long, fixed into brickwork/concrete. 12 229 x 152mm vermin proof air bricks built into wall. 13 Fair raking cutting to brickwork. 14 Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.		complementary blocks such as corner, threequarter, half and quarter blocks required in the construction of corners, reveals, jambs, ends, etc to solid and hollow walls and for bonding as				
strength) in Class I mortar: 1 Brickwork in foundations using NFX bricks in Class I mortar, half brick walls. 2 Brickwork in foundations using NFX bricks in Class I mortar, one brick walls. 3 Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. 4 Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. 5 One brick wall beam filling around roof timbers and cutting/fitting roofing. 6 Brickwork reinforcement: 115mm wide reinforcement in walls. 7 Brickwork reinforcement: 230mm wide reinforcement in walls. 8 Brickwork reinforcement: 230mm wide reinforcement in foundations. 9 115 x 75mm prestressed concrete lintels, lengths ≤3m, incl. temp supports. 10 Turning pieces: 200mm wide to lintels, built in brickwork. 11 Galvanized roof tie 1600mm long, fixed into brickwork/concrete. 12 229 x 152mm vermin proof air bricks built into wall. No 1 Fair raking cutting to brickwork. 14 Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.		BRICKWORK IN FOUNDATIONS (PROVISIONAL)				
half brick walls. Brickwork in foundations using NFX bricks in Class I mortar, one brick walls. Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. Doe brick wall beam filling around roof timbers and cutting/fitting roofing. Brickwork reinforcement: 115mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in foundations. Brickwork reinforcement: 230mm wide reinforcement in malls. Turning pieces: 200mm wide to lintels, lengths ≤3m, incl. temp supports. Turning pieces: 200mm wide to lintels, built in brickwork. Brickwork/concrete. Ala Salvanized roof tie 1600mm long, fixed into brickwork/concrete. Brickwork/concrete. No 1 Fair raking cutting to brickwork. Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.						
m² d,5 Brickwork in superstructure using NFP bricks in Class II mortar, half brick walls. Brickwork in superstructure using NFP bricks in Class II mortar, one brick walls. One brick walls. One brick wall beam filling around roof timbers and cutting/fitting roofing. Brickwork reinforcement: 115mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in foundations. Brickwork reinforcement: 930mm wide reinforcement in malls. Turning pieces: 200mm wide to lintels, lengths ≤3m, incl. temp supports. Turning pieces: 200mm wide to lintels, built in brickwork. Galvanized roof tie 1600mm long, fixed into brickwork/concrete. No 2 229 x 152mm vermin proof air bricks built into wall. No 1 Fair raking cutting to brickwork. m 0,9	1		m²	0,9		
half brick walls. Malf brick walls. Malf	2		m²	4,5		
one brick walls. One brick wall beam filling around roof timbers and cutting/fitting roofing. Brickwork reinforcement: 115mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in foundations. Brickwork reinforcement: 230mm wide reinforcement in foundations. Turning pieces: 200mm wide to lintels, lengths ≤3m, incl. temp supports. Turning pieces: 200mm wide to lintels, built in brickwork. Galvanized roof tie 1600mm long, fixed into brickwork/concrete. Calvanized roof tie 1600mm long, fixed into brickwork/concrete. No 2 229 x 152mm vermin proof air bricks built into wall. Fair raking cutting to brickwork. Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.	3	· · · · · · · · · · · · · · · · · · ·	m²	6		
cutting/fitting roofing. m² 0,9	4		m²	11,25		
Brickwork reinforcement: 115mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in m 10,5 Brickwork reinforcement: 230mm wide reinforcement in m 10,5 115 x 75mm prestressed concrete lintels, lengths ≤3m, incl. temp supports. Turning pieces: 200mm wide to lintels, built in brickwork. Galvanized roof tie 1600mm long, fixed into brickwork/concrete. No 2 229 x 152mm vermin proof air bricks built into wall. No 1 Fair raking cutting to brickwork. Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs. m 10,5 m 10,5 m 1,8 1,2 1,2 1,2 1,2 1,3 1,4 1,5 1,6 1,7 1,7 1,8 1,9 1,9 1,9 1,9 1,9 1,0 1,0 1,0	5		m²	0,9		
Brickwork reinforcement: 230mm wide reinforcement in walls. Brickwork reinforcement: 230mm wide reinforcement in foundations. Brickwork reinforcement: 230mm wide reinforcement in foundations. m 10,5 115 x 75mm prestressed concrete lintels, lengths ≤3m, incl. temp supports. m 1,8 Turning pieces: 200mm wide to lintels, built in brickwork. m 1,2 Galvanized roof tie 1600mm long, fixed into brickwork/concrete. No 2 12 229 x 152mm vermin proof air bricks built into wall. No 1 Fair raking cutting to brickwork. m 3 Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.	6	Brickwork reinforcement: 115mm wide reinforcement in walls.	m	12		
foundations. foundations. foundations. m 10,5 foundations. m 10,5 foundations. m 10,5 m 1,8 foundations. m 10,5 m 1,8 foundations. m 1,8 foun	7	Brickwork reinforcement: 230mm wide reinforcement in walls.	m	27		
temp supports. Turning pieces: 200mm wide to lintels, built in brickwork. Galvanized roof tie 1600mm long, fixed into brickwork/concrete. No 2 229 x 152mm vermin proof air bricks built into wall. Fair raking cutting to brickwork. Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs. m 1,8 m 1,8 No 2 No 2 Population of the 1600mm long, fixed into brickwork. No 3 m 3	8		m	10,5		
Galvanized roof tie 1600mm long, fixed into brickwork/concrete. No 2 229 x 152mm vermin proof air bricks built into wall. No 1 Fair raking cutting to brickwork. Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs. m 0,9	9	,	m	1,8		
brickwork/concrete. No 2 229 x 152mm vermin proof air bricks built into wall. No 1 Fair raking cutting to brickwork. Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs. m 0,9	10	Turning pieces: 200mm wide to lintels, built in brickwork.	m	1,2		
Fair raking cutting to brickwork. The property of the propert	11	=	No	2		
Fibre-cement window sills, grey Nutec, 150 x 15mm, with fixing lugs.	12	229 x 152mm vermin proof air bricks built into wall.	No	1		
lugs. m 0,9	13	Fair raking cutting to brickwork.	m	3		
16 Final cleaning and jointing of all visible brickwork faces. Item 1	14	- ·	m	0,9		
	16	Final cleaning and jointing of all visible brickwork faces.	Item	1		

	BILL NO. 6			
	WATERPROOFING			
	MODEL PREAMBLES The tenderer is referred to the "General Preambles for Trades 2017" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed			
	to have been included in all relevant rates.			
	SUPPLEMENTARY PREAMBLES			
	Proprietary products in descriptions:			
	Proprietary products shall be used as specified. Substitute			
	products of similar quality and specification may only be used			
	with prior approval by the Principal Agent.			
	DAMPPROOFING OF WALLS AND FLOORS			
	One layer of 250 micron 'USB GREEN' waterproof sheeting sealed at laps with 'Gunplas Pressure Sensitive Tape':			
1	Under surface beds – 250 micron 'USB GREEN' waterproof sheeting	m²	9	
	One layer of 375 micron embossed dampcourse waterproof sheeting below walls, sills, etc:			
2	Below walls, sills – 375 micron embossed dampcourse sheeting	m²	3	
	JOINT SEALANTS ETC			
	Clear Neutral silicone sealant:			
3	Clear Neutral silicone sealant at windows and door frames	m	1,8	
	Two-part grey polysulphide sealing compound including backing cord, bond breaker, primer, etc			
4	10 x 12mm joint sealing with two-part grey polysulphide	m	3	
5	8 x 15mm saw cut joints in floors	m	4,5	
	Sub-Total Carried to Final Summary			

BILL NO. 7

ROOF COVERINGS ETC.

MODEL PREAMBLES

The tenderer is referred to the "General Preambles for Trades 2017" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed to have been included in all relevant rates.

SUPPLEMENTARY PREAMBLES

Proprietary products in descriptions:

Proprietary products shall be used as specified. Substitute products of similar quality and specification may only be used with prior approval by the Principal Agent.

Fixing:

Fixing shall be done according to SABS 1200HB with minimum 225mm end laps.

Guarantee:

The contractor will be required to provide a written guarantee, stating that :1. The roof sheeting is of the specified thickness.2. The client is indemnified against any defects, including colour deterioration for a minimum period of 15 years.

Pricing:

Prices for roof covering and cladding are to include for all necessary drive screws, hook bolts, sheet bolts, nuts, washers, etc., for drilling holes for screws and bolts including removing all swarf from the sheeting and all right angle cutting and waste (Measured net).

PROFILED METAL SHEETING AND ACCESSORIES

Supply and fix 0.53mm IBR Colourplus – AZ150 Zincal Widedek roof sheeting with factory pre-painted finish, secured with leak-proof roofing screws. Holes for screws to be drilled (not punched). Include Sondor polyclosures at ridge flashings and mastic sealant to all side laps. Determine wind direction prior to installation. Sheets to project a minimum of 50mm beyond timber purlins at eaves. Fix sheets to intermediate timber purlins at maximum 1200mm centres and to ridge and eaves purlins at 1000mm centres using 12x55mm 'class 3' metal self-drilling screws at every crest, in full compliance with manufacturer's recommendations.

0.53mm IBR Colourplus AZ150 Zincal Widedek roof sheeting

0.53mm Flashings pre-painted to match roof sheeting and fixed in strict accordance with manufacturer's recommendations:

m²

14.25

2	0.53mm IBR Colourplus AZ150 Zincal Widedek roof sheeting	m²	14,25		

3	Standard narrow and broad flute closers	m	3,75	
	ROOF INSULATION			
	Reflective foil insulation or equal approved 420 Heavy industrial grade reinforced aluminium foil insulation double sided, heavy grammage reflective foil laminate incorporating eight layers of aluminium foil, reinforcing scrim, Kraft paper and polyethylene, tested for conformance with SABS 1381: Part IV1985, with a Class 1 fire rating in accordance with SABS 0177: part III - 1981 and BS 476 part 5, 6 and 7, secured to each truss/rafter with 38mm x 3,2mm x 1100mm hardboard counter batten strips positioned flush with the bottom edge of the material thus leaving 150mm overlap exposed at the top for the next layer and 150mm overlap thereafter on each 1250mm width roll. All to be fixed in accordance with manufactures specification			
4	Reflective foil insulation (double-sided aluminium)	m²	14,25	
	Sub-Total Carried to Final Summary			

	BILL NO. 8			
	CARPENTRY AND JOINERY			
	TRADE PREAMBLES Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill			
	SUPPLEMENTARY PREAMBLES			
	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior approval from the architect.			
	EAVES, VERGES, ETC			
1	Wrought softwood: 38 x 114mm Blocking piece 50mm long fixed to timber with no.12 brass wood screws heads countersunk.	No	8	
2	Everite FC77 pressed fibre-cement: 15 x 225mm Fascias and barge boards including galvanised steel H-profile jointing strips fixed with countersunk brass screws.	m	22	
3	SKIRTINGS Wrought meranti: 19 x 69mm Angle rounded skirting including 19mm quadrant bead planted on.	m	44	
	FRAMED DOORS ETC			
4	Wrought meranti doors: 44mm Framed ledged, braced and battened door 813 x 2032mm high of 44 x 108mm top rail and stiles, 22 x 108mm middle ledge and braces and 22 x 222mm bottom ledge filled in with 22 x 70mm tonogued, grooved and V-jointed one side boarding and covered on the other side with 3mm plywood with vineer to match door let into and including rebates all round including 44 x 70mm splayed, moulded and grooved weatherboard.	No	1	
	SOLID CORE FLUSH DOORS Solid chipcore flush doors with maeranti veneer on both sides and edges:			
5	40mm Door 813 x 2032mm high.	No	1	
	FRAMED FRAMES ETC			
6	Wrought meranti: 70 x 70mm Rebated frames.	m	5	
7	70 x 108mm Rebated frames.	m	5	

E	BEADS, ARCHITRAVES, ETC				
\ \\	Wrought meranti:				
8 1	19mm Quadrant beads.	m	22		
F	FITTINGS				
	General:				
c s s t	The following cupboard fittings have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing, notching, glueing, blocking, planting on and screwing with countersunk screws, edge strips, decorative plastic finish, glass, ironmongery, metalwork, paint or varnish finishes, etc.				
	KITCHEN				
9 8	Kitchenette Cupboard: Sink cupboard and counter top 2930 x 600 x 900mm high with sides, bottom, divisions, shelf, back and three single hinged doors and four drawers installed complete	No	1		
5	Shelving				
10 V	Pigeon hole shelving unit size overall 7000mm long x 300mm deep x 1500mm high, formed of 18mm plywood horizontal and vertical members 300mm wide, and including 38 x 38mm SA Pine support battens, 18mm plywood edging and 38 x 75mm ground, the whole fixed to wall with size 40mm easy drive anchor. (sizes to verified on site prior to manufacturing)	No	1		
	Sub-Total				_

	BILL NO. 9				
	CEILINGS PARTITIONS AND ACCESS FLOORING				
	TRADE PREAMBLES				
	Trade Preambles: For Trade Preambles refer to 'Specification of Materials and				
	Methods' (PW371) for the full descriptions of material to be				
	used and work to be done in this Bill				
	SUPPLEMENTARY PREAMBLES				
	Items, materials or methods to be used specified by trade				
	names or catalogue numbers are only an indication of the				
	quality required. Items, materials or methods of similar quality may be used with prior approval from the architect.				
	may be used with phor approval from the architect.				
	CEILING CONSTRUCTION, CORNICES, ETC.				
	Wrought meranti:				
	FO v 20mm Anala numana mada raundad carnicas caraurad to				
11	50 x 38mm Angle purpose made rounded cornices screwed to underside of ceiling with 38mm screws to form shadow line.	m	45		

	NAILED UP AND SCREW UP CEILINGS				
	4mm Nutec fibre-cement boards with 6 x 32mm hardwood cover strips over joints:				
12	Ceilings including 38 x 50mm sawn softwood brandering at 450mm centres in one direction.	m2	65		
13	Extra over ceiling for 610 x 610mm trap door of 32 x 108mm wrought softwood rebated framing covered with ceiling board and fitted flush in opening.	No	1		
	Gyproc GypWall DuraLine 63/F60S45 2600 high' or equal approved drywall system, consisting of stud and track system with 63,5 x 35mm Donn Drywall UltraSTEEL™ or equal approved studs at 600mm centres friction fitted into head track and floor track with 63mm Isover 'Cavitybatt' or equal approved insulation inserted into cavity of partitioning and clad on both sides with 15mm thick taper edged DuraLine or equal approved board fixed with 25mm Gyproc RhinoBoard Sharp Point or equal approved screws at 220mm centres with all external angles to have Donn or equal approved cornerbeads attached and all joints to be taped and skimmed flush, leaving wall surface prepared for painting, all in accordance with the manufacturer's recommendations:				
14	Partitioning 2500mm high with bottom track plugged and top track fixed to suspended ceiling.	m	8		
15	Extra over partition 2500mm high for vertical abutment.	No	4		
16	Extra over partition 2500mm high for corner.	No	4		
17	Extra over partition 2500mm high for fair end.	No	4		
	Doors:				
18	Extra over drywall partition for 40mm solid core flush single door 813 x 2030mm high with meranti veneer on both sides and meranti edge strips to all edges, hung to and including 105 x 50mm moulded and rebated meranti door frame	No	2		
	Sub-Total				

	BILL NO. 10			
	FLOOR COVERINGS			
	TRADE PREAMBLES Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill VINYL FLOOR COVERINGS, WALL LININGS, ETC. 300 x 300 x 2,5mm Thick thru-flash fully-flexible vinyl floor tiles fixed with acrylic adhesive:			
1	On floors.	m^2	74	
	POLISH, SEALERS, ETC Polish, sealers, etc: Scrub with diluted detergent complying with SABS 825, throughly rinse and apply three coats water based floor dressing complying to SABS 1042 in accordance with the manufacturers instructions:			
2	On vinyl flooring.	m^2	74	
	Sub-Total			

	BILL NO. 11				
	IRONMONGERY				
	TRADE PREAMBLES				
	Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill				
	HINGES, FLOOR SPRING HINGES, BOLTS, PANIC BOLTS, ETC				
1	Hinges: 100 x 75mm two ball bearing brass butt hinges	No	4		
	LOCKS				
	Locks				
2	50mm padlock.	No	2		
3	Union CZ6822452-GZ 3 Lever Lockset	No	1		
4	Union CZ6822495CH-ZA 2 Lever Lockset	No	1		

	CATCHES, CABIN HOOKS, ETC			
5	Stays and catches: Solid brass 200mm long peg stay and catch for top hung opening out steel window frames. (Provisional)	No	4	
	SUNDRIES			
	Union:			
6	'Union' 9002AS aluminium floor mounted aluminium door stop.	No	3	
	HEALTH & SAFETY COMPLIANCE			
7	First Aid kid	No	1	
8	4,5kg dry chemical portable fire extinguisher complete	No	1	
	LETTERS, NAMEPLATES, ETC			
	4mm Perspex signs painted white on back with letters and numerals reverse engraved and painted black			
	200 x 30mm High signs with 15mm high letters and numerals fixed with two self-tapping screws to steel and reading as follows:-			
9	LEARNING AREA	No	1	
10	SICK BAY	No	1	
11	KITCHEN	No	1	
12	LEARNER TOILETS	No	1	
13	STAFF TOILET	No	1	
	Sub-Total			

BILL NO. 12 METALWORK TRADE PREAMBLES Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill WELDED SCREENS, GATES, ETC. The Following In Galvanised Steel Gate: Security gate size 877 × 2 090mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter varical infili bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hingse with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 1 HMP 'heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass		1	Ì	I	I	1	
TRADE PREAMBLES Trade Preambles: For Trade Preambles: For Trade Preambles: For Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill WELDED SCREENS, GATES, ETC. The Following In Galvanised Steel Gate: Security gate size 877 x 2 090mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails wellded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass		BILL NO. 12					
TRADE PREAMBLES Trade Preambles: For Trade Preambles: For Trade Preambles: For Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill WELDED SCREENS, GATES, ETC. The Following In Galvanised Steel Gate: Security gate size 877 x 2 090mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails wellded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass							
Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill WELDED SCREENS, GATES, ETC. The Following In Galvanised Steel Gate: Security gate size 877 x 2 090mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076' 1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to 175 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 4 walls. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		METALWORK					
For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill WELDED SCREENS, GATES, ETC. The Following In Galvanised Steel Gate: Security gate size 877 x 2 099mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass		TRADE PREAMBLES					
Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill WELDED SCREENS, GATES, ETC. The Following In Galvanised Steel Gate: Security gate size 877 x 2 090mm high formed of 32 x 32 x 3mm hollow section for man and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass		Trade Preambles:					
used and work to be done in this Bill WELDED SCREENS, GATES, ETC. The Following In Galvanised Steel Gate: Security gate size 877 x 2 090mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6							
WELDED SCREENS, GATES, ETC. The Following In Galvanised Steel Gate: Security gate size 877 x 2 090mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		` ,					
The Following In Galvanised Steel Gate: Security gate size 877 x 2 090mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass		used and work to be done in this Bill					
Security gate size 877 x 2 090mm high formed of 32 x 32 x 3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass		WELDED SCREENS, GATES, ETC.					
3mm hollow section frame and 45 x 45 x 3mm hollow section middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		The Following In Galvanised Steel Gate:					
middle rails welded at angles and intersections, with 10mm diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		Security gate size 877 x 2 090mm high formed of 32 x 32 x					
diameter vertical infill bars welded to frame at 100mm centres, with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		3mm hollow section frame and 45 x 45 x 3mm hollow section					
with two 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		middle rails welded at angles and intersections, with 10mm					
ends to one side and hole for 18mm diameter pin, including deadlock steel plate housing with holed cover plate and 'H076 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		diameter vertical infill bars welded to frame at 100mm centres,					
deadlock steel plate housing with holed cover plate and 'H076 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		with two 38 x 38 x 10mm thick plates as hinges with rounded					
1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		ends to one side and hole for 18mm diameter pin, including					
1 HMP' heavy duty closing spring, welded to gate frame. Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		deadlock steel plate housing with holed cover plate and 'H076					
diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6	1		No	2			
diameter hinge pin 370mm long welded to 75 x 100 x 6mm thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		Door hinge formed of 38 x 38 x 6mm thick cleat with 15mm					
thick wall plate twice holed and bolted to walls (bolts elsewhere measured). No 6 40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		5					
40 x 20 x 2mm Thick hollow section tubing 160mm long with closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		• '					
Closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6	2	measured).	No	6			
Closed ends and opening for deadlock keep welded to frame. Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		40 y 20 y 2mm. Third, hallow another taking 400mm languists					
Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x 75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6	2	•	No	4			
75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6	3	closed ends and opening for deadlock keep welded to frame.	INU				
75 x 3mm thick wall plate five times holed and screwed to walls. No 2 8mm Diameter x 75mm long expansion bolt. No 6 ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6		Door stop formed of 38 x 38 x 6mm thick cleat welded to 75 x					
8mm Diameter x 75mm long expansion bolt. ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No No 6		· ·					
ALUMINIUM WINDOWS. Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6	4	walls.	No	2			
Window size 1000 x 1400mm high overall with one top hund opening out section and one fixed panel including 6,38mm laminated clear glass No 6	5	8mm Diameter x 75mm long expansion bolt.	No	6			
opening out section and one fixed panel including 6,38mm laminated clear glass No 6		ALUMINIUM WINDOWS.					
opening out section and one fixed panel including 6,38mm laminated clear glass No 6		Window size 1000 x 1400mm high overall with one top hund					
	6		No	6			
		Sub-Total					

				I
	BILL NO. 13			l
	PLASTERING			
	TRADE PREAMBLES			
	Trade Preambles:			
	For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill			
	SCREEDS			
	Screeds on concrete:			
1	30mm Thick on floors and landings. (Labour Intensive)	m2	65	I
	GRANOLITHIC			
	Untinted granolithic on concrete:			
2	25mm Thick on floors and landings to falls. (Labour Intensive)	m2	65	
	INTERNAL PLASTER			
	Cement plaster on brickwork:			
3	On walls.	m2	93	
4	On narrow widths.	m2	4	
	EXTERNAL PLASTER			
	Cement plaster on brickwork:			
5	On narrow widths.	m2	4	I
			-	
6	On Walls	m2	76	
	CORNER PROTECTORS, DIVIDING STRIPS, ETC			
	Corner protectors, dividing strips, etc:			
	3 x 40mm Flat section brass dividing strips between different			
7	floor finishes.	m	2	
	Sub-Total Carried to Final Summary			

		j		
	BILL NO.14			
	PLUMBING AND DRAINAGE TRADE PREAMBLES			
	Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill			
	RAINWATER DISPOSAL			
1	Powder coated aluminium profiled gutters and downpipes 125 x 100 x 125mm Eaves gutters including snow straps at 500mm centres pop rivetted to gutter on one end and roof sheeting on other end.	m	2	
2	Extra over 125 x 100 x 125mm eaves gutter for angle.	No	4	
3	Extra over 125 x 100 x 125mm eaves gutter for outlet for 100mm x 100mm rainwater pipe.	No	1	
4	100mm rainwater down pipes.	m	3	
5	Extra over 100 x 100mm rectangular rainwater pipe for 600mm wide eaves offset.	No	1	
6	Extra over 100 x 100mm rectangular rainwater pipe for shoe.	No	1	
	Jojo Tank and Tank Stand			

	Jojo (or any similar approved) water tank			
7	5000 Litre plastic seamless water storage tank complete with fixing lugs and lid, fitted with and including 15mm brass bibtap with handle suitable for padlocking, Including and construction of 2m x 2m tank stand in brickwork and setting in position on tankstand and tying down with 4mm diameter galvanised wire wrapped twice around centre of tank and secured to each corner of tank stand with a double strand of 4mm diameter galvanised wire embedded into concrete.	No	1	
8	Hole through top of tank lid for 100 x 100mm pipe.	No	1	
	TAPS, VALVES, ETC			
	Crutch handle and lockshield stopcocks:			
9	15mm Rough brass F x F stoptap with lockshield and loose key (code 121LK-15).	No	1	
	FIRE FIGHTING EQUIPMENT			
	4.5 kg Dry chemical powder portable fire extinguisher, with wall-mountable brackets fixed to and including 19mm x 145mm x 600mm wrought hardwood backboard with bevelled edges,			
10	plugged to wall.	No	1	
	Sub-Total Carried to Final Summary			

	BILL NO. 15			
	GLAZING			
	Glazing			
1	4mm Clear float glass in rectangular panes < 0.1m² in area, glazed to steel frame with self-setting putty, including removing remains of existing glazing, cleaning out putty and preparing rebates to receive new glazing.	m²	3	
	Sub-Total Carried to Final Summary			

PAINTWORK TRADE PREAMBLES Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill ON FLOATED PLASTER Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint:	TRADE PREAMBLES Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill ON FLOATED PLASTER Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. m2 145 Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats		BILL NO.16			
Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill ON FLOATED PLASTER Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. m2 145 Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats	Trade Preambles: For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill ON FLOATED PLASTER Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. m2 145 Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint:		PAINTWORK			
For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill ON FLOATED PLASTER Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. m2 145 Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats	For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be used and work to be done in this Bill ON FLOATED PLASTER Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint:		TRADE PREAMBLES			
Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. m2 145 Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats	Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint:		For Trade Preambles refer to 'Specification of Materials and Methods' (PW371) for the full descriptions of material to be			
premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. m2 145 Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats	premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint: 1 On interior walls. m2 145 Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint:		ON FLOATED PLASTER			
Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats	Prepare surfaces and remove all loose material, apply one coat premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint:		premium pure acrylic sheen thinned 20% and two coats			
premium pure acrylic sheen thinned 20% and two coats	premium pure acrylic sheen thinned 20% and two coats premium pure acrylic sheen paint:	1	On interior walls.	m2	145	
	2 On exterior Walls m2 125		premium pure acrylic sheen thinned 20% and two coats			
2 On exterior Walls m2 125		2	On exterior Walls	m2	125	

ON FIBRE-CEMENT, ETC.				
Prepare surfaces and remove all loose materia heads, apply one coat sealer/undercoat and tw PVA paint:	·			
3 On ceilings and cornices.		m2	65	
Prepare surfaces and remove all loose materia premium pure acrylic sheen thinned 20% and premium pure acrylic sheen paint:				
4 On exterior fascias and barge boards.		m2	2	
Prepare surfaces and remove all loose material plaster primer and two coats satin enamel pair				
5 On internal sills.		m2	1	
ON METAL				
Spot priming defects in pre-primed surfaces wi metal and apply one coat universal undercoat satin gloss enamel paint on steel:	•			
On gates, grilles, burglar screens, balustrades measured over the full flat area).	s, etc (both sides	m2	15	
ON WOOD, WOOD BOARD Stop, sand down and prepare wood surfaces a coats polyurethane X44 suede clear varnish:	and apply two			
7 On interior skirtings, rails, etc not exceeding 3	300 mm girth.	m	2	
Stop, fill, sand down and prepare wood surface coat oil wood primer, one coat universal under coats satin gloss enamel paint:				
8 On doors.		m2	15	
Stop, fill, sand down and prepare wood surface coat oil wood primer, one coat universal under coats polyurethane enamel paint:				
9 On exterior roof timbers at eaves and verges.		m2	5	
Sub-Total Carried to	o Final Summary			

BILL NO.17				
PROVISIONAL SUM				
NEW PREFABRICATED ABLUTION BLOCK				
Allow R40 000,00 (Forty Thousand Rands) Provide 2 pre-cast concrete VIP (Ventilated Improved Pit) toilet complete with baby seat and baby cover fully installed with hand wash facility and a vent pipe with fly screen. Installed on a fully lined 3m3 pit	Item	1,00	40 000,00	40 000,00
Allow for Profit	Item	1,00		
Allow for attendance	Item	1,00		
ELECTRICAL INSTALLATION				
Allow for R 20 000 (Twenty Thousand Rands) for Electrical work. Including Certificates of Compliance (Provisional)	Item	1,00	20 000,00	20 000,00
Allow for Profit	Item	1,00		
Allow for attendance	Item	1,00		
EARLY LEARNING RESOURCE MATERIALS				
Allow for R 5 000 (Five Thousand Rands) for Supply stimulation material (Books, fiction books, multilingual alphabet poster, life skills poster, puzzles, fiction/story books, nonfiction factual books, multilingual alphabet poster, life-skills posters)	Item	1,00	5 000,00	5 000,00
Allow for Profit	Item	1,00		
Allow for attendance	Item	1,00		
Provide the sum of R 5 000.00 (Five Thousand Rand) for the supply of fantasy and make-believe (child-size furniture, old clothes and shoes, soap/tea boxes, puppets, dolls, prams, pot-and-pan set, playfood, plastic animals, train sets, cars, airplanes)	Item	1,00	5 000,00	5 000,00
Allow for Profit	Item	1,00		
Allow for attendance	Item	1,00		

	OUTDOOR ACTIVE PLAY (Wooden Jungle Gyms)				
	Allow for R 25000,00 (Twenty five Thousand Rands)NOTE: Tenderers are advised to study the Standard Preambles to all trades and Supplementry Preambles before pricing this bill The following structures must be treated to H4 below ground as per SABS specification and ISO9001				
5	Basic structure Size 1800 x 1800 mm	No	1	25 000,00	25 000,00
	Allow for Profit	Item	1,00		
	Allow for attendance	Item	1,00		
	KITCHEN EQUIPMENT				
6	Allow R5 000,00 (Five thousand Rands) for provision and Installation of 2 burner gas stove Including gas reticulation and steel cage mounted outside the building. Certificate of Compliance to be issued on completion	Item	1,00	5 000,00	5 000,00
	Allow for Profit	Item	1,00		
	Allow for attendance	Item	1,00		
	Allow R5 000,00 (Five thousand Rands) for provision of microwave	Item	1,00	5 000,00	5 000,00
	Allow for Profit	Item	1,00		
	Allow for attendance	Item	1,00		
7	Allow R7 000,00 (Seven thousand Rands) for provision of a fridge	Item	1,00	7 000,00	7 000,00
	Allow for Profit	Item	1,00		
	Allow for attendance	Item	1,00		

8	FURNITURE Allow R10 000,00 (Ten thousand Rands) for provision of a variety of funiture equipment	Item	1,00	10 000,00	10 000,00
	Allow for Profit	Item	1,00		
	Allow for attendance	Item	1,00		
	ARTWORK				
9	Provide the amount of R5,000.00 (five thousand rand) for provision of ARTWORK as per Project Manager requirements.	Item	1,00	5 000,00	5 000,00
	Profit	Item	1,00		
	Attendance	Item	1,00		
	ENTRANCE SIGNAGE				
10	Allow R5000,00 (Five thousand Rands) for provision of a ENTRANCE SIGNAGE	Item	1,00	5 000,00	5 000,00
	Allow for Profit	Item	1,00		
	Allow for attendance	Item	1,00		
	Sub-Total Carried to Final Summary				

EXTERNAL WORKS			
TRADE PREAMBLES			
Trade Preambles:			
For Trade Preambles refer to 'Specification of Materials and			
Methods' (PW371) for the full descriptions of material to be			
used and work to be done in this Bill Supplementary Preambles			
Where items in this Bill are identical to those in the previous			
Bills, the descriptions have been shortened, and the full			
descriptions in the Trades concerned are to be referred to for			
the full meaning and intent of each item			
1. All fencing components are to be hot-dip galvanised after			
manufacture 2. Flatwrap wire to comply with CKS 592 3. Flatwrap wire and clips to be "Aluzink" coated			
Trailing time and superte se Trailing Seated			
SECURITY FENCING			
Excavations:			
Allow for clearing site for a width of 1m where fencing runs are			
to be erected including removing trees, shrubs, etc not			
exceeding 200mm girth, grubbing up roots and roughly levelling. (Labour Intensive).	m	94	
levelling. (Labour Interisive).	****	34	
Excavation in earth not exceeding 1m deep for trenches and			
holes. (Labour Intensive).	m3	2	
Extra over excavations for carting away surplus material to a			
dumping site located by the contractor. (Labour Intensive).	m3	2	
15 Mpa Concrete cast against excavated material for footings.			
(Labour Intensive).	m3	2	
Socurity foncing formed of E0 v E0 v 2 15mm diameter Class A			
Security fencing formed of 50 x 50 x 3,15mm diameter Class A galvanised 'Secumesh' security fence 1,8m high with			
'Howgring' security clips available from Décor applied with			
'Howgring' pliers at 300mm centres to two intermediate			
straining wires (straining wires elsewhere measured) including			
holes through posts (Secumesh supplied by Reinforcing, Design and Supply). (Labour Intensive).	m	94	
Design and Supply). (Labour Intensive).	111	94	
Four Strands of 4mm galvanised straining wires secured to			
fencing posts with doubled 2mm galvanised wire inserted through hole in post and turned minimum of four turns around			
straining wire and attached to straining frame at one end with			
not less than four turns and other end to straing bolts			
(elsewhere measured) (labour intensive)	m	94	
75 - 100mm Diameter creosote treated gumpole intermediate			
post 2400mm long holed as necessary for wire or straining eye			
bolts and embedded 600mm deep in ground in and including			
400 x 400 x 600mm deep cement concrete (15 MPa/19 mm			
stone) base including all excavations in earth, backfilling and ramming etc.	No	32	
ramming Gto.	INO	J2	1

i				•	
8	75 - 100mm Diameter creosote treated gumpole gate post 2400mm long holed as necessary including 75 - 100 mm stay post, for wire or straining eye bolts and embedded 600mm deep in ground in and including 400 x 400 x 600mm deep cement concrete (15 MPa/19 mm stone) base including all excavations in earth, backfilling and ramming etc.	No	2		
10	Corner straining frame formed of three 75 - 100mm diameter vertical posts 2400mm long and two horizontal braces each 1200mm long with bottom ends of posts embedded in concrete and braced as last described including all excavations in earth, backfilling and ramming.	No	20		
11	150 mmDiameter gate post, but fitted with one 75mm diameter galvanised steel raking stay, with post and stay both embedded in mass concrete (15MPa) bases as last (labour intensive)	No	2		
12	Approved 500mm diameter flat wrap of galvanised razor barbed tape wire fxed vertically to and including two rows of double strand barb wire to top of security fence and secured to straining wire (elsewhere measured) with and including 2,5mm diameter galvanised binding wire at 300mm centres (labour intensive)	m	12		
13	12mm diameter galvanised mild steel straining eye bolt wth hook, threaded portion and two nuts and washers, including hole through post (labour intensive)	No	4		
14	10mm U-shaped fence anchor 525mm girth bent to detail and\embedded in concrete to form eyelet (labour intensive)	No	4		
15	Gate 1000 x 1800mm high formed of 50mm diameter normal bore x 3.25mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angels and cross braces mullion and transome, scribed and welded into angels and at cross intersections, with two 50mm diameter nominal bore x 3,25mm wall thickness security posts each 600mm long with one end welded to top rail of gate and closure plate to other end, the gate covered with 50 x 50 x 3,15 mm weld mesh with four straining wires as before described and with four 2,37mm four point core diameter single "kampeon" wires with crimped droppers to security posts as before described; including 500mm diameter flat wrap razor barbed tape wire fixed as before described. Fitted with three 24mm diameter x 300mm long eyebolt hinges and stops including all holes, etc, welded or bolted to adjoining galvanised gatepost with and including 500mm long approved chain spot welded to gate and "Union No. 3122" padlock.	No	1		

				1	
18	Allow for breaking down and removing from site entire pit latrine structure including any structure that may be inside the pit. Demolition is to only commence once the latrine has been completely emptied (elsewhere measured). Backfill existing hole with imported filling in max 150mm layers and compact to 95% MOD AASHTO density.	No	2		
17	ABLUTION FACILITIES DEMOLITION AND DE-SLUDGING Pit toilets Allow for de-sludging of existing "long drop" pit latrines by means of "honey sucker". The pit latrines are to be completely empty before any other work is carried out.	No	2		
16	Double leaf Security fence swing gate, size 4,000 x 2,400mm high including spikes, formed of 3mm dia Galvanised wire with aperture size (centers) 76.2mm x 12.7mm. Mesh Galvanised, then Marine Fusion Bond coated (acid modified). All connections and joints shall be welded to form rigid frames or assembled with corner fittings. Hinges shall not twist or turn under the action of the gate and shall be so arranged that a closed gate cannot be lifted off the hinges to obtain entry. Include union padlock No 3122.	No	1		

Bill No.	FINAL SUMMARY			
1	PRELIMINARIES			
2	ALTERATIONS			
3	EARTHWORKS (PROVISIONAL)			
4	CONCRETE, FORMWORK AND REINFORCEMENT			
5	MASONRY			
6	WATERPROOFING			
7	ROOF COVERINGS ETC.			
8	CARPENTRY AND JOINERY			
9	CEILINGS, PARTITIONS AND ACCESS FLOORING			
10	FLOOR COVERINGS, WALL LININGS, ETC			
11	IRONMONGERY			
12	METALWORK			
13	PLASTERING			
14	PLUMBING AND DRAINAGE			
15	GLAZING			
16	PAINTWORK			
17	PROVISIONAL SUMS,ETC.			
18	EXTERNAL WORK			
	CONTINGENCIES			
	Allow the sum of R30 000 for Contingencies to be used or deducted in full at the Principal Agent's discretion			R30 000,00
	SUB-TOTAL			
	Add Value added tax at the rate of 15%	VAT	0,15	
	TOTAL CARRIED TO FORM OF OFFER			